

CLIMB HIGHER

PRODUCT CATALOG VOLUME 16.1



AMERICA'S PREMIER OUTFITTER

WWW.GMESUPPLY.COM

(800) 940-6762

FROM THE COVER

DBI Sala ExoFit Tower Climbing Harness *pg 6*,
DBI Sala ShockWave2 Twin Leg Lanyard *pg 27*,
Petzl Grillon Adjustable Rope Positioning
Lanyard *pg 35*, DBI Sala Lad-Saf Wire Rope
Grab *pg 64*, WestFall Pro Steel Carabiners
pg 46-47, JSP Deluxe Wheel Ratchet Full
Brim Hard Hat *pg 101*, SafetyGear Zenon Z12
Safety Glasses *pg 112*.

THIS PAGE

WestFall Pro Ascend Aluminum Tower Climbing
Harness *pg 8*, FallTech ElasTech Twin Leg
Lanyard *pg 27*, JSP Deluxe Wheel Ratchet
Hard Hat *pg 101*, Petzl Grillon Adjustable
Rope Positioning Lanyard *pg 35*, DBI Sala
Lad-Saf Wire Rope Grab *pg 64*, GME Supply
Top Closing Bolt Bag *pg 94*, GME Supply
Bull-Pin and Bolt Bag *pg 94*, WestFall Pro
Separator Snaphook *pg 47*, WestFall Pro Steel
Carabiners *pg 46-47*.



SCAN TO VIEW THE
GEAR PICTURED

www.gmesupply.com/catalog-gear

Proud
supporters of



CLIMB HIGHER®

HARNESSES 4-26

LANYARDS 27-40

ANCHORAGE 41-44

CARABINERS & HARDWARE 45-47

ROPE & RESCUE 48-70

LIFTING & RIGGING 71-82

INDUSTRY 83-86

CONFINED SPACE 87-89

BAGS & BUCKETS 90-98

SAFETY WEAR 99-123

APPAREL 124-133

TRAFFIC SAFETY & SIGNAGE 134-140

GROUNDING 141-144

INDUSTRIAL SUPPLIES 145-153

TOOLS 154-173

DEVICES 168-176

TRAINING / SIZING 177-188



GME Supply Company is a worldwide distributor and supplier of contractor equipment and industrial supplies for tower and steel erection, oil and gas, wind energy, roofing, maintenance, and more. We distribute a complete line of hard-to-find industrial supplies, PPE, fall protection safety equipment, rigging, professional tools, and related products for commercial and industrial applications.

We combine industry knowledge with professional experience that allows us to understand the specialized needs of your company and provide custom solutions. "Climb Higher" with GME Supply Company, your trusted resource for expert advice and superior service.

www.gmesupply.com

(718) 210-3913 or Toll Free **(800) 940-6762**

Fax: (888) 511-0457

Distribution Warehouses:

Alabama, California, Georgia, Illinois, Iowa, Kentucky, Minnesota, Missouri, Nebraska, Nevada, New York, Utah

Corporate Office:

1801 Westfall Drive
Columbia, MO 65202

Hours:

7am-7pm Mon-Fri
8am-1pm Sat (CST)

Atlanta Branch:

4720 Robinson Drive SW
Atlanta, GA 30336

Hours:

8am-6pm Mon-Fri (EST)



This graphic represents products that have videos on our YouTube channel.



This badge represents products that are customer favorites.



NOTICE: GME Supply logo and "Climb Higher" are registered trademarks of GME Supply and are protected in the United States and abroad. All other trademarks contained within are the property of their respective owners. We are not responsible for typographical or photographic errors. Prices are subject to change without notice. © 2015/2016 GME Supply Co. All rights reserved.


FULL BODY HARNESS 101

DONNING THE HARNESS


- 1 UNTANGLE AND VISUALLY CHECK HARNESS**
Grab the harness by the dorsal D-ring and follow the chest strap to untangle. Closely look over the harness webbing for abrasion, the hardware for excessive wear, and the impact indicators to ensure it hasn't been in a fall.
- 2 DON THE HARNESS**
Put your arms through the shoulder straps, like a jacket. Don't secure the chest strap yet.
- 3 ADJUST FROM THE BOTTOM UP**
The sub pelvic strap should rest just below your buttocks. Raise or lower this using torso adjusters, usually above the waist belt.
- 4 CONNECT & ADJUST LEG STRAPS**
These should be snug, but not overly tight. You should be able to slide 2 or 3 fingers between your leg and the strap.
- 5 CONNECT & ADJUST CHEST STRAP & WAIST BELT**
Waist belt should be snug, but not too tight or too loose. The chest strap should rest directly across your chest cavity. Not too high, not too low, but right in the sweet spot to keep you safe.




TYPES OF CONNECTORS



TONGUE BUCKLES
Easy operation, cannot slip once in position.



QUICK-CONNECT
Easiest operation, but can occasionally require readjustment.



PASS-THRU/MATING
Cheapest options, hardest to use and adjust properly.

INSPECTING THE HARNESS

Visually inspect these key areas of the harness every time, prior to beginning work. If you find any of these problems, take the harness out of service.

WEBBING

Cuts, tears, excess abrasion, holes, discoloration, UV damage, heat damage, welding slag, chemical damage, hard spots

STITCHING

Damaged stitching, broken thread, pulls and loose stitches, missing sections

D-RINGS, HARDWARE, & BUCKLES

Deformity, corrosion and rust, major nicks and dings, excess wear, proper operation

IMPACT INDICATORS

Deployed impact indicators, broken D-ring plates, deformed grommets

LABELS


Manufacturer, date of manufacture, inspection log, model, series, warnings

DORSAL CONNECTION
This D-Ring is found on all ANSI harnesses. It's used for fall arrest and should be placed directly between the shoulder blades.

CHEST STRAP
Tower harnesses have another D-Ring here. It's the only other connection point which can be used for fall arrest, like on a cable climb system. Unlike the Dorsal D, fall distance must be limited to 2 feet or less.

WORK POSITIONING
Side D-rings are used for work positioning. Never fall arrest.

Common feature on tower harnesses, working in suspension, you'll have one. Look for features like metal loops or aluminum reinforcement. Can be connected using a spreader bar.



**GET THE
19"X27"
POSTER
FOR \$14.95
PART # 2201**

ABCs OF FALL PROTECTION

A typical fall arrest system has three main components, often described as the ABC's of fall protection. **Anchorage. Body Support. Connectors.**

When used properly together, they provide the maximum degree of safety for a worker at height. But don't forget, a rescue plan is an equally important factor when it comes to fall protection. The proper gear for descent and rescue should always be a part of a complete fall protection plan, too.



BODY SUPPORT

Now we're talking harnesses. There's no safe and natural way to attach one's body to a structure. Luckily, harnesses are designed to distribute the forces that occur in a fall to limit injuries, or worse, death. There are many varieties of harnesses available for different industries and jobs. Find the correct one for your application starting on page 6.



DESCENT & RESCUE

What's your plan? Every job site needs to have proper rescue equipment and a proper rescue plan in place before anyone starts working. From rope access to confined space, there is specific gear needed to get to a fallen worker and get them to safety. A haul system helps raise them up, and a descent device will lower them down. Or maybe you could add trauma straps to your harness, so if you're the one dangling you can relieve some of the pressure that gravity is placing on your parts. Lucky for you, we've put together some rescue kits that can get you started on your rescue solution. Take a look at pages 68-70.

ANCHORAGE

Anchors provide secure attachment points for workers. There are many different ways to properly anchor depending on the industry, job, and structure. If you're on a tower, an anchorage point could be a tie-off sling, or perhaps an I-Beam anchor could be used in a horizontal system. Look for anchorage points rated for at least 5,000 pounds, or perhaps an engineered solution designed for your specific application. See the variety of anchorage options starting on page 41.



CONNECTORS

Once you've chosen a comfortable harness and your anchor point is secure, you just need one last thing before you're ready to climb. Here's where a shock absorbing lanyard or SRL comes in. Twin-leg lanyards provide 100% tie-off. SRL's can limit your fall distance to a few inches. Again, there are a variety of connectors to choose from, made by many different manufacturers. See them all beginning on page 27.





1113191

\$575⁹⁹

DBI SALA EXOFIT NEX TOWER CLIMBING HARNESS

Aluminum front, back and side D-rings; locking quick-connect buckles; sewn-in hip pad and belt, removable seat sling with positioning D-rings.

1113190 S - \$575.99

1113191 M - \$575.99

1113192 L - \$575.99

1113193 XL - \$575.99



1108651

\$429⁹⁹

DBI SALA EXOFIT TOWER CLIMBING HARNESS

Front and back D-rings, belt with back pad and side D-rings, removable seat sling with positioning D-rings, quick-connect buckles.

1108650 S - \$429.99

1108651 M - \$429.99

1108652 L - \$429.99

1108657 XL - \$429.99



1110301

\$434⁹⁹

DBI SALA EXOFIT XP TOWER CLIMBING HARNESS

Front and back D-rings, belt with back pad and side D-rings, removable seat sling with positioning D-rings, quick-connect buckles.

1110300 S - \$434.99

1110301 M - \$434.99

1110302 L - \$434.99

1110303 XL - \$434.99



293171

\$259⁹⁹

GUARDIAN TOWER EDGE HARNESS

Quick-connect chest, tongue buckle leg and waist connections, comfortable saddle, integrated hydration/cool pouch, specialized G-Tech fabric, highly functional saddle that utilizes dual durometer padding, designed for easy adornment and adjustment.

293170 S - \$259.99

293171 M-XL - \$259.99

293172 2XL - \$259.99



21082

\$207⁹⁹

GUARDIAN CYCLONE TOWER CLIMBING HARNESS

Dorsal and sternal D-ring for fall arrest; ventral D-ring at waist level in front for rope access; side D-ring, fully adjustable shoulder, leg, and chest straps; superior flexibility and comfort.

21082 S-L - \$207.99

21083 XL - \$207.99



ACT-QCBCUG

\$485⁹⁹

MILLER AIRCORE TOWER CLIMBING HARNESS

Quick-connect chest and leg straps, front D-ring, lumbar pad, side D-rings, up to 21% lighter than similar competitive harnesses, leather Bos'n chair attachment, removable belt with tool loops.

S/M - \$485.99

Universal - \$485.99

Aluminum hardware.

S/M - \$649.99

Universal - \$649.99

67602 \$354⁹⁹

ELK RIVER PEREGRINE PLATINUM TOWER CLIMBING HARNESS

70° aluminum D-ring on back, (2) aluminum D-rings on hips and seat strap, steel D-ring on chest, quick-connect chest and leg straps, breathable padding, lanyard parks, fall indicators, removable tool belt, removable aluminum bar in seat, carry-all bag.

- 67601 S - \$354.99
- 67602 M - \$354.99
- 67603 L - \$354.99
- 67604 XL - \$354.99



67632 \$378⁹⁹

ELK RIVER PEREGRINE RAS PLATINUM TOWER CLIMBING HARNESS

Adjustable and detachable seat, removable aluminum bar in seat, 70° aluminum D-ring on back, (2) aluminum D-rings on hips and seat strap, steel D-ring on chest, quick-connect chest and seat, tongue buckle leg straps with extra grommets for improved fit adjustment, breathable padding, lanyard parks, fall indicators, removable tool belt, carry-all bag.

- 67631 S - \$378.99
- 67632 M - \$378.99
- 67633 L - \$378.99
- 67634 XL - \$378.99



67610 \$354⁹⁹

ELK RIVER PEREGRINE PLATINUM TOWER CLIMBING HARNESS

70° aluminum D-ring on back, (2) aluminum D-rings on hips and seat strap, steel D-ring on chest, quick-connect chest strap, tongue buckle leg straps, breathable padding, lanyard parks, fall indicators, removable tool belt, removable aluminum bar in seat, carry-all bag.

- 67611 S - \$354.99
- 67612 M - \$354.99
- 67613 L - \$354.99
- 67614 XL - \$354.99



Elk River



7084

\$349⁹⁹

FALLTECH COMFORTECH TOWER CLIMBING HARNESS

(6) D-rings, removable saddle seat with padding and 5-point adjustability, ComforTech waist, shoulder and leg pads, tongue buckle belt and leg adjustments, quick-connect chest strap.

- 7084S S - \$349.99
- 7084M M - \$349.99
- 7084L L - \$349.99
- 7084XL XL - \$349.99




850ABTH

\$139⁹⁹

FRENCH CREEK 800 SERIES TOWER CLIMBING HARNESS

(6) D-rings located on back, hips, chest, and seat; adjustable shoulder, chest, waist, and leg straps; removable tool belt, shoulder pads, 6" back pad, removable seat.

- S/M - \$139.99
- L/XL - \$139.99



66612 \$239⁹⁹

ELK RIVER EAGLETOWER LE HARNESS

(6) steel D-rings located on back, chest, hips, and seat strap; lanyard parks, shoulder pads, quick-connect chest strap, tongue buckle leg straps, removable tool belt with padding.

- 66611 S - \$239.99
- 66612 M - \$239.99
- 66613 L - \$239.99
- 66614 XL - \$239.99

LX - Aluminum bar in seat.

- 66621 S - \$254.99
- 66622 M - \$254.99
- 66623 L - \$254.99
- 66624 XL - \$254.99



ALUMINUM
HARDWARE

88020 \$409⁹⁹

WESTFALL PRO ASCEND TOWER CLIMBING HARNESS

Built from the seat out by tower climbers, sleek black webbing with silver stitching; lightweight, aluminum front, back and side D-rings for reduced overall weight; locking quick-connect chest buckle; sewn-in hip pad with removable tool belt; breathable back and shoulder padding for increased comfort; large, adjustable seat for easy positioning and all day comfort; extra utility attachment loops on seat and belt provide secure points for hardware, tool lanyards and more; fall indicators for safety inspection; easily accessible lanyard parks.

88021 S - \$409.99

88022 M - \$409.99

88023 L - \$409.99

88024 XL - \$409.99



STEEL
HARDWARE

88010 \$249⁹⁹

WESTFALL PRO ASCEND TOWER CLIMBING HARNESS

Designed by industry experts with value in mind; sleek red and black webbing with silver stitching; durable front, back and side D-rings for secure anchorage; locking quick-connect chest buckle; sewn-in hip pad with removable tool belt; breathable back and shoulder padding for increased comfort; large, adjustable seat for easy positioning and all day comfort; extra utility attachment loops on seat and belt provide secure points for hardware, tool lanyards and more; fall indicators for safety inspection; easily accessible lanyard parks.

88011 S - \$249.99

88012 M - \$249.99

88013 L - \$249.99

88014 XL - \$249.99



G-1080

\$439⁹⁹

SKYLOTEC TOWER PRO HARNESS

(6) steel D-rings located on back, chest, hips, and seat; 6-point adjustment, padded shoulder, hip, and leg areas; removable padded seat; aluminum quick-connects on chest and legs, removable tool belt.

S/M - \$439.99

L/XL - \$439.99

Aluminum alloy D-rings.

S/M - \$519.99

L/XL - \$519.99



G-1082

\$349⁹⁹

SKYLOTEC TOWER TEC HARNESS

(6) D-rings located on back, chest, hips, and seat; 6-point adjustment, padded shoulder, hip, and leg areas; removable padded seat, aluminum quick-connects on chest and legs, removable tool belt.

S/M - \$349.99

L/XL - \$349.99



22850BH-ALT

\$249⁹⁹

FRENCH CREEK STRATOS TOWER CLIMBING HARNESS

(6) D-rings, 6-point adjustment, removable tool belt, tongue buckle legs, shoulder/back and leg pads, breathable mesh with moisture control; lightweight, rigid aluminum removable seat.

S/M - \$249.99

L/XL - \$249.99

Quick-connect legs
22870BH-ALT.

S/M - \$249.99

L/XL - \$249.99



1112585 \$663⁹⁹

DBI SALA EXOFIT STRATA TOWER CLIMBING HARNESS

LIFTech weight distribution system, PolarMesh back pad, EZ-Link SRL adapter, tongue buckle leg straps, Stand-up Tech-Lite aluminum dorsal D-ring, Body belt/hip pad with thermoformed EVA padding and Tech-Lite aluminum side D-rings, Snap and Go Tech-Lite aluminum front D-ring, adjustable, removable seat sling with aluminum board and Tech-Lite aluminum positioning D-rings, Repel webbing, built-in lanyard keepers that automatically reset, Revolver verticle torso adjusters, integrated trauma straps, customizable name tag, equipped with i-Safe.

1112585 S - \$663.99

1112586 M - \$663.99

1112587 L - \$663.99

1112588 XL - \$663.99

1112589 2XL - \$703.99



1112580 \$724⁹⁹

DBI SALA EXOFIT STRATA TOWER CLIMBING HARNESS

LIFTech weight distribution system, PolarMesh back pad, EZ-Link SRL adapter, Tri-Lock revolver quick connect buckles, Stand-up Tech-Lite aluminum dorsal D-ring, Body belt/hip pad with thermoformed EVA padding and Tech-Lite aluminum side D-rings, Snap and Go Tech-Lite aluminum front D-ring, adjustable, removable seat sling with aluminum board and Tech-Lite aluminum positioning D-rings, Repel webbing, built-in lanyard keepers that automatically reset, Revolver verticle torso adjusters, integrated trauma straps, customizable name tag, equipped with i-Safe.

1112580 S - \$724.99

1112581 M - \$724.99

1112582 L - \$724.99

1112583 XL - \$724.99

1112584 2XL - \$764.99



8092B \$449⁹⁹

FALLTECH FLOWTECH TOWERCLIMBER HARNESS

(6) aluminum D-rings located on back, chest, hips, and seat; FlowScape yoke and waist pads, quick-connect chest and tongue buckle legs with connection covers, aluminum reinforced padded seat, integrated tool keepers on waist and seat, lightweight ergonomic design.

8092BS Small - \$449.99

8092BM Medium - \$449.99

8092BL Large - \$449.99

8092BXL X-Large - \$449.99

Quick-Connect Leg Straps.

8092AS Small - \$449.99

8092AM Medium - \$449.99

8092AL Large - \$449.99

8092AXL X-Large - \$449.99



7048 \$224⁹⁹

FALLTECH JOURNEYMAN II TOWERCLIMBER HARNESS

(6) steel D-rings located on back, chest, hips, and seat; open mesh durable yoke and leg pads, quick connect chest and tongue buckle legs, aluminum reinforced padded seat, molded anti-slip dorsal D-keeper, abrasion/cut resistant webbing, easily adjustable high-tension friction adjusters, breathable leg pads.

7048S Small - \$224.99

7048M Medium - \$224.99

7048L Large - \$224.99

7048XL X-Large - \$224.99





1113368

\$1,188⁷⁹

DBI SALA EXOFIT NEX ARC FLASH TOWER CLIMBING HARNESS

PVC coated aluminum back and front D-rings; belt with pad and PVC coated aluminum side D-rings; seat sling with PVC coated suspension D-rings, Nomex/Kevlar fiber webbing and comfort padding; locking quick-connect buckle leg straps; Revolver vertical torso adjusters; built-in lanyard keepers; Arc flash rated.

1113357 S - \$1,188.79

1113358 M - \$1,188.79

1113368 L - \$1,188.79

1113369 XL - \$1,188.79



95740 \$147⁷⁹

ELK RIVER FIREMASTER KEVLAR WEB ASSEMBLY

Web assembly with rebar hook center / snaphook ends; use for positioning; heat resistant; made of Kevlar; 14" length, 1-3/4" width; 3,600 lb gate.



95903 \$126⁹⁹

ELK RIVER KEVLAR TIE-OFF ADAPTER

Steel pass-thru tie-off adapter.

95904 4' - \$199.99

95906 6' - \$176.99

95908 8' - \$244.99

95910 10' - \$244.99



88030 \$678⁹⁹

WESTFALL PRO WELDING TOWER CLIMBING HARNESS

Flame resistant Nomex/Kevlar webbing and padding for high-heat and welding applications; durable, steel front, back and side D-rings; locking quick-connect chest buckle; sewn-in hip pad with removable tool belt; large, adjustable seat; extra utility attachment loops on seat and belt; fall indicators; lanyard parks.

88031 S - \$678.99

88032 M - \$678.99

88033 L - \$678.99

88034 XL - \$678.99



1244632 \$335⁹⁹

DBI SALA SHOCKWAVE2 ARC FLASH 100% TIE-OFF SHOCK ABSORBING LANYARD

6' double-leg with elastic Nomex/Kevlar fiber webbing and snaphook center / aluminum rebar hook ends.



5075C \$23⁹⁹

FALLTECH LANYARD SLAG SHIELD

Suede leather outer shell with polyester lining for 6' single-leg lanyards; protects lanyard webbing from burns caused by welding spatter.



5075A \$31⁹⁹

FALLTECH WELDTECH HARNESS SLAG SHIELD

Suede leather outer shell, with polyester lining; protects upper torso harness webbing from burns caused by welding spatter.



90002 \$679⁹⁹

GME SUPPLY COMPLETE TOWER CLIMBING KIT

Elk River EagleTower LE Tower Climbing Harness, Safety Helmet, 3/8" Wire Rope Grab with Carabiner, Elk River 6' Adjustable Web Lanyard, Elk River 6' Shock Absorbing Twin Leg Lanyard, (2) 4"x2" Steel Carabiners, (2) 7"x3-3/4" Steel Carabiners, GME Supply Top-Closing Bull-Pin and Bolt Bag, GME Supply Deluxe Gear Bag.

Upgrades available: Petzl Vertex Vent Helmet (+\$99.00), EVO 6151 Vent Helmet (+\$35.00), DBI Sala 3/8" Wire Rope Grab with Carabiner (+\$220.00)



90010 \$474⁹⁵

GME SUPPLY ESSENTIAL TOWER CLIMBING KIT

French Creek 800 Series Tower Harness, Elk River 6' Shock Absorbing Twin Leg Lanyard, 3/8" Wire Rope Grab with Carabiner, (2) 4-7/8"x3" Steel Carabiners, GME Supply Bull-Pin and Bolt Bag, Separator Snaphook, Guardian Adjustable Positioning Web Lanyard, FallTech 3' Pass-Through Sling, Ergodyne Medium Duffel Bag.

Upgrades available: Petzl Vertex Vent Helmet (+\$115.00), EVO 6151 Vent Helmet (+\$45.00), DBI Sala 3/8" Wire Rope Grab with Carabiner (+\$220.00), GME Supply Top-Closing Bolt Bag (+\$10.00)



90000 \$349⁹⁹

GME SUPPLY BASIC TOWER CLIMBING KIT

Elk River EagleTower LE Tower Climbing Harness, Elk River 6' Shock Absorbing Twin Leg Lanyard, Guardian Adjustable Positioning Web Lanyard.

Upgrades available: Petzl Vertex Vent Helmet (+\$115.00), EVO 6151 Vent Helmet (+\$45.00), Construction Helmet (+\$8.75), GME Supply Deluxe Gear Bag (+\$55.00), GME Supply Top-Closing Bolt Bag (+\$23.00)



90004 \$484⁹⁹

GME SUPPLY FALLTECH TOWER CLIMBING KIT

FallTech ComforTech Tower Climbing Harness, Elk River 6' ElasTech Shock Absorbing Twin Leg Lanyard, Guardian Adjustable Positioning Web Lanyard, GME Supply Top Closing Bull-Pin and Bolt Bag.

Upgrades available: Petzl Vertex Vent Helmet (+\$115.00), EVO 6151 Vent Helmet (+\$45.00), GME Supply Deluxe Gear Bag (+\$55.00), DBI Sala 3/8" Wire Rope Grab with Carabiner (+\$370.00)



90007 \$999⁹⁹

GME SUPPLY WESTFALL PRO TOWER CLIMBING KIT

WestFall Pro Ascend Steel Tower Climbing Harness, WestFall Pro 6' Shock Absorbing Twin Leg Lanyard, Petzl Vertex Vent Helmet, Petzl Grillon Positioning Lanyard, DBI Sala 3/8" Wire Rope Grab with Carabiner, (2) 4-1/2"x2-3/4" Steel Carabiners, (2) 4-7/8"x3" Steel Carabiners, (2) GME Supply Top-Closing Bull-Pin and Bolt Bags.

Upgrades available: Aluminum Hardware on Harness (+\$40.00), GME Supply Deluxe Gear Bag (+\$55.00)



90006 \$1,219⁹⁹

GME SUPPLY EXOFIT TOWER CLIMBING KIT

DBI Sala ExoFit Tower Climbing Harness, Elk River 6' Shock Absorbing Twin Leg Lanyard, Petzl Vertex Vent Helmet, Petzl Grillon Positioning Lanyard, DBI Sala 3/8" Wire Rope Grab with Carabiner, (2) 4-1/2"x2-3/4" Steel Carabiners, (2) 4-7/8"x3" Steel Carabiners, (2) GME Supply Top-Closing Bull-Pin and Bolt Bags.

Upgrades available: GME Supply Deluxe Gear Bag (+\$55.00)



90012 \$394⁹⁵

FRENCH CREEK STRATOS TOWER CLIMBING KIT

French Creek Stratos Tower Climbing Harness, Elk River 6' Shock Absorbing Twin Leg Lanyard, (2) GME Supply Snap-On Utility Bags, (2) 4-7/8"x3" Steel Carabiners.

Upgrades available: Petzl Vertex Vent Helmet (+\$115.00), EVO 6151 Vent Helmet (+\$45.00), DBI Sala 3/8" Wire Rope Grab with Carabiner (+\$370.00), GME Supply Deluxe Gear Bag (+\$55.00)



90005 \$914⁹⁹

GME SUPPLY EXOFIT NEX TOWER CLIMBING KIT

DBI Sala ExoFit NEX Tower Climbing Harness, Petzl Grillon Positioning Lanyard, Elk River 6' Shock Absorbing Twin Leg Lanyard, GME Supply Top Closing Bull-Pin and Bolt Bag, (2) 4-7/8"x3" Steel Carabiners, 9"x5-1/2" Steel Carabiner.

Upgrades available: Petzl Vertex Vent Helmet (+\$115.00), EVO 6151 Vent Helmet (+\$45.00), GME Supply Deluxe Gear Bag (+\$55.00), DBI Sala 3/8" Wire Rope Grab with Carabiner (+\$370.00)

BUILD YOUR OWN TOWER CLIMBING KIT

START WITH THE BASICS \$378.00



Elk River EagleTower LE Harness



Elk River Shock Absorbing Flex NoPac Lanyard



Guardian Adjustable Positioning Web Lanyard



JSP Comfort Plus Type 1 Hard Hat

CHOOSE YOUR DISCOUNTED UPGRADES (MORE OPTIONS ONLINE)

CHOOSE YOUR PACKAGES



Elk River Peregrine Platinum Tower Harness +\$120⁰⁰



WestFall Pro Ascend Tower Harness (Aluminum) +\$149⁰⁰



DBI Sala ExoFit Tower Harness +\$138⁰⁰



DBI Sala Strata Tower Harness +\$500⁰⁰



Bag Package: GME Supply Deluxe Gear Bag and (2) GME Supply Heavy-Duty Top-Closing Bolt Bag +\$112⁰⁰



FallTech Aluminum Shock Absorbing Lanyard +\$29⁰⁰



WestFall Pro Shock Absorbing Lanyard +\$10⁰⁰



Kong Trimmer Adjustable 2m Positioning Lanyard +\$132⁰⁰



Petzl Grillon Adjustable 2m Positioning Lanyard +\$146⁰⁰



Connector Package: Separator Snaphook, (2) 4-7/8" X3" Steel Carabiners, and (2) 7" X3-3/4" Steel Carabiners +\$118⁰⁰



Petzl Vertex Vent Helmet +\$99⁰⁰



JSP Deluxe Wheel Ratchet Helmet +\$37⁰⁰



DBI Sala Lad-Saf Cable Grab with Carabiner +\$372⁰⁰



GME Supply Cable Grab with Carabiner +\$142⁰⁰



Accessory Package: Elk River Radio Holster, (2) Ergodyne Squids Tool Lanyards, and (2) Guardian 3' Anchor Straps +\$69⁰⁰

AVAILABLE EXCLUSIVELY AT GME SUPPLY www.gmesupply.com | (800) 940-6762

gmesupply.com/build-a-kit | Part Number: 90099



SG51036

\$421⁰⁰

PMI AVATAR DIAMOND CHEST HARNESS

(8) attachment points: dorsal, sternal, waist, hip, shoulder, and lumbar; fully adjustable rear leg risers and chest harness, ergonomic padding.

SG51036 Standard - \$421.00

SG51042 L/2XL - \$421.00

Circular chest holds wearer's upper torso closer to the rope making it an ideal choice for rope ascending systems.

SG51148 Standard - \$421.00

SG51149 L/2XL - \$421.00



22030B-BLK

\$309⁹⁹

FRENCH CREEK NAVIGATOR ROPE ACCESS AND RESCUE HARNESS

Dorsal D-ring; front sternum D-ring for connecting to fall arrest systems; front waist and side D-rings for positioning; includes equipment gear loops; padded waist belt and back/shoulder straps; 1-3/4" wide webbing.

22030B-BLK-XS XS - \$309.99

22030B-BLK-S/M S/M - \$309.99

22030B-BLK-L/XL L/XL - \$309.99



1113346 \$351⁹⁹

DBI SALA EXOFIT NEX ROPE ACCESS & RESCUE HARNESS

Aluminum front, back, and side D-rings; locking quick-connect buckles, hybrid comfort padding, ultra-soft edging, water-repellent webbing.

1113345 S - \$351.99

1113346 M - \$351.99

1113347 L - \$351.99

1113348 XL - \$351.99



Black-out version.

1113370 S - \$359.99

1113371 M - \$359.99

1113372 L - \$359.99

1113373 XL - \$359.99



C71AAA \$405⁰⁰

PETZL AVAO BOD HARNESS

X-Shaped dorsal construction reduces pressure points during prolonged suspension, aluminum D-Rings, semi-rigid, wide waistbelt and leg loops for excellent positioning; waistbelt and shoulder straps with self-locking DoubleBack buckles, fold-away side attachment points, (6) equipment loops on the sides and rear, can be paired with Petzl Podium Seat.

C71AAA1U Size 1 - \$405.00

C71AAA2U Size 2 - \$405.00

FAST buckles.

C71AFA1U Size 1 - \$429.95

C71AFA2U Size 2 - \$429.95

FAST buckles, black-out version.

C71AFN1U Size 1 - \$449.95

C710FN2U Size 2 - \$449.95

CROLL, integrated CROLL ventral rope clamp.

C71CFA1U Size 1 - \$485.00

C71CFA2U Size 2 - \$485.00

CROLL, black-out version.

C71CFN1U Size 1 - \$505.00

C71CFN2U Size 2 - \$505.00



S70 \$212⁰⁰

PETZL PODIUM SUSPENSION SEAT

Designed for use in conjunction with a fall-arrest or work positioning Petzl Avao Bod Harness, wide seat provides great stability and leg mobility, rigid side edges prevent webbing straps from cutting into thighs, straps are adjustable with self-locking DoubleBack buckles, (3) equipment loops.





7086 \$206⁹⁹

FALLTECH FLOWTECH HARNESS

Back D-ring, tongue buckle leg straps, FlowScape shoulder and leg pads, FlowScape raised D-ring assembly increases air circulation, FlowScape breathable molded pad interiors, lightweight aluminum hardware.

7086S S - \$206.99

7086M M - \$206.99

7086L L - \$206.99

7086XL XL - \$206.99



7080 \$169⁹⁹

FALLTECH COMFORTECH HARNESS

Single back D-ring, 5-point adjustability, 9-position heavy-duty tongue buckle leg straps, padded shoulder yoke, twin leg pads, lanyard keepers, polyester webbing.

7080SM S/M - \$169.99

7080LX L/XL - \$169.99

70802X 2XL - \$169.99

70803X 3XL - \$169.99



1100936 \$189⁹⁹

DELTA COMFORT VEST-STYLE HARNESS

Built-in shoulder, back and leg comfort padding; fixed back D-ring, Tech-Lite quick connect chest and leg straps; durable, lightweight polyester webbing; built-in lanyard keepers.

1100935 S - \$189.99

1100936 M - \$189.99

1100937 L - \$189.99

1100938 XL - \$189.99



1113004 \$319⁹⁹

DBI SALA EXOFIT NEX VEST-STYLE HARNESS

Aluminum back D-ring, locking quick-connect buckles, water-repellent webbing, vertical torso adjusters, protective shoulder caps, molded lanyard keepers, built-in carrying pocket, integrated trauma straps.

1113001 S - \$319.99

1113004 M - \$319.99

1113007 L - \$319.99

1113010 XL - \$319.99

1107976

\$288⁹⁹

DBI SALA EXOFIT VEST-STYLE HARNESS

Back D-ring, locking quick-connect buckles, cushioned shoulder, leg, and hip straps; Dri-lex breathable lining, soft LYCRA edging, strap keepers, 5-point adjustment, abrasion resistant, anti-tear ballistic nylon webbing.

1107975 S - \$288.99

1107976 M - \$288.99

1107977 L - \$288.99

1107981 XL - \$288.99



ACA-QC-UGN

\$299⁹⁹

MILLER AIRCORE HARNESS ALUMINUM

Open-core padding provides optimal airflow and reduces heat and moisture build-up; DuraFlex webbing stretches with every movement for greater flexibility and comfort, quick-connect chest, cam buckle torso adjustment, removable belt with padding, quick-connect leg straps, aluminum hardware.

S/M - \$299.99

L/XL - \$299.99

2XL/3XL - \$299.99



AC-QC/UGN

\$199⁹⁹

MILLER AIRCORE HARNESS

Unique breathable, open-core padding provides optimal airflow and reduces heat and moisture build-up; DuraFlex webbing stretches with every movement for greater flexibility and comfort, quick-connect chest, cam buckle torso adjustment, removable belt with padding, quick-connect leg straps, steel hardware.

S/M - \$199.99

L/XL - \$199.99

2XL/3XL - \$199.99





Peregrine RAS
Platinum



Having the right safety equipment is critical to making sure you come home to your family. Make Elk River products your #2 choice for all your Fall Protection needs. Your life may depend on it!



Cam Buckle



Back D-Ring



Seat Buckle



Chest Buckle & D-Ring

Elk River
Personal Fall Protection

800.633.7954

www.elkriver.com



GUARDIAN



01703 \$36⁹⁹

GUARDIAN VELOCITY HARNESS

Velocity HUV with chest pass-thru buckle and leg tongue buckles, break away lanyard keepers, identification label, finished webbing ends, webbing "wear" indicator

01703 S-L - \$36.99

01704 XL/2XL - \$36.99

11160 \$45⁹⁹

GUARDIAN SERAPH HARNESS

Quick-adjust torso buckles, (5) points of adjustment, adjustable dorsal D-ring, snap-on back pad, stretchability in the shoulders and back, lanyard/web keepers.

11160 M/L - \$45.99

11162 XL/2XL - \$45.99

11170 \$74⁹⁹

GUARDIAN SERAPH CONSTRUCTION HARNESS

(6) points of adjustment, quick-adjust torso buckles, improved elasticity in the shoulder and back for added comfort, hammer loops, web keepers, tongue buckle leg straps

11170 M/L - \$74.99

11172 XL/2XL - \$74.99

181161 \$169⁹⁹

GUARDIAN YELLOW/BLACK EDGE HARNESS

Chest pass-thru buckle and leg pass-thru buckles, (5) points of adjustment, impact indicator, adjustable dorsal D-ring, reflective trim, side stretch points.

181060 S - \$169.99

181061 M-XL - \$169.99

181062 2XL - \$169.99

RDT-QC/UBK

\$229⁹⁹

MILLER REVOLUTION HARNESS

Back D-ring, quick-connect chest and leg buckles, sub-pelvic strap, web ends safely organize webbing after adjustment, PivotLink connection provides greater mobility, ErgoArmor semi-flexible back shield, DualTech webbing, cam buckles, self-contained label pack, integrated accessory system provides modular attachment points for belts, tools, and accessories.

S/M - \$229.99

L/XL - \$229.99

2XL/3XL - \$229.99



22650

\$154⁹⁹

FRENCH CREEK STRATOS HARNESS

Back D-ring, tongue buckle leg straps, quick-connect chest, StratoLite comfort shoulder/back pad and leg pads, open-celled air-mesh for breathability and moisture control, 5-point adjustment.

S/M - \$154.99

M/L - \$154.99



11164

\$63⁹⁹

GUARDIAN SERAPH HARNESS

(5) points of adjustment; pass-through chest buckle; tongue buckle leg straps, quick adjust torso buckles; break-away lanyard keepers; superior flexibility and comfort.

11164 M/L - \$63.99

11166 XL/2XL - \$63.99





1191253 \$134⁹⁹
PROTECTA PRO VEST-STYLE HARNESS

Back D-ring, shoulder, back and leg padding; quick-connect chest and leg straps, spring-loaded torso buckles, lightweight hardware, built-in impact indicator.

- 1191252 S - \$134.99
- 1191253 M/L - \$134.99
- 1191254 XL - \$134.99



1191237 \$56⁹⁹
PROTECTA PRO VEST-STYLE HARNESS

Back D-ring, mating buckle chest strap, tongue buckle leg straps, spring-loaded torso buckles, lightweight hardware, built-in impact indicator.

- 1191236 S - \$56.99
- 1191237 M/L - \$56.99
- 1191238 XL - \$56.99



7021QC \$93⁹⁹
FALLTECH CONTRACTOR HARNESS

Padded dorsal D-ring and shoulder assembly with rugged outer shell, torso keepers for stowing idle lanyard connectors, friction roller torso adjusters, forged alloy steel hardware.

- 7021QC S-L (UniFit) - \$93.99
- 7021QCXL XL - \$93.99
- 7021QC2X3X 2XL/3XL - \$93.99



7015 \$35⁹⁹
FALLTECH CONTRACTOR HARNESS

Single back D-ring, 5-point adjustability, mating buckle leg straps, lanyard keepers, mating buckle torso adjusters, heavy-duty polyester webbing.

- 7015 S-L (UniFit) - \$35.99
- 7015XL XL - \$35.99
- 70152X 2XL - \$35.99
- 70153X 3XL - \$35.99



21041 \$104⁹⁹
GUARDIAN CYCLONE HUV HARNESS

Back D-ring, unique X-Back design, aesthetic stitch pattern, fully adjustable shoulder, chest, and leg straps; chest quick-connect buckle, leg tongue buckles, identification patch allows users to customize their harnesses without jeopardizing webbing integrity.

- 21041 S - \$104.99
- 21042 M-L - \$104.99
- 21043 XL - \$104.99
- 21044 2XL - \$104.99



E650QC/UGN \$138⁹⁹
MILLER DURAFLEX ULTRA HARNESS

Back D-ring, quick-connect chest and leg straps, Comfort-touch back D-ring pad, pull-free lanyard rings, patented DuraFlex stretchable webbing that provides greater comfort, increased productivity and improved safety.

- S/M - \$138.99
- L/XL - \$138.99
- 2XL/3XL - \$138.99



P950QC/UGN \$124⁹⁹
MILLER DURAFLEX PYTHON HARNESS

Back D-ring, quick-connect chest and leg straps, Comfort-touch back D-ring pad, pull-free lanyard rings, cushioned tubular webbing in shoulder straps, high-strength/abrasion resistant webbing, contoured edges, water-repellent foam.

- S/M - \$124.99
- L/XL - \$124.99
- 2XL/3XL - \$124.99

* SKU numbers listed are for universal (Lg/XL) size. Harnesses are also available in small/medium and XXL/XXXL, by replacing the "U" in the SKU number with "S/M" or "XXL/XXXL" (Ex: R10CN-MB/XXL/XXXLGM).

3 D-RING \ \ HARNESSES

RDTFDSL-QC -BPD/UBK*

\$314⁹⁹

MILLER REVOLUTION CLIMBING HARNESS

Specially designed suspension loops for greater mobility, side D-rings, cam buckles for easy one-hand adjustment of shoulder straps, removable tool belt with padding, DualTech webbing, ErgoArmor back shield, integrated accessory system, quick-connect buckle straps.

S/M - \$314.99

L/XL - \$314.99

2XL/3XL - \$314.99



R10CN-TB- BDP/UGN*

\$244⁹⁹

MILLER REVOLUTION CONSTRUCTION HARNESS

Heavy-duty webbing almost twice as strong as standards require, integrated back/shoulder pad allows optimum air flow, cam buckles for easy one-hand adjustment of shoulder straps, removable tool belt with padding, tongue buckle leg straps.

S/M - \$244.99

L/XL - \$244.99

2XL/3XL - \$244.99



AC-QC-BDP/UGN*

\$249⁹⁹

MILLER AIRCORE HARNESS

Open-core padding provides optimal airflow and reduces heat and moisture build-up; contoured ergonomic padding minimizes contact around a worker's neck, lower back and inner thighs to reduce chafing and irritation; DuraFlex webbing stretches with every movement for greater flexibility and comfort, quick-connect chest buckle for easy donning, cam buckles provide easy one-hand adjustment of shoulder straps, removable belt with padding, quick-connect leg straps, steel hardware.

S/M - \$249.99

L/XL - \$249.99

2XL/3XL - \$249.99

With tongue buckle legs AC-TB-BDP/UGN*.

S/M - \$244.99

L/XL - \$244.99


2XL/3XL - \$244.99

With aluminum hardware ACA-QC-BDP/UGN*.

S/M - \$294.99

L/XL - \$294.99

2XL/3XL - \$294.99



21030

\$154⁹⁹

GUARDIAN CYCLONE HARNESS

(5) points of adjustment; quick-connect chest buckle; tongue buckle leg straps and waist, side D-rings; ultra-flow padding; break-away lanyard keepers; superior flexibility and comfort.

21029 S - \$154.99

21030 M/L - \$154.99

21031 XL - \$154.99

21032 2XL - \$154.99



22850B


\$189⁹⁵

FRENCH CREEK STRATOS HARNESS

Back and side D-rings, quick-connect chest strap, tongue buckle legs, removable tool belt, StratoLite comfort shoulder/back pad and leg pads, open-celled air-mesh for breathability and moisture control, 6-point adjustment.

S/M - \$189.95

M/L - \$189.95



11173

\$79⁹⁹

GUARDIAN SERAPH CONSTRUCTION HARNESS

6-point adjustability, quick-connect torso buckles, stretchability, hammer loops, web keepers, tongue buckle leg straps, dorsal and side D-rings, improved elasticity in the shoulder and back for added comfort, integrated impact indicator that clearly identifies if it has been exposed to forces of a fall, lanyard keepers.

11174 S - \$79.99

11173 M/L - \$79.99

11171 XL/2XL - \$79.99





1110151 \$352⁹⁹
**DBI SALA EXOFIT
 XP CONSTRUCTION
 HARNESS**

Back D-ring, sewn-in back pad and belt with side D-rings, quick-connect buckle legs.

- 1110150 S - \$352.99
- 1110151 M - \$352.99
- 1110152 L - \$352.99
- 1110153 XL - \$352.99

Tongue buckle legs.

- 1110175 S - \$358.99
- 1110176 M - \$358.99
- 1110177 L - \$358.99
- 1110178 XL - \$358.99



1113151 \$411⁹⁹
**DBI SALA EXOFIT
 NEX CONSTRUCTION
 HARNESS**

Aluminum front, back and side D-rings, locking quick-connect buckles, sewn-in hip pad, removable belt.

- 1113151 S - \$411.99
- 1113154 M - \$411.99
- 1113157 L - \$411.99
- 1113160 XL - \$411.99

Without chest D-ring.

- 1113121 S - \$378.99
- 1113124 M - \$378.99
- 1113127 L - \$378.99
- 1113130 XL - \$378.99



193130
 \$249⁹⁹

**GUARDIAN
 CONSTRUCTION
 EDGE
 HARNESS**

(3) steel D-rings on back and hips, (5) points of adjustment, quick-connect chest buckle, tongue buckle waist and leg straps, impact indicator, reflective trim, side stretch points, convenient pockets. Available in blue/black, blue/yellow, black/red, red/black, and yellow/black.

- 193130 S - \$249.99
- 193131 M-XL - \$249.99
- 193132 2XL - \$249.99



1100796
 \$229⁹⁹

**DELTA
 COMFORT
 CONSTRUCTION
 POSITIONING
 HARNESS**

Built-in shoulder, back and leg comfort padding; fixed back D-ring; rigid body belt and hip pad with side D-rings; tongue buckle leg straps; durable, lightweight polyester webbing; built-in lanyard keepers.

- 1100795 S - \$229.99
- 1100796 M - \$229.99
- 1100797 L - \$229.99
- 1100798 XL - \$229.99



1191209
 \$83⁹⁹

**PROTECTA PRO
 CONSTRUCTION
 HARNESS**

Back and side D-rings, hip pad and belt, tongue buckle leg straps, 420 lb capacity, built-in impact indicator, lightweight hardware, label cover, durable construction.

- 1191208 S - \$83.99
- 1191209 M/L - \$83.99
- 1191210 XL - \$83.99



1108576

\$270⁹⁹

DBI SALA EXOFIT VEST-STYLE HARNESS

Back and side D-rings, locking quick-connect buckles, abrasion resistant, anti-tear ballistic nylon; ultra-soft edging, breathable lining, reflective piping, torso buckles, cushioned shoulder, leg, and hip straps.

1108575 S - \$270.99

1108576 M - \$270.99

1108577 L - \$270.99

1108581 XL - \$270.99



1113049 \$337⁹⁹

DBI SALA EXOFIT NEX VEST-STYLE HARNESS

Aluminum back and side D-rings, locking quick-connect buckles, water-repellent webbing, vertical torso adjusters, protective shoulder caps, molded lanyard keepers, built-in carrying pocket, X-design back for no-tangle donning, ultra-soft edging, integrated trauma straps.

1113046 S - \$337.99

1113049 M - \$337.99

1113052 L - \$337.99

1113055 XL - \$337.99


With chest D-ring.

1113076 S - \$359.99

1113079 M - \$359.99

1113082 L - \$359.99

1113085 XL - \$359.99



1191260

\$141⁹⁹

PROTECTA PRO VEST-STYLE HARNESS

Back and side D-rings, shoulder, back and leg padding; quick-connect legs, spring-loaded torso buckles, lightweight hardware, built-in impact indicator, lanyard keeper.

1191259 S - \$141.99

1191260 M/L - \$141.99

1191261 XL - \$141.99



21077

\$134⁹⁹

GUARDIAN CYCLONE HARNESS

(5) points of adjustment; pass-through chest buckle; tongue buckle leg straps, side D-rings; ultra-flow padding; break-away lanyard keepers; superior flexibility and comfort.

21077 S/L - \$134.99

21078 XL - \$134.99



11165

\$59⁹⁹

GUARDIAN SERAPH HARNESS

(5) points of adjustment; pass-through chest buckle; tongue buckle leg straps, quick adjust torso buckles; side D-rings; break-away lanyard keepers; superior flexibility and comfort.

11165 M/L - \$59.99

11167 XL/2XL - \$59.99



P950QC \$127⁹⁹

MILLER DURAFLEX PYTHON ULTRA HARNESS

Quick-connect buckles on chest and legs, comfort-touch back D-ring pad; soft, rounded, cushioned tubular webbing in shoulder straps minimizes irritation around neck; self-contained label pack, high-strength, abrasion-resistant webbing; durable, high-density, water-repellent foam.

P950QC Back D-Ring - \$127.99

P950QC-4 Tongue Buckle Legs - \$148.99

P950QC-7 Back & Side D-Rings - \$159.99

P950QC-77 Back & Side D-Rings w/ removable belt - \$179.99





AB17510 \$32⁹⁹
PROTECTA FIRST 3 POINT FULL BODY HARNESS
 Dorsal D-ring, pass-thru buckle chest and leg straps.

AB17520 \$39⁹⁹
PROTECTA FIRST 3 POINT POSITIONING FULL BODY HARNESS
 Dorsal D-ring, two side-hip positioning D-rings, pass-thru buckle chest and leg straps.

AB17530 \$34⁹⁹
PROTECTA FIRST 5 POINT FULL BODY HARNESS
 Dorsal D-ring, pass-thru buckle chest and leg straps, torso adjusters.

AB17540 \$41⁹⁹
PROTECTA FIRST 5 POINT POSITIONING FULL BODY HARNESS
 Dorsal D-ring, two side-hip positioning D-rings, pass-thru buckle chest and leg straps, torso adjusters.



48103 \$34⁹⁹
ELK RIVER CONSTRUCTION PLUS HARNESS
 Sliding D-ring at center of back, parachute-mating buckles on leg straps, made of polyester, fits medium to XL.

01700 \$38⁹⁹
GUARDIAN VELOCITY HARNESS
 Breakaway lanyard keepers; identification label; finished webbing ends; webbing 'wear' indicator; pass-through chest and leg straps; fits small to large.

7008T \$102⁹⁹
FALLTECH TITANIUM HARNESS
 Back D-ring, high strength, damage resistant Microshield webbing; tongue buckle leg straps, mating buckle chest strap, fits small to large.

1102000 \$111⁹⁹
DELTA VEST STYLE HARNESS
 Back D-ring, tongue buckle leg straps, water repellent webbing, lanyard parks, vertical torso adjuster.
 1102008 w/ side D-rings - \$132.99

67498 \$214⁹⁹
ELK RIVER KESTREL HARNESS
 Aluminum back and side D-rings, steel chest D-ring, quick-connect buckles, breathable padding on back/shoulders and leg straps, fits small to large.



1100301

\$404⁹⁹

DBI SALA EXOFIT DERRICK HARNESS

Vest-style, 18" dorsal D-ring extension, belt with back pad and lumbar D-ring, soft seat sling with positioning D-rings, pass-thru buckle connections at shoulders. Pictured with 1000570 derrick belt (sold separately).

1100300 S - \$404.99

1100301 M - \$404.99

1100302 L - \$404.99

1100303 XL - \$404.99

Derrick belt.

1000572 S - \$197.99

1000573 M - \$197.99

1000570 L/XL - \$197.99



1113296 \$640⁹⁹

DBI SALA EXOFIT NEX OIL AND GAS HARNESS

Vest-style, 18" dorsal D-ring extension, derrick attachments, hip pad and belt with lumbar D-ring, rigid seat sling with lifting D-rings, integrated trauma straps, water repellent webbing, reflective material on front and back. Pictured with 1003221 derrick belt (sold separately).

1113295 S - \$640.99

1113296 M - \$640.99

1113297 L - \$640.99

1113298 XL - \$640.99

Without seat sling, lifting D-rings off hips.

1113285 S - \$374.99

1113286 M - \$374.99

1113287 L - \$374.99

1113288 XL - \$374.99

Derrick belt.

1003230 S - \$278.99

1003220 M - \$278.99

1003221 L - \$278.99

1003222 XL - \$278.99



1106108

\$357⁹⁹

DBI SALA DELTA II DERRICK HARNESS


Vest-style harness, 18" dorsal D-ring extension, belt with hip pad and lumbar D-ring, soft seat sling with positioning D-rings. Pictured with 1000570 derrick belt (sold separately).

1106112 S - \$357.99

1106108 M - \$357.99

1106106 L - \$357.99

1106107 XL - \$357.99



8007

\$149⁹⁹

FALLTECH ROUGHNECK DERRICK HARNESS

(4) D-rings located on back, hip-lifting, and extension; tongue buckle legs and mating buckle chest, lower torso mating buckles for 8035 derrick belt (sold separately).

8007S S - \$149.99

8007M M - \$149.99

8007L L - \$149.99

8007XL XL - \$149.99



8021

\$216⁹⁹

FALLTECH ROUGHNECK DERRICK HARNESS

(4) D-rings located on restraint, seat, and extension; tongue buckle legs and mating buckle chest, waist pad and belt, integral soft sling seat, upper torso mating buckles for 8031 derrick belt (sold separately).

8021S S - \$216.99

8021M M - \$216.99

8021L L - \$216.99

8021XL XL - \$216.99



8031 \$144⁷⁹

FALLTECH ROUGHNECK DERRICK BELT

Mating buckle connecting straps for upper torso attachment, (2) steel work positioning rings, tongue buckle belt.

8031S S - \$144.79

8031M M - \$144.79

8031L L - \$144.79

8031XL XL - \$144.79



8035 \$184⁹⁹

FALLTECH ROUGHNECK DERRICK BELT

Mating buckle connectors for lower torso attachment, (2) steel work positioning rings, tongue buckle belt.

8035S S - \$184.99

8035M M - \$184.99

8035L L - \$184.99

8035XL XL - \$184.99




1113216 \$471.99

DBI SALA EXOFIT NEX GLOBAL WIND ENERGY HARNESS

Vest-style harness with aluminum front, back, and side D-rings; locking quick-connect buckles, sewn-in hip pad with belt, replaceable lumbar protector, radio holster conveniently holds and protects a radio, cell phone, or other item like a Lad-Saf sleeve.

- 1113215 S - \$471.99
 - 1113216 M - \$471.99
 - 1113217 L - \$471.99
 - 1113218 XL - \$471.99
- With tongue buckle legs.
- 1113175 S - \$438.99
 - 1113176 M - \$438.99
 - 1113177 L - \$438.99
 - 1113178 XL - \$438.99
- With quick-connect buckles, without body belt and back pad.
- 1113210 S - \$387.99
 - 1113211 M - \$387.99
 - 1113212 L - \$387.99
 - 1113213 XL - \$387.99

*Lad-Saf sleeve not included.



1102386

\$403.99

DBI SALA EXOFIT WIND ENERGY HARNESS

Vest-style harness with quick-connect buckle leg straps, PVC coated front, back, and side D-rings; sewn-in hip pad and belt with tool loops, replaceable lumbar protector, integrated trauma straps, built-in back and leg padding, lanyard keepers.

- 1102385 S - \$403.99
- 1102386 M - \$403.99
- 1102387 L - \$403.99
- 1102388 XL - \$403.99



1102341

\$322.99

DBI SALA EXOFIT WIND ENERGY HARNESS

Vest-style harness with quick-connect buckle leg straps, PVC coated front, back, and side D-rings; integrated trauma straps, built-in back and leg padding, lanyard keepers.

- 1102340 S - \$322.99
- 1102341 M - \$322.99
- 1102342 L - \$322.99
- 1102343 XL - \$322.99



7091FD

\$233.99

FALLTECH FLOWTECH CLIMBING HARNESS

(4) D-rings located on back, sides, and front; tongue buckle legs, quick-connect chest, FlowScape shoulder and leg pads.

- 7091SFD S - \$233.99
- 7091MFD M - \$233.99
- 7091LFD L - \$233.99
- 7091XLF XL - \$233.99



7083FD

\$220.99

FALLTECH COMFORTECH CLIMBING HARNESS

(4) D-rings located on back, sides, and front; quick-connect legs and chest, lumbar-supporting waist pad and belt.

- 7083SFD S - \$220.99
- 7083MFD M - \$220.99
- 7083LFD L - \$220.99
- 7083XLF XL - \$220.99



62432

\$108.99

ELK RIVER WINDEAGLE HARNESS

(4) steel D-rings located on back, hips, and chest; quick-connect chest and leg straps, large comfort D-ring slider at back, lanyard parks, leg pads, made of nylon and polyester.

- 62432 S/L - \$108.99
- 62434 L/XL - \$108.99



9501403

\$29⁹⁹

DBI SALA SUSPENSION TRAUMA SAFETY STRAPS

Deploy when needed and hook together in seconds, allows suspended worker to stand up in harness and relieve downward pressure, continuous loop design allows for one-foot or two-foot suspension. Connects to most harnesses, one pair.



1150174 \$79⁴⁹

DBI SALA HARNESS HYDRATION SYSTEM

Incorporates a simple clip-on design that attaches to any harness, 50 oz capacity, zip-up nylon carrier, anti-microbial, taste free tubing and reservoir.



85008 \$14⁹⁹

ELK RIVER RADIO HOLSTER

3 inches wide with elastic sides to hold large phones or radios, pass through loop for easy belt attachment, rugged hook/loop closure for attachment to shoulder or other vertical straps.



9505494 \$23⁹⁹

DBI SALA EXOFIT NEX WIND ENERGY RADIO HOLSTER

Conveniently holds and protects a radio, cell phone, or other item like a Lad-Saf sleeve.

SG51035

\$19⁹⁵

PMI GEAR DAISY

Single length of webbing, hand loop at one end, made from 1" tubular nylon webbing, each loop holds 2 kN (450 lbf), 3' length, (9) gear loops.

SG51041 4', (13) gear loops - \$20.99



85002 \$2⁹⁹

ELK RIVER TOOL BELT LOOP WITH 1" STEEL O-RING


Connect to any work belt for an extra attachment point.



9099 \$17²⁹

MILLER RELIEF STEP SAFETY DEVICE

Provide a short-term solution for alleviating suspension trauma; enhances blood circulation until rescue, includes (1) step.



1000781

\$75⁹⁹

DBI SALA EXOFIT NEX BELT

Available in sizes XS-4XL.


1000716 ExoFit Belt - \$54.99



5040 \$21⁹⁹

FALLTECH SUSPENSION TRAUMA SAFETY STRAPS

Set of (2) compatible hip-packs; exclusive deployment design; reflective webbing throughout; fits all full body harnesses.



5066 \$4⁹⁹

FALLTECH LANYARD KEEPERS

User-replaceable lanyard parking assemblies, easy to follow instructions, for keeping idle lanyard legs from dragging or causing tripping hazards; one pair.





8039 \$219⁹⁹
FALLTECH PREMIUM BOSUN'S SEAT

Built with 13-ply Baltic Birch wood measuring 1" x 11.6" x 23.7" and equipped with sturdy side snaps to hang equipment or tools, durable 1-3/4" wide polyester webbing suspension straps, integrated tongue buckle body belt, seat and back pad for user support and comfort.

8039S S - \$219.99

8039M M - \$219.99

8039L L - \$219.99

8039XL XL - \$219.99



85822 \$183⁹⁹
ELK RIVER DELUXE BOSUN'S SEAT

Consists of a 12" x 24" platform seat constructed of 1" laminated plywood and equipped with a four-point nylon suspension system, (2) bucket snaps on each side for attaching equipment, includes (2) 3/16" D-rings at attachment point and waist belt for proper fitting.

85821 S - \$183.99

85822 M - \$183.99

85823 L - \$183.99

85824 XL - \$183.99



1001378 \$298⁹⁹
DBI SALA SUSPENDED WORKMAN'S CHAIR

15" x 18" x 0.75" (38.1 x 45.7 x 1.9 cm) rigid board; built-in suspension rings with Saflok carabiner; durable polyester construction; adjustable suspension straps; integral side tool bags; compact and lightweight design; pass-thru style waist belt; aluminum foot step.



EASILY
 ATTACHES TO
 ANY HARNESS!



908471 \$29⁹⁹
T-REIGN PROHOLSTER POUCH

Open-top protective case with a retractable tether, designed for two-way radios, fieldSENSE, GPS devices or small cameras that need some protection, but are ruggedly built and need to be within easy reach; rugged, 36" Kevlar tether is strong and durable, preventing drops or loss of gear; patented hook and latch closure system allows quiet, one-handed access to gear; constructed with rugged 600 denier nylon, tether cord can stretch to accommodate up to a 6" tall device, 2" wide x 1.1" deep.



TWIN LEG STEEL \ LANYARDS

*  Snaphook ends available on many lanyards.



35478 \$98⁷⁵

ELK RIVER SHOCK ABSORBING FLEX NOPAC LANYARD

Expandable design keeps lanyard legs out of your way, 100% tie-off, Zsnaphook center / rebar hook ends, stretches 4.5'-6", ANSI compliant.

35428 Zsnaphooks at all ends - \$84.99



1340161 \$90⁹⁹

PROTECTA PRO SHOCK ABSORBING LANYARD

Stretches in reaction to your movements; abrasion resistant polyester tubular webbing; energy absorbing design limits fall arrest forces, built-in impact indicator; snaphook center / rebar hook ends, stretches 4.5'-6", ANSI compliant.



62010 \$114⁹⁹

WESTFALL PRO SHOCK ABSORBING LANYARD

Made with abrasion-resistant nylon webbing; sewn on impact indicator; snaphook center / rebar hook ends, stretches 4.5'-6", ANSI compliant.



8240Y3 \$98⁷⁵

FALLTECH ELASTECH SHOCK ABSORBING LANYARD

Snaphook center / rebar hook ends, stretches 4.5'-6", ANSI compliant.

8240Y Snaphook ends - \$69.99



1244448 \$304⁹⁹

DBI SALA SHOCKWAVE2 SHOCK ABSORBING LANYARD

3" gate SafLok Max hook ends, stretches 4.5'-6", ANSI compliant.



01298 \$89⁹⁹

GUARDIAN STRETCH SHOCK ABSORBING LANYARD

Snaphook center / rebar hook ends, stretches 4.5'-6", ANSI compliant.



36966 \$168⁹⁹

ELK RIVER FLEX ZORBER SHOCK ABSORBING LANYARD

Snaphook center / rebar hook ends, split leg 3' or 6', ANSI compliant.



1244416 \$383⁰⁰

DBI SALA SHOCKWAVE2 SHOCK ABSORBING LANYARD

Snaphook center / Saflok Tower Hook ends, stretches 4.5'-6", ANSI compliant.

35379 \$79⁹⁹

**ELK RIVER
NOPAC SHOCK
ABSORBING
LANYARD**

Shock absorbing material is covered with a full-strength outer sheath, 100% tie-off, ZSnaphook center / Zrebar hook ends, 6' length, ANSI compliant.



Snaphook ends available on many lanyards.



1340250 \$74⁹⁹

**PROTECTA PRO
SHOCK ABSORBING
LANYARD**

Abrasion resistant tubular polyester webbing; compact and integral energy absorber; energy absorbing design limits fall arrest forces, impact indicator; snaphook center / rebar hook ends, 6' length, ANSI compliant.

8259Y3 \$69⁹⁹

**FALLTECH ELASTECH SHOCK
ABSORBING LANYARD**

Durable tubular polyester outer jacket web resists abrasion and UV, full-length internal energy absorber, contrasting load-indicator stitch displays when a fall event has occurred, snaphook center / rebar hook ends, 6' length, ANSI compliant.



8256LTY3 \$67⁹⁹

**FALLTECH FT BASIC
SHOCK ABSORBING
LANYARD**

Snaphook center / rebar hook ends, 6' length, ANSI compliant.

11203 \$78⁹⁹

**GUARDIAN SHOCK
ABSORBING LANYARD**

Snaphook center / rebar hook ends, 6' length, ANSI compliant.

1244456 \$238⁹⁹

**DBI SALA SHOCKWAVE2
SHOCK ABSORBING
LANYARD**

D-ring extension; snaphook center / steel hook ends, stretches 4.5'-6', ANSI compliant.

1246024 \$194⁹⁹

**DBI SALA EZ-STOP
SHOCK ABSORBING
LANYARD**

Snaphook center / rebar hook ends, 6' length, ANSI compliant.

826073T \$105⁹⁹

**FALLTECH TITANIUM
SHOCK ABSORBING
LANYARD**

Snaphook center / rebar hook ends, 6' length, ANSI compliant.

82608T Snaphook ends - \$83.99

1246193

\$281⁹⁹

DBI SALA EZ-STOP SHOCK ABSORBING LANYARD

Lightest, strongest, smallest shock pack in the world; water-repellent webbing, protected labels, aluminum snaphook center / aluminum rebar hook ends, 6' length, ANSI compliant.



21215

\$104⁹⁹

GUARDIAN SHOCK ABSORBING LANYARD

Made with a heavy-duty outer polyester webbing; polyester core specifically designed to reduce the impact forces resulting from a fall; shock absorption is built directly into the lanyard so there is no need for an external shock absorber, making the lanyard lightweight; aluminum snaphook center / high strength aluminum rebar hook ends, 6' length, ANSI compliant.



8240Y3A \$134⁹⁹

FALLTECH ELASTECH SHOCK ABSORBING LANYARD

Expands and contracts to avoid tripping hazards, internal high modulus elastic won't soften from frequent use, heavy-duty tubular polyester outer jacket web resists abrasion and UV, aluminum snaphook center / aluminum rebar hook ends, stretches 4.5'-6', ANSI compliant.



1246021

\$260⁹⁹

DBI SALA EZ-STOP SHOCK ABSORBING LANYARD

Aluminum snaphook center / aluminum rebar hook ends, stretches 4.5'-6', ANSI compliant.

1244409

\$266⁹⁹

DBI SALA SHOCKWAVE2 SHOCK ABSORBING LANYARD

Snaphook center / aluminum rebar hook ends, stretches 4.5'-6', ANSI compliant.

35488

\$109⁹⁹

ELK RIVER FLEX NOPAC SHOCK ABSORBING LANYARD

Zsnaphook center / aluminum Zrebar hook ends, 6' length, ANSI compliant.

35416

\$122⁹⁹

ELK RIVER FLEX NOPAC SHOCK ABSORBING LANYARD

Zsnaphook center / aluminum carabiner ends, stretches 4.5'-6', ANSI compliant.

35716

\$172⁹⁹

ELK RIVER FLEX NOPAC SHOCK ABSORBING LANYARD

Aluminum carabiner center and ends, stretches 4.5'-6', ANSI compliant.

1246071

\$281⁹⁹

**DBI SALA
EZ-STOP
TIE-BACK SHOCK
ABSORBING
LANYARD**

Lightest, strongest, smallest shock pack in the world; water-repellent webbing, protected labels, floating D-rings for tie-back, aluminum snaphook center / aluminum rebar hook ends, 6' length, ANSI compliant.



8260732D

\$91⁹⁹

**FALLTECH
VIEWPACK
TIE-OFF SHOCK
ABSORBING
LANYARD**

Rugged 1" polyester webbing provides extreme UV resistance, exclusive ViewPack design combines integral protection of labels and view-window for inspection of internal energy absorber, tear-away absorber design limits fall forces to 900 lbs or less, snaphook center / rebar hook ends, 6' length, ANSI compliant.



1246072 \$242⁹⁹

**DBI SALA EZ-STOP TIE-BACK SHOCK
ABSORBING LANYARD**

Smallest shock absorber in the world, thinnest-ever webbing for reduced weight and bulk, lightest and strongest rebar hooks on the market, Hi-10 Vectran Energy Management Material, floating D-rings for tie-back, snaphook center / rebar hook ends, 6' length, ANSI compliant.



36936 \$112⁹⁹

**ELK RIVER TIE-BACK
SHOCK ABSORBING
LANYARD**

Zsnaphook center / tie-back carabiner ends, 6' length, ANSI compliant.



01291 \$69⁹⁹

**GUARDIAN TIE-BACK
SHOCK ABSORBING
LANYARD**

Snaphook center and ends, 6' length, ANSI compliant.



826082DT \$95⁹⁹

**FALLTECH TITANIUM
TIE-OFF SHOCK
ABSORBING LANYARD**

Snaphook center and ends, 6' length, ANSI compliant.



1246080 \$217⁹⁹

**DBI SALA EZ-STOP
WRAPBAX SHOCK
ABSORBING LANYARD**

Aluminum snaphook center / 5,000 lb Wrap-bax 2 hook ends, 6' length, ANSI compliant.



11760 \$101⁹⁹

**GUARDIAN TRIPLE
LOCK WRAP LANYARD**

Can function as a standard shock absorbing lanyard or tie-back lanyard; triple locking carabiner ends; 6' length, ANSI compliant.

✦ These lanyards are the same length as standard 6' lanyards, but allow tying off at your feet because of increased shock absorbing capabilities. They are also commonly called 12' free fall or fall factor 2 lanyards.



62021 \$174⁹⁹

WESTFALL PRO BLACK-MAX SHOCK ABSORBING LANYARD

The bungee style allows the lanyard to stretch and prevent trip hazards throughout the day, while the dual stage shock absorbers have been designed to arrest forces associated with a freefall of up to 12'. You now have a solution for the tops of monopoles or other jobs without head room. Snaphook center / rebar hook ends, 6' length, ANSI compliant.

62022 \$209⁹⁹

WESTFALL PRO BLACK-MAX SHOCK ABSORBING LANYARD

Created with tower work in mind, the bungee style allows the lanyard to stretch and prevent trip hazards throughout the day, while the dual stage shock absorbers have been designed to arrest forces associated with a freefall of up to 12'. Aluminum snaphook center / aluminum rebar hook ends, 6' length, ANSI compliant.

1246032 \$327⁹⁹

DBI SALA FORCE2 ELASTIC LANYARD

Force2 12 ft' free fall (3.6m) and dual capacity rated; stretches in reaction to your movements; energy absorbing design limits fall arrest forces; ideal when there is no overhead anchorage and your only option is to tie-off at your feet, snaphook center / aluminum rebar hook ends, 6' length, ANSI compliant.



8247Y3 \$131⁹⁹

FALLTECH IRONMAN 12' FREEFALL SHOCK ABSORBING LANYARD

Specifically designed for tying-off at the foot level for free falls of up to 12' when no overhead anchorage is available, swivel snaphook center / rebar hook ends, 6' length, OSHA compliant.

L-0558-1,8 \$274⁹⁹

SKYLOTEC SKYSAFE PRO FLEX SHOCK ABSORBING LANYARD

Aluminum snaphook center / aluminum rebar hook ends, 6' length, ANSI compliant.

L-0562-1,8 Steel hardware - \$219.99

1246154 \$238⁹⁹

DBI SALA FORCE2 TIE-BACK SHOCK ABSORBING LANYARD

Force2 with adjustable D-rings for tie-back, aluminum snaphook center / aluminum rebar hook ends, 6' length, ANSI compliant.

21303 \$134⁹⁹

GUARDIAN BIG BOSS EXTENDED FREE FALL SHOCK ABSORBING LANYARD

Can be used as an extended free fall lanyard for workers between the capacity range of 130-310 lbs and as a standard shock absorbing lanyard for workers 310-420 lbs, 6' length, ANSI compliant.



01214 \$24⁹⁹

GUARDIAN SHOCK ABSORBING LANYARD

Integrated shock absorbing component limits average arresting forces to 900 pounds or less; comprised of 1" nylon webbing; clear shock absorbing pack for easy inspection; snaphook ends; 3' length; ANSI compliant. Also available in a variety of lengths with steel and aluminum shaphooks or rebar hooks.

1341002 \$35⁹⁹

PROTECTA PRO PACK SHOCK ABSORBING LANYARD

Durable 1" polyester webbing, 3,600 lb gated hooks, energy absorbing design that limits the average fall arresting forces to 900 lbs, snaphook ends, 3' length, ANSI compliant.

1341001 6' length - \$37.99



SEE ROPE GRABS ON PAGE 54



1246012 \$88⁹⁹

DBI SALA EZ-STOP SHOCK ABSORBING LANYARD

Snaphook ends, 3' length, ANSI compliant.

1246011 6' length - \$95.99



8256LT3FT \$34⁹⁹

FALLTECH SOFT PACK SHOCK ABSORBING LANYARD

Snaphook ends, 3' length, ANSI compliant.

8256LT 6' length - \$36.99



35427 \$52⁹⁹

ELK RIVER NOPAC SHOCK ABSORBING LANYARD

Zsnaphook ends, stretches 4.5'-6', ANSI compliant.



8253 \$33⁹⁹

FALLTECH VIEWPACK SHOCK ABSORBING LANYARD

Snaphook ends, 3' length, ANSI compliant.

8254 4' length - \$40.99
8256 6' length - \$40.99



27223 \$38⁹⁹

ELK RIVER ZORBER SHOCK ABSORBING LANYARD

Snaphook ends, 3' length, ANSI compliant.

27224 4' length - \$41.99
27226 6' length - \$41.99

1246234 \$102⁹⁹

DBI SALA EZ-STOP ADJUSTABLE SHOCK ABSORBING LANYARD

Lightest, strongest, smallest shock pack in the world; redesigned steel snaphooks for lighter weight, water repellent webbing, protected labels, snaphook ends, adjusts from 4.5'-6', ANSI compliant.



01285 \$62⁹⁹

GUARDIAN ADJUSTABLE SHOCK ABSORBING LANYARD

Ideal for fall arrest and restraint applications; lightweight; can be quickly and easily adjusted; comes with an integrated shock absorbing component; snaphook ends, adjusts from 4.5'-6', ANSI compliant.



82403A \$85⁹⁹

FALLTECH ELASTECH SHOCK ABSORBING LANYARD

Aluminum snaphook end / aluminum rebar hook end, stretches 4.5'-6', ANSI compliant.

8240A Aluminum snaphook ends - \$75.99



1244650 \$129⁹⁹

DBI SALA SHOCKWAVE2 TIE-BACK SHOCK ABSORBING LANYARD

Elastic web and snaphook end / tie-back carabiner end; 6' length, ANSI compliant.



01290 \$68⁹⁹

GUARDIAN SHOCK ABSORBING TIE-BACK LANYARD

Adjustable D-ring tie-back point; snaphook ends; 6' length, ANSI compliant.



11750 \$76⁹⁹

GUARDIAN TRIPLE LOCK WRAP LANYARD

Can function as a standard shock absorbing lanyard or tie-back lanyard; triple locking carabiner end; 6' length, ANSI compliant.



35378 \$56⁹⁹

ELK RIVER NOPAC SHOCK ABSORBING LANYARD

Zsnaphook end / Zrebar hook end, 6' length, ANSI compliant.



29023 \$34⁹⁹

ELK RIVER POSITIONING WEB LANYARD

Zsnohook ends, 3' length.

29024 4' length - \$35.99

29026 6' length - \$36.99

29506 Adjustable 3'-6' length - \$46.99



01280 \$29⁹⁹

GUARDIAN ADJUSTABLE POSITIONING WEB LANYARD

Ideal for positioning and restraint situations, quickly adjusts from 4' to 6', snaphook ends.



1231016 \$77⁹⁹

DBI SALA ADJUSTABLE POSITIONING WEB LANYARD

6' adjustable single-leg lanyard, ideal for work positioning or restraint, snaphook ends.



29433 \$58⁴⁹

ELK RIVER POSITIONING WEB LANYARD

Zsnohook end / Zrebar hook end, 3' length.

29434 4' length - \$64.99

29436 6' length - \$65.99



34496

\$79⁹⁵

ELK RIVER ADJUSTABLE 1/2" ROPE POSITIONING LANYARD

1/2" x 6' rope adjustable positioning lanyard, polyester and nylon rope construction, captive eye carabiner with 3.6M gate, aluminum sliding adjuster, 1/2" gate opening carabiner, man rated to 310 lbs. for positioning only, separate fall arrest required, maximum load: 3600 lbs. Meets or exceeds OSHA 1926.



289U00200KK

\$170⁰⁰

KONG TRIMMER ADJUSTABLE WORK POSITIONING LANYARD

Incredibly smooth device for progressive adjustment of the lanyard length; used on the work positioning D-rings on the harness waistbelt; the length is adjusted by pressing the ergonomic lever; can be used from the ventral or lateral attachment points to adjust the distance from the anchoring point; fitted with protective sheath to protect the rope from the contact points; visible stitchings for a quick visual inspection; lightweight and compact.

289U00300KK 3m - \$175.00



8165A65

\$132⁹⁹

FALLTECH TOWERCLIMBER ADJUSTABLE ROPE POSITIONING LANYARD

Aluminum auto-locking rope adjuster built for one handed length adjustment; durable 7/16" (11mm) kernmantle rope; abrasion resistant sleeve; includes gear bag for easy storage when climbing; 6.5' length.

L52A \$185⁰⁰

PETZL GRILLON ADJUSTABLE POSITIONING LANYARD

Lanyard with fine adjustment system for precise work positioning; can be used in double mode to distribute weight on the belt or single mode to distribute weight between the waistbelt and leg loops; removable protective sheath protects the rope from abrasive surfaces and allows smooth rope glide.

L52A 002 2m (6.56') - \$185.00

L52A 003 3m (9.84') - \$190.00

L52A 005 5m (16.40') - \$200.00

With hook connector.

L52H 002 2m (6.56') - \$205.00

L52H 003 3m (9.84') - \$210.00

L52H 004 4m (13.12') - \$215.00

L52H 005 5m (16.40') - \$220.00

With MGO rebar hook connector (does not include sheath).

L52M 003 3m (9.84') - \$260.00

Replacement straps.

L52R 002-020 Multiple lengths - Price varies

L52RH 002-005 Multiple lengths - Price varies

L52RM 003 3m (9.84') - \$125.00



L52H



L52M

1234070

\$189⁹⁹

DBI SALA ADJUSTABLE ROPE POSITIONING LANYARD

Compliments a variety of fall protection systems as a versatile positioning device, allowing the user to wrap around numerous anchors; lightweight design weighs just 2.2 lbs, abrasion resistant sleeve helps prolong product life, blue wear indicating core signals the user when the product needs to be taken out of service, 8' length.



34416 \$123⁹⁹

ELK RIVER QUICK-ADJUSTABLE ROPE POSITIONING LANYARD

5/8"x6" polyester kernmantle rope, captive eye carabiner / ErgoGrip adjuster with carabiner.



34406 \$74⁹⁹

ELK RIVER QUICK-ADJUSTABLE ROPE POSITIONING LANYARD

5/8"x6" 3-strand nylon rope, 3/4" snaphook / rope grab with carabiner.



8209 \$44⁹⁹

FALLTECH ADJUSTABLE WEB LANYARD

Polyester webbing resistant to UV light and abrasion, snaphook ends, StayPut buckle, adjusts from 4' to 6'.

8204 4' Non-adjustable - \$32.99


8203 3' Non-adjustable - \$31.99



1385301 \$35⁹⁹

PROTECTA ADJUSTABLE WEB POSITIONING LANYARD

6' length, snaphooks ends.



13420 \$47⁹⁹

ELK RIVER REBAR CHAIN ASSEMBLY

25-1/2" with 3/4" Centurion snaphook ends and adjuster formhook center, ANSI compliant.



13425 \$65⁹⁹

ELK RIVER REBAR CHAIN ASSEMBLY WITH SWIVEL

25-1/2" with 3/4" Centurion snaphook ends and adjustable swivel hook center, ANSI compliant.



5920059 \$206⁹⁹

DBI SALA REBAR CHAIN ASSEMBLY WITH SWIVEL

24" with snaphook ends and swiveling 3" Saflok Max hook center, ANSI compliant.



AF77710 \$51⁹⁹

PROTECTA REBAR CHAIN ASSEMBLY

20" with snaphook ends and large flat steel hook center.



29741 \$56⁹⁹

ELK RIVER REBAR WEB ASSEMBLY

18" with 3/4" Centurion snaphook ends and 2-1/2" Centurion rebar hook center, ANSI compliant.

29740 14" - \$56.99

29743 24" - \$56.99



29761 \$69⁹⁹

ELK RIVER REBAR WEB ASSEMBLY WITH SWIVEL

18" with 3/4" Centurion snaphook ends and 2-1/2" Centurion rebar swivel hook center, ANSI compliant.



1231520 \$158⁹⁹

DBI SALA WEB REBAR ASSEMBLY WITH SWIVEL

22" with locking snaphook ends and swiveling 2-1/4" aluminum rebar hook center, ANSI compliant.

13400 \$89⁹⁹

WESTFALL PRO TOWER POSITIONING KIT

Kit includes the following components: 2-1/4" swivel form hook, 3/4" spreader bar, 3/4" fall rated steel carabiner, ANSI complaint.

07475 Spreader bar - \$31.99

SEE HARDWARE }
ON PAGE 45 }



8459 \$110⁹⁹

FALLTECH TOWER POSITIONING ASSEMBLY

Spreader hook with swivel rebar hook and web extension, 18" length.



8250LTWA \$105⁹⁹

FALLTECH WEB / REBAR POSITIONING ASSEMBLY

Aluminum rebar hook with 2.5" gate opening, aluminum snaphooks, two-layer jacketed web for wear resistance, 24" length.

SRL/PFL CLASSIFICATIONS (ANSI Z359.14-2012)

- CLASS A** Maximum arrest distance not to exceed 24".
Average arrested force not to exceed 1350 lbs (6kN) or maximum peak of 1800 lbs (8kN).
After environmental conditioning (hot, cold, wet), average arresting force not to exceed 1575 lbs (7kN) or a maximum peak of 1800 lbs (8kN).
- CLASS B** Maximum arrest distance not to exceed 54".
Average arrested force not to exceed 900 lbs (4kN) or maximum peak of 1800 lbs (8kN).
After environmental conditioning (hot, cold, wet), average arresting force not to exceed 1125 lbs (5kN) or a maximum peak of 1800 lbs (8kN).

MILLER TURBOLITE PERSONAL FALL LIMITERS

Never need a shock-absorbing lanyard again; cost-effective, compact and lightweight, Miller TurboLite Personal Fall Limiters make the need for shock-absorbing lanyards obsolete; reduces fall clearance requirements, available in 6' and 9' lengths to meet the needs of a wide variety of applications, comparable to a shock absorbing lanyard; attaches directly to the back D-ring of a harness for increased mobility, high-impact nylon housing and abrasion-resistant webbing provide long service life, integral swivel prevents lifeline from twisting, rated for up to a 400 lb worker, twin models available for 100% tie-off, ANSI compliant.

PART	LANYARD END CONNECTOR	UNIT CONNECTOR	PRICE
MFL-1-Z7/6FT	Steel Snaphook	Steel Carabiner	\$132.99
MFL-2-Z7/6FT	Steel Rebar Hook	Steel Carabiner	\$177.99
MFL-3-Z7/6FT	Steel Snaphook	No Unit Connector	\$117.99
MFL-4-Z7/6FT	Steel Rebar Hook	No Unit Connector	\$160.99
MFL-9-Z7/6FT	Steel Snaphook	Steel Snaphook	\$149.99
MFLT-2/7.5FT	Turbo T-BAK	Steel Carabiner	\$209.99
MFLC-12-Z7/6FT	Twin Aluminum Rebar Hooks	Twin Turbo G2	\$331.99



GUARDIAN DIABLO SRL

The new Diablo Self-Retracting Lifeline offers superior protection and its design makes it supremely lightweight and durable. It is available with steel or aluminum snaphooks or rebar hooks and can be purchased on its own or in a kit of two, which allows it to transform into a double unit. When the job requires a highly mobile and sturdy SRL, the Diablo is the perfect choice. The Diablo Single SRL includes a carabiner and the Diablo Double SRL Kit includes a carabiner and connector bracket. When used in combination with proper PPE (i.e. harness and anchor), the Diablo SRL has a capacity range up to 420 lbs, ANSI compliant.

PART	LANYARD END CONNECTOR	WEIGHT	PRICE
11016	Steel Snaphook	2.5 lbs	\$129.99
11017	Aluminum Snaphook	2.25 lbs	\$139.99
11018	Aluminum Rebar Hook	3 lbs	\$165.99
11019	Steel Rebar Hook	3.5 lbs	\$151.99
11051	Twin Steel Snaphooks	5.75 lbs	\$274.99
11052	Twin Aluminum Snaphooks	5.5 lbs	\$286.99
11053	Twin Aluminum Rebar Hooks	6.75 lbs	\$304.99
11054	Twin Steel Rebar Hooks	7.75 lbs	\$324.99



FALLTECH DURATECH SELF-RETRACTING DEVICE

Smallest SRD on the market with internal inertial brake mechanism, cycle-tested, extremely durable main spring outlasts the competition; glass-reinforced polycarbonate housing is more durable than typical plastic housing, tested for below D-ring anchorage connection (up to 2'), reduces fall distance for a wider range of work locations; multiple connector choices to meet workplace demand; single leg SRDs deliver (2) methods of use: attached to the full body harness and attached to overhead anchor; twin-leg SRD alignment clip provides interchangeability of single leg SRDs allowing for variable twin-leg configurations; provides greater mobility and reduced trip hazards vs traditional lanyards; no shock pack to get in your way; 30% lighter aluminum connectors prevent fatigue, ANSI compliant.

PART	LIFELINE HOOK	ANCHORAGE TYPE	PRICE
82706SA1	Steel Snaphook	None; Swivel-Eye	\$101.99
82706SA2	Steel Swivel Snaphook	None; Swivel-Eye	\$116.99
82706SA3	Steel Rebar Hook	None; Swivel-Eye	\$136.99
82706SA4	Aluminum Snaphook	None; Swivel-Eye	\$110.99
82706SA5	Aluminum Rebar Hook	None; Swivel-Eye	\$129.99
82706SA6	Aluminum Captive Eye Carabiner	None; Swivel-Eye	\$101.99
82706TB1	Steel Snaphook	Carabiner with Clip	\$253.99
82706TB5	Aluminum Rebar Hook	Carabiner with Clip	\$309.99






3101277 \$389⁹⁹

DBI SALA NANO-LOK 6' TWIN LEG SRL


Attaches directly to back of most harnesses, installs to webbing, leaves dorsal D-ring open, limits lifeline twisting for smoother operation, high-strength housing provides maximum durability, replaces twin-leg lanyard and improves safety, stops falling worker within inches, ANSI compliant, **quick-connector anchorage connection** with aluminum rebar hook ends.

3101280 Steel rebar hook ends - \$409.99

3101279 Steel snaphook ends - \$321.99



3101280



3101279



DBI SALA NANO-LOK SINGLE LEG SRL

Attaches directly to back of most harnesses, leaves dorsal D-ring open, stops falling worker within inches, ANSI compliant.

PART	LIFELINE HOOK	ANCHORAGE TYPE	PRICE
3101225	Aluminum Captive Eye Carabiner	Single Leg Connector	\$164.99
3101227	Aluminum Rebar Hook	Single Leg Connector	\$205.99
3101235	Aluminum Captive Eye Carabiner	Aluminum Carabiner	\$158.99
3101215	Steel Snaphook	Steel Carabiner	\$152.99
3101226	Aluminum Snaphook	Single Leg Connector	\$184.99
3101253	Steel Swiveling Snaphook	Single Leg Connector	\$191.99



3500227 \$491⁹⁹

DBI SALA NANO-LOK EDGE 8' TWIN LEG SRL

Specifically designed for foot-level tie-off and sharp edge applications, ergonomically designed for comfort, integrated backpack-style energy absorber, easy-to-install connector provides 360 degrees of rotation, tough and flexible 3/16" galvanized cable lifeline, impact resistant housing, device reduces trip hazard, fall force, and fall clearance; **steel rebar hook ends**.

3500249 Aluminum rebar hook ends - \$461.99

3500225 Steel snaphook ends - \$461.99



DBI SALA NANO-LOK EDGE SINGLE LEG SRL

Built-in connector for single-leg SRL direct attachment to harness, stops fall within inches, ANSI compliant.

PART	LIFELINE HOOK	GATE OPENING	PRICE
3500214	Aluminum Captive Eye Carabiner	3/4"	\$283.99
3500247	Aluminum Rebar Hook	2-1/2"	\$270.99
3500213	Tie-Back	---	\$288.99
3500210	Steel Snaphook	3/4"	\$273.99
3500215	Aluminum Snaphook	1"	\$289.99
3500211	Steel Swiveling Snaphook	3/4"	\$283.99



CLASS B

10946 \$311.99

GUARDIAN YELLOW JACKET CABLE SRL

10' self-retracting cable lifeline with shock pack, fabricated specifically to reduce weight, ABS housing is supported by a steel brace that functions to increase durability and provide additional component protection, stainless steel and non-corrosive components, ANSI compliant.



CLASS B

10900 \$129.99

GUARDIAN WEB SRL

11' self-retracting web lifeline, swiveling carabiner top and snaphook end, ergonomic frame makes handling more comfortable, durable aluminum housing, stainless steel and non-corrosive components, quick-action braking system, ANSI compliant.

10901 With rebar hook - \$199.99



CLASS B

AD115B \$264.99

PROTECTA REBEL CABLE SRL

15' length, rugged aluminum and steel construction, swiveling anchorage loop, Kevlar/Nomex covered external shock pack, swiveling snaphook, ANSI compliant.



CLASS B

21911 \$179.99

ELK RIVER FOX SRL

1"x11' self-retracting lanyard, steel construction, fall-indicating swivel Zsnaphook, lightweight/compact aluminum casing, includes carabiner with 3.6M gate, rated to 310 lbs, ANSI compliant.



CLASS B

AD111A \$168.99

PROTECTA REBEL SRL

11' self-retracting web lifeline, steel snaphook end, housing carabiner, rugged aluminum housing, unique super-strength thin webbing, ANSI compliant.

AD120A 20' - \$304.99

AD111AR 11' with swivel - \$182.99

AD120AR 20' with swivel - \$329.99



CLASS B

42000 \$329.99

GUARDIAN VELOCITY SERIES SRL

16' of galvanized cable with swivel top, swivel snaphook, and carabiner; ANSI compliant.

42001 20' - \$339.99

42002 30' - \$349.99

42003 50' - \$509.99

42004 80' - \$859.99



CLASS B

10910 \$399.99

GUARDIAN EDGE SERIES SRL

20' of 3/16" galvanized cable with carabiner, swivel top, snaphook, and tagline; durable aluminum housing, non-corrosive components, ANSI compliant.

10912 25' - \$464.99

10915 30' - \$544.99



CLASS A

PFL-2-Z7 \$164.99

MILLER SCORPION PERSONAL FALL LIMITER SRL

9' of working capacity, dual operation: use as personal fall limiter or traditional retractable lifeline, steel twist-lock carabiner unit connector, ANSI compliant.

PFL-4-Z7 Swivel shackle - \$187.99




CLASS B



7276WR \$264.99

FALLTECH DYNEEMA CONTRACTOR SRL

20' of high strength, superior cut, and abrasion resistant Dyneema webbing, load-indicating swivel carabiner and connecting carabiner with 3,600 lb gate, lightweight aluminum drum center and ABS plastic housing, ANSI compliant.



CLASS B

10917 \$669.99

GUARDIAN MK EDGE SERIES SRL

50' of 3/16" MK galvanized cable with swivel top and high strength snaphook, stainless steel and aluminum components, dual braking mechanism, dual-swivel, ANSI compliant.

10918 65' - \$714.99

3504550 \$1,468⁹⁹

DBI SALA RSQ SRL WITH RESCUE

Dual-mode operation, prior to connection choose between fall arrest (requiring assisted rescue), or self rescue; fall arrest mode stops falls within inches - assisted rescue procedures can then be implemented either at the mode selector or remotely with an assisted rescue tool; self rescue mode automatically lowers the user to the next level, 50' galvanized cable lifeline extends and retracts automatically enabling safe mobility, ANSI compliant.

3500101 Assisted rescue tool - \$220.99



3400900 \$1,770⁹⁹

DBI SALA SEALED BLOK SRL

50' of galvanized steel cable, self-locking swivel snaphook with impact indicator, pivoting anchorage loop, aluminum housing, anti-ratcheting, 420 lb weight capacity, ANSI compliant.

3400860 85' - \$2,522.99

3400965 130' - \$3,471.99



727620 \$308⁹⁹

FALLTECH CABLE CONTRACTOR SRL

20' of 3/16" galvanized steel cable, glass-filled nylon housing, connecting carabiner, load-indicating swivel carabiner, ANSI compliant.

727630 30' - \$333.99

727650 50' - \$444.99



3504430 \$1,015⁹⁹

DBI SALA ULTRA-LOK SRL

30' of 3/16" galvanized steel wire rope, self-locking swivel snaphook with impact indicator, anti-ratcheting twin disc brake system, ANSI compliant.

3504450 50' - \$1,214.99

3504485 85' - \$1,460.99



42009 \$439⁹⁹

GUARDIAN DIABLO GRANDE SRL

33' of galvanized cable lifeline with ergonomic handle, swivel top and swivel snaphook, carabiner included, ANSI compliant.

42010 Leading edge, nylon coating with integrated shock absorber - \$529.99



3590540 \$528⁹⁹

DBI SALA REBEL LEADING EDGE SRL

20' of 7/32" galvanized steel cable, swiveling self-locking snaphook, thermoplastic housing, fully integrated energy absorber, specially designed for foot level tie-off, carabiner included, ANSI compliant.



3590500 \$419⁹⁹

PROTECTA REBEL SRL

33' of 3/16" galvanized steel cable, shock-resistant thermoplastic housing, self-locking swivel snaphook with impact indicator, housing carabiner, ANSI compliant.

3590550 50' - \$556.99

3590630 85' - \$1,000.99

3590670 100' - \$1,208.99

00101 \$129⁹⁹

GUARDIAN BEAMER 2000

Designed specifically for use at your feet and overhead, nylon bushings provide smooth movement, lightweight, glides easily in both directions, welding spatter does not stick to aluminum bar, no tools necessary for fast installation, one-handed operation.



2104700 \$211⁹⁹

DBI SALA GLYDER2 BEAM ANCHOR

Provides complete horizontal mobility, tie-off overhead or at feet using a Force2 shock absorbing lanyard, effortlessly slides across the beam on its wear pads eliminating metal-to-metal contact, fits flange 3-1/2" to 14" wide and up to 1-1/4" thick.



4650-3 \$147⁹⁹

3M BEAMWALK ADJUSTABLE SLIDING BEAM ANCHOR

Attach overhead or at your feet using a PowerStop energy absorbing lanyard; lightweight aluminum construction; 5,000 lb tensile strength; fits I and H style steel Beams 3.5-12" up to 1.25" thickness; swivel D-ring connection.



7531 \$150⁴⁹

FALLTECH TRAILING BEAM CLAMP

Fits 4" to 12" flange width, machined aluminum bar, nylon slider pads on jaws provide worker with trailing mobility, Alloy steel jaws deliver superior strength, ratcheting design with thumb latch for ease of adjustment.



2103143 \$434⁹⁹

DBI SALA TROLLEY FOR I-BEAM

Installs onto 3"-8" wide I-beam flange up to 11/16" thick, ideal for use with self retracting lifeline, rotating D-ring tie-off point is fixed in center, double-shielded wheel bearings, built-in guards protect wheels.



7414 \$18²⁹

FALLTECH BOLT-ON D-RING ANCHOR PLATE

5,000 lb minimum breaking strength, can be mounted vertically or horizontally to steel by welding on or by using grade 5 or better hardware (not included).

7414SS Stainless steel plate - \$26.29

00260 \$2,399⁹⁹

GUARDIAN ANGEL ANCHOR SYSTEM

Ideal solution for a versatile single tie-off point when penetrating the substrate is not an option, newly designed 3-piece "spine" makes it easier to transport and assemble, allows for the anchor to be used on surfaces up to a 5° slope, corrosion resistant, durable, and designed for use by a person weighing up to 310 pounds (including all equipment).





1789 \$294⁹⁹

FRENCH CREEK PARAPET WALL ANCHOR

Designed to provide a single worker with a portable, temporary anchorage on parapet walls up to 20" thick. Applications include window washing, construction, emergency & rescue situations, and more. Features one padded fixed leg and one padded adjustable leg (with multiple pin sets & adjustable mounting pad), the unit can be sized and secured without the use of tools.

120-127/115-256



120-138/115-256

120-138/115-256 \$91⁹⁹

TUF-TUG TOWER LEG TIE-OFF ROUND LEG ANCHOR

5,000 lb load rated, meets ANSI/OSHA requirements, easy field installation, permanent brackets optional, provides anchor point for 100% fall protection, engineered custom mounts available, large universal round leg assembly 6"-10".

115-244/115-258 Small universal round leg assembly 1-1/2"-5" - \$76.99

120-127/115-256 Large universal 60 degree angle leg assembly 4"-8" - \$85.99



115-154-45Y

\$7⁹⁸

TUF-TUG STEP BOLT ANCHOR BRACKET

Provides a PPE lanyard attachment for 100% tie-off, 3,600 lb engineered anchorage certification testing available for retrofit applications, 5,000 lb safety load anchorage for fall protection, includes (1) step bolt.



3058 \$14⁹⁹

BUCKINGHAM STEP BOLT WITH ANCHOR

5/8" diameter thread, length 8-1/2", thread length 2-3/8", tread length 5", rated to 5,000 lbs.

3075 3/4" diameter thread - \$18.19



00230 \$134⁹⁹

GUARDIAN BOLT HOLE ANCHOR

Reusable 5,000 lb anchor point, easy to install, no tools required, fits holes 3/4" to 1 1/4", can be used vertically or horizontally, squeeze to twist lock, release to activate lock.



00235 \$99⁹⁹

ELK RIVER PORTABLE CONCRETE ANCHOR CONNECTOR


5,000 lb fall arrest rated, provides portable and safe anchorage for horizontal, vertical, and overhead surfaces, ANSI compliant.



2100185 \$3,206⁹⁹

DBI SALA ROOF TOP FREESTANDING COUNTERWEIGHT ANCHOR

Freestanding counterweight anchor with (16) plates weighing 45 lbs (20 kg) each, includes (4) PVC-coated base plates, installs to flat or up to 5 degree sloped roofs, non-penetrating design simply sits on working surface, built-in shock absorbing system for added safety, integral carrying handles for easy transport, compatible with various fall arrest connecting systems, portable and reusable.



711601 \$27⁹⁹

WESTFALL PRO DYNEEMA ANCHOR SLING WITH RING

3/4" Dyneema web construction for weight savings and extra durability, aluminum O-ring for pass-thru anchorage, heavy-duty label cover to protect inspection and product information, rated for one 310 lb user. Meets ANSI Z359.1 and OSHA 1926.502, 17".

711602 24" - \$32.99

711603 36" - \$41.99

711606 72" - \$66.99



10785 \$19⁹⁹

GUARDIAN PREMIUM CROSS ARM STRAP

Twice as durable with dual enforced webbing and heavy-duty stitching, heavy-duty wear pad protects the structural webbing against abrasion and snags, large D-ring and standard size D-ring for pass-thru, 3'.

10786 4' - \$21.99

10787 6' - \$27.99



AJ450A \$43⁹⁹

PROTECTA WEB TIE-OFF ADAPTOR

Pass-thru type tie-off adaptor, durable polyester construction, abrasion resistant polyester wear pad, high-strength steel hardware, compact and lightweight design, 3'.

AJ450A6 6' - \$50.45



1003000 \$47⁹⁹

DBI SALA WEB TIE-OFF ADAPTOR

Pass-thru type tie-off adaptor, durable polyester construction, abrasion resistant polyester wear pad, high-strength steel hardware, compact and lightweight design, 3'.

1003006 6' - \$54.99



7324 \$25⁹⁹

FALLTECH WEB PASS-THRU ANCHOR

Heavy-duty 1-3/4" polyester webbing with rugged forged alloy-steel hardware, 3" wear pad protects primary webbing from cuts and abrasion, ideal for I-beams and other properly rated structural members, 1-3/4" x 2'.

7336 1-3/4" x 3' - \$27.99

7348 1-3/4" x 4' - \$29.99

7372 1-3/4" x 6' - \$31.99



26772 \$31⁹⁹

ELK RIVER EZE-MAN SLING

Triangle end / D-ring end, 1-3/4" x 2'.

26773 1-3/4" x 3' - \$32.99

26774 1-3/4" x 4' - \$34.39

26776 1-3/4" x 6' - \$34.39



10710 \$6⁹⁹

GUARDIAN SINGLE USE CONCRETE ANCHOR STRAP

Inexpensive anchor solution; disposable and intended for one time use only; make sure that anchor strap is attached to a structure capable of supporting 5,000 lbs; sheathed in heavy duty nylon webbing; 3'.

10715 4' - \$7.99

10717 6' - \$9.99



AJ47406 \$30⁹⁹

PROTECTA CABLE TIE-OFF ADAPTOR

6' cable pass-thru choker, durable 1/4" (6.3mm) 7x19 galvanized steel cable with vinyl jacket, compact and lightweight design, high-strength steel O-rings at both ends.

AJ408AG Attachment ring one end, snaphook other end - \$54.99



2190001 \$322⁹⁹

PROTECTA STANDING SEAM ROOF ANCHOR FOR SRL

Installs to flat or sloped standing seam roofs, non-penetrating design won't damage the roof, adjustable legs fit 12" and 24" seam spacing, built-in swiveling self retracting lifeline bracket (order SRL separately), durable and corrosion resistant construction, compact and lightweight design, portable and reusable.



00249 \$376⁹⁹

GUARDIAN PERMANENT ADJUSTABLE STANDING SEAM ROOF ANCHOR


Utilizes S-5 clamps, manufactured from lightweight, durable aluminum, compatible with seams from 12" - 24" apart, can be used in either permanent or temporary installation applications.



00455 \$21⁹⁹

GUARDIAN TEMPER RESUABLE ROOF ANCHOR

Reusable anchorage connector designed for temporary use on wood rooftops, fits all roof pitches from flat to 12/12, composed of thick plated steel for longer lasting product life, can be installed with either screws or duplex nails (depending on roof pitch), designed offset holes down the center.



2103675 \$510⁹⁹

DBI SALA STANDING SEAM ROOF ANCHOR

Swiveling design provides 360 degree mobility, installs in minutes with no special tools, portable design, reusable on sloped or flat structural standing seam roofs, designed to be used with Ultra-Lok self retracting lifelines (not included), telescoping adjustment legs fit 24", 30", 32", and 36" seam spacing.



2100080 \$529⁹⁹

DBI SALA DOOR AND WINDOW JAMB ANCHOR

Installs into 21.5" to 51.5" door/window jambs, non-penetrating design eliminates site damage, portable and reusable, compact and lightweight aluminum design, built-in adjustment knob and telescoping design, rugged and corrosion resistant materials, integrated D-ring tie-off point.



10566 \$399⁹⁹

GUARDIAN HITCHCLIP - 25 PACK


Made from lightweight and durable powder-coated aluminum, the HitchClip is easy to install, and functions as a permanent rooftop anchor. Thanks to its patent pending "key-hole" design, the HitchClip can be used in combination with a large variety of accessories, allowing it to be used to set up guardrail systems, staging areas, and more.

CONNECTORS 101

COMPLIANCE
This stamp clearly identifies the standard which the hardware is manufactured to follow. Typically ANSI Z359.1-2007 or Z359.12, although there may also be CSA or EN ratings stamped, as well.

LOAD RATING
A load rating should be stamped on the long axis of the hardware. This shows what the minimum break strength of the hardware is, typically displayed in pounds, tons, or kN.

MANUFACTURER MARKINGS
ID's who made the hardware, lot #'s and other codes to help identify when, where, and who made the thing. These aren't as much as a safety feature, as they are for troubleshooting if there's ever a bad batch from the manufacturer.



GATE RATINGS
Stamped on the gate itself, usually as 3,600 lbs, 16kN or 3.6m. If your hardware is missing this stamp, there's a good chance you're not in compliance. Don't continue work with this gear!


WARNINGS
Many manufacturers put reminders or warnings to help the user stay safe. Some examples include: a note to double check the gate is closed properly, red warning paint, or even a skull and cross bones logo for open gates.

ANSI Z359.12 – 2009 Connecting Components for Personal Fall Arrest Systems
Snaphooks and carabiners shall be self-closing and self-locking and shall be capable of being opened only by at least two consecutive deliberate actions. They shall be capable of withstanding a 5,000 lbs. (22.2kN) tensile load. The gate shall be capable of withstanding a minimum load of 3,600 lbs (16kN) without the gate separating. All markings shall be in English, and be legible for the life of the component. Connectors shall be marked to identify manufacturer, year of manufacture, load rating for major axis (minimum of 22 kN or 5,000 lbs), load rating for gate mechanism, for connectors that are non-integral part (non-captive eye), their "ANSI Z359.12" is required.


OSHA 1910.66 & 1926.502 – Regulations for Carabiners and Snaphooks
Connectors shall be drop forged, pressed or formed steel, or made of equivalent materials. They shall have a corrosion-resistant finish, with smooth surfaces and edges to prevent damage to interfacing parts of the system. Snaphooks shall be sized to be compatible with the member to which they are connected so as to prevent unintentional disengagement, or shall be a locking type snaphook designed and used to prevent disengagement. Snaphooks, unless of a locking type designed and used to prevent disengagement from the following connections, shall not be engaged directly to webbing, rope or wire rope, to each other, to a D-ring to which another snaphook or other connector is attached, to a horizontal lifeline; or to any other object which is incompatibly shaped or dimensioned in relation to the snaphook such that the connected object could depress the snaphook keeper a sufficient amount to release the hook.




GEOMETRY
During normal work, connectors move around on anchorage points. If your hardware isn't designed to be used with your anchorage point, or doesn't have proper safety features, the gate could make contact with the anchorage point and potentially work its way open. Be sure your connector and anchorage point are compatible. This risk is magnified when the connection is at foot level.




TENSION DIRECTION
Snaphooks and carabiners are designed to be loaded on their long axis. Loading them incorrectly may lead to failure. Always be sure your hardware is being loaded in the proper direction. If you're at risk of cross loading, or applying tension on the short axis, don't continue working.



ONE AT A TIME
Connectors are designed to go solo. Attaching two snaphooks or carabiners to a single D-ring may cause problems. They can act on each other causing one to slip open, or get twisted up, causing damage. Remember, one per anchorage point!



LOAD RATING
Hardware made for lifting and rigging will have a Working Load Limit, often abbreviated as WLL on the hardware, stamped in the metal. This means the hardware has been tested to be able to maintain a static load up to that rating. This rating can be listed in lbs, tons, or even kN. Don't use carabiners designed for fall protection for lifting and rigging!



ANSI
ANSI Z359 compliant connectors are almost universally recommended. Hardware that has this standard will have gates rated to 3,600 lbs. This helps ensure the gate will not fail if loading occurs. Multi-action gates are also required. To open, there must be at least two separate actions made to release the mechanism. Look for the ANSI stamp before using the gear.

INSPECTING CONNECTORS

- GATE FUNCTION**
Check the gate for smooth operation. It should open smoothly. When released, it should close and lock properly. When closed, move gate back and forth to see if there is excess movement. If it catches, grinds, doesn't close properly, or is difficult to operate, remove the unit from service.
- DEFORMITY**
Check the axis of the unit for signs of overloading or deformity. Any stretching, or stress marks warrant removal from service.
- RUST/CORROSION**
Look over the unit for any signs of corrosion or rust. ANSI Z359 connectors use a zinc coating for protection that wears off during normal use. Once the zinc begins to show signs of pitting or corrosion remove from service.
- MARKINGS**
If any of the ratings normally stamped on the hardware are worn off, the unit must be retired.
- PHYSICAL DAMAGE**
Inspect for any significant dents, nicks, cuts or gouges to the carabiner or snaphook. These can be indications of improper use.

THE MANY SHAPES, FUNCTIONS, AND DESIGNS OF CONNECTORS 101

There are many designs of connectors. Some have swivels, some have D-rings. They can be designed for fall protection. Be sure you have the proper piece of gear for the job you're in the clear!



GET THE
19"X27"
POSTER
FOR \$14.95
PART # 2202



WestFall Professional products are designed to meet and exceed the most stringent of industry standards. Using the latest innovation and technology, WestFall delivers specialized products you and your team can depend on. Choose from WestFall's large selection of rugged hardware, guaranteed to keep you safe.



07440



07430



07425



07420

VIEW OUR
ENTIRE
SELECTION
ONLINE AT
gmesupply.com



SM205607



M33 SL



07437



07436



07435

PART	DESCRIPTION	LENGTH	WIDTH	GATE	MBS	CERTIFICATION	PRICE
07440	WestFall Steel Carabiner	8-5/8"	5-1/8"	2"	35 kN	ANSI Z359-12-2009	\$36.99
07430	WestFall Steel Carabiner	7-1/2"	4-1/2"	2-1/4"	45 kN	ANSI Z359-12-2009	\$34.99
07425	WestFall Steel Carabiner	7-1/8"	4-1/2"	1-1/8"	50 kN	ANSI Z359-12-2009	\$24.99
07420	WestFall Steel Carabiner	7"	3-3/4"	1-3/4"	35 kN	ANSI Z359-12-2009	\$25.99
SM205607	PMI SMC CrossOver Aluminum Carabiner	5-1/2"	3-1/3"	1"	40 kN	ANSI Z359.1-2007	\$36.40
M33 SL	Petzl Aluminum Carabiner	4-7/8"	3-7/8"	3/4"	24 kN	CE EN 362	\$17.95
07437	WestFall Aluminum Carabiner	4-7/8"	3"	13/16"	23 kN	ANSI Z359-12-2009	\$24.99
07436	WestFall Aluminum Carabiner	4-7/8"	3-1/8"	7/8"	30 kN	ANSI Z359-12-2009	\$24.99
07435	WestFall Aluminum Carabiner	4-3/4"	3"	9/10"	25 kN	ANSI Z359-12-2009	\$21.95

*All hardware photos proportionately scaled.



07400



07401



07445



07405



07410



07460



07475 / 13450



07450



07455



07465



07466

PART	DESCRIPTION	LENGTH	WIDTH	GATE	MBS	CERTIFICATION	PRICE
07400	WestFall Steel Carabiner	4-7/8"	3-1/8"	1-1/16"	45 kN	ANSI Z359-12-2009	\$18.99
07401	WestFall Steel Carabiner	4-7/8"	3"	1"	50 kN	ANSI Z359-12-2009	\$20.99
07445	WestFall Stainless Steel Carabiner	4-1/2"	2-1/2"	1"	23 kN	ANSI Z359-12-2009	\$39.99
07405	WestFall Steel Carabiner	4-1/2"	2-3/4"	3/4"	41 kN	ANSI Z359-12-2009	\$18.99
07410	WestFall Steel Carabiner	3-1/4"	1-1/8"	1/2"	30 kN	ANSI Z359-12-2009	\$16.99
07455	WestFall Swivel Rebar Hook	10-3/4"	5"	2-1/4"	23 kN	ANSI Z359-12-2009	\$44.99
07460	WestFall Aluminum Carabiner	8-5/8"	5-1/8"	1-1/5"	16 kN	ANSI Z359-12-2009	\$49.95
13450	Elk River Separator Snaphook	9-3/4"	2-1/4"	3/4"	22.2 kN	ANSI Z359-12-2009	\$35.49
07475	WestFall Separator Snaphook	9-3/4"	2-1/4"	3/4"	22.2 kN	ANSI Z359-12-2009	\$31.99
07450	WestFall Rebar Hook	9"	4-2/3"	2-1/2"	23 kN	ANSI Z359-12-2009	\$29.99
07455	WestFall Swivel Rebar Hook	11-1/4"	5-1/8"	2-1/2"	23 kN	ANSI Z359-12-2009	\$44.99
07465	Westfall Snaphook	5"	2-1/4"	3/4"	23 kN	ANSI Z359-12-2009	\$12.50
07466	WestFall Swivel Snaphook	7-1/16"	2-1/4"	3/4"	23 kN	ANSI Z359-12-2009	\$29.99

ROPE 101

ROPE DIAMETERS



ROPE CONSTRUCTION

3-Strand - 3-Strand ropes are an inexpensive rope option. They tend to have a lower breaking strength than double braid or kernmantle, so a larger diameter must be used to achieve the same strength. Due to their construction, 3-Strand ropes have a tendency to rotate under load and provide less abrasion resistance. These characteristics make it a poor load line. With regard to safety and working at height, 3-Strand is most commonly used as a lifeline due to compliance with OSHA requirements and compatibility with 5/8" rope grabs.

Double Braid - Double braided rope is, as the name implies, a braided core surrounded by a braided sheath. The inner and outer braids are generally designed to share the load equally. Double braid rope remains round under tension, imparts no rotational force when loaded and has a soft hand. These characteristics make it ideal for use as a load rope.

Kernmantle - Kernmantle rope consists of twisted parallel fibers (the kern) surrounded by a tightly braided sheath (the mantle). Different from a double braid, only the sheath of a kernmantle is braided. The core fibers provide the majority (about 70%) of the rope's strength. The sheath is more tightly braided than in a double braid, lending significantly higher abrasion resistance. The construction of the mantle including tightness, fiber denier, and number of carriers, determines the handling properties of the rope. There are two distinct types of kernmantle: dynamic and static. Dynamic is used for recreational climbing due to its high shock absorption capabilities. Static kernmantle has very low stretch and works well for industrial applications. Due to its construction, it remains round through descent devices and allows minimal twist on the rope. The properties of static kernmantle make it ideal for use as a life line or descent line.

Single Braid - Also called hollow braid, single braid ropes consist of an even number of strands, most commonly 12, braided to leave a hollow core. Due to the hollow core, single braid is generally not perfectly round and will flatten under load.


ROPE FIBERS

Nylon - Nylon is a synthetic fiber often found in ropes and safety equipment. It has a high strength-to-weight ratio and is highly UV, abrasion, and chemical resistant. Nylon is slightly stronger and tends to have more stretch than polyester. Nylon absorbs water and loses some of its strength when wet, but regains this strength when dry.


Polyester - Polyester is a synthetic fiber used for rope and safety equipment. It is almost as strong as nylon, but has significantly less stretch. Polyester does not absorb water and its strength remains unaffected when wet. Compared to nylon, polyester has higher resistance to UV, abrasion and chemicals.

Polypropylene - Polypropylene is a synthetic fiber similar to nylon and polyester. Of the synthetic fibers, polypropylene is the least expensive. It is lightweight, strong for its weight, and, most significantly, it floats on water. Polypropylene has very low resistance to UV and abrasion.

HMPE - Dyneema and Spectra are two of the more common brand named HMPE fibers. These fibers are the same strength as the equivalent size steel cable at a fraction of the weight. HMPE has very tough fibers lending incredibly high abrasion resistance. These same fibers make HMPE highly susceptible to extreme weakening if knotted or exposed to sharp angles. The fibers are very smooth yielding a very low friction coefficient, making this rope hard to knot. It has a low specific gravity, allowing it to float on water and is very resistant to moisture, water, most chemicals and UV.



UNICORE TECHNOLOGY CREATES THE ULTIMATE BOND BETWEEN SHEATH AND CORE. THIS BOND ENSURES SHEATH SLIPPAGE IS NEARLY ZERO, EVEN WHEN THE SHEATH IS ENTIRELY CUT CIRCUMFERENTIALLY.



PMI EXTREME PRO


An incredible new PMI rope, Extreme Pro with Unicore technology is the ultimate 11mm polyester kernmantle rope. Unicore technology creates the ultimate bond between sheath and core that ensures sheath slippage is nearly zero, even when entirely cut circumferentially. If the sheath is cut, it will not slip down and bunch below the damaged area. See the illustration above.

Key Features: Unicore technology • Nearly zero sheath slippage • 100% Polyester Sheath • 100% Nylon 6.6 Core • Sheath cannot bunch

LENGTH	DIAMETER	COLOR	STRENGTH	PART	PRICE
300'	7/16" (11mm)	GWO	MBS 8,452 lbs	PR110E1092UC	\$317.60
300'	7/16" (11mm)	CWO	MBS 8,452 lbs	PR110E2092UC	\$317.60
600'	7/16" (11mm)	GWO	MBS 8,452 lbs	PR110E1183UC	\$635.30
600'	7/16" (11mm)	CWO	MBS 8,452 lbs	PR110E2183UC	\$635.30



**To complete the part number, replace the () with the corresponding color code. Not all rope diameters are available in all colors. †Color patterns and tracer colors may vary slightly. For custom lengths, please call us at (800) 940-6762 or email info@gmesupply.com.*




STERLING HTP STATIC

Sterling HTP static ropes have proven to be the most durable and best performing static ropes available. The benefits of using HTP include having a rope with better overall durability, higher strength, and extremely low stretch. With less stretch, the HTP is highly efficient rope for haul systems, rope bridges, and industrial rope access work. Sterling HTP ropes do not lose strength in wet conditions. Certified to NFPA 1983, 2012 edition.

Key Features: 100% polyester static • Significantly lower elongation is perfect for any haul system


LENGTH	DIAMETER	STRENGTH	PART*	WHITE	COLOR†
300'	7/16" (11mm)	MBS 6,856 lbs	P110_0092	\$290.00	\$316.00
300'	1/2" (13mm)	MBS 9,081 lbs	P130_0092	\$327.00	\$368.00
300'	5/8" (16mm)	MBS 12,993 lbs	P160_0092	\$437.00	\$472.00
600'	7/16" (11mm)	MBS 6,856 lbs	P110_0183	\$570.00	\$622.00
600'	1/2" (13mm)	MBS 9,081 lbs	P130_0183	\$644.00	\$724.00
600'	5/8" (16mm)	MBS 12,993 lbs	P160_0183	\$860.00	\$930.00
1,200'	7/16" (11mm)	MBS 6,856 lbs	P110_0366	\$1,188.00	\$1,286.00
1,200'	1/2" (13mm)	MBS 9,081 lbs	P130_0366	\$1,274.00	\$1,434.00
1,200'	5/8" (16mm)	MBS 12,993 lbs	P160_0366	\$1,744.00	\$1,909.00




PELICAN STATIC MASTER

The first choice for strenuous use by arborists, fire and rescue professionals. Pelican's block creel static kernmantle construction features a tough chemical-resistant polyester cover over a nylon core, providing maximum energy absorption. Steam setting helps to eliminate cover over core slippage. The rope is firm yet flexible enough to be tied or passed over a pulley sheave. These ropes are resistant to most chemicals and have excellent retention in extreme conditions. U.L. Certified to NFPA 1983-2006 edition standards.

LENGTH	DIAMETER	STRENGTH	PART*	WHITE	COLOR†
300'	7/16" (12mm)	ABS 7,900 lbs	2WP-14_-03S	\$270.00	\$300.00
300'	1/2" (13.5mm)	ABS 10,500 lbs	2WP-16_-03S	\$365.00	\$400.00
300'	5/8" (16mm)	ABS 13,000 lbs	2WP-20_-03S	\$435.00	\$490.00
600'	7/16" (12mm)	ABS 7,900 lbs	2WP-14_-06S	\$515.00	\$565.00
600'	1/2" (13.5mm)	ABS 10,500 lbs	2WP-16_-06S	\$660.00	\$730.00
600'	5/8" (16mm)	ABS 13,000 lbs	2WP-20_-06S	\$800.00	\$900.00
1,200'	7/16" (12mm)	ABS 7,900 lbs	2WP-14_-12S	\$1,050.00	\$1,350.00
1,200'	1/2" (13.5mm)	ABS 10,500 lbs	2WP-16_-12S	\$1,315.00	\$1,460.00
1,200'	5/8" (16mm)	ABS 13,000 lbs	2WP-20_-12S	\$1,575.00	\$1,775.00






STERLING SUPER STATIC

SuperStatic2 ropes are 100% nylon and excel in many applications, including rope access, technical rescue, rigging, and tactical operations. They are designed with a high denier and a tight, durable sheath to reduce stiffness; work well through gear, and provide smooth rappels. Sterling's Better Braid Technology matches their unique thermodynamic yarn balancing and twist in the core to proper twist and braid construction in the sheath to create a strong, resilient rope with a perfect balance of strength, proper elongation and exceptional handling. These ropes are easy to knot, will stay round, and have optimal elongation when loaded. Engineered and certified to the highest standards, Sterling's SuperStatic2 ropes have been field tested, used and proven by the top instructors, rescue personnel, and rope technicians worldwide.

Key Features: 100% nylon low stretch • 41/59 sheath/core ratio yields best durability and great handling

LENGTH	DIAMETER	STRENGTH	PART*	WHITE	COLOR†
300'	7/16" (11mm)	MBS 6,744 lbs	SS110_0092	\$302.00	\$320.00
300'	1/2" (12.5mm)	MBS 9,239 lbs	SS125_0092	\$338.00	\$393.00
300'	5/8" (16mm)	MBS 11,240 lbs	SS155_0092	\$443.00	\$472.00
600'	7/16" (11mm)	MBS 6,744 lbs	SS110_0183	\$595.00	\$629.00
600'	1/2" (12.5mm)	MBS 9,239 lbs	SS125_0183	\$665.00	\$773.00
600'	5/8" (16mm)	MBS 11,240 lbs	SS155_0183	\$873.00	\$930.00
1,200'	7/16" (11mm)	MBS 6,744 lbs	SS110_0366	\$1,221.00	\$1,286.00
1,200'	1/2" (12.5mm)	MBS 9,239 lbs	SS125_0366	\$1,360.00	\$1,579.00
1,200'	5/8" (16mm)	MBS 11,240 lbs	SS155_0366	\$1,781.00	\$1,909.00



NEW ENGLAND KM III

An exceptional static rope for rappelling, caving, rescue, top roping, fixed rope applications, hauling, and life safety applications. The unique polyester sheath differentiates KM III from other static ropes. The polyester sheath is balanced with a nylon core to limit rotation, bouncing, and stretch. KM III is NFPA and CE approved, and all come with an NFPA certification tag and CE labels. Thirty-two bobbins provide the correct sheath for the unique demands of static rope and the optimum sheath/core ratio. This allows for an incredibly smooth sheath, higher tensile strengths, and superior handling characteristics.

Key Features: NFPA Certified • 32-carrier construction • Polyester over Nylon construction • Balanced, Torque Free Construction

LENGTH	DIAMETER	STRENGTH	PART*	WHITE	COLOR†
300'	7/16" (11mm)	MBS 7,900 lbs	33_-14-00300	\$328.00	\$368.00
300'	1/2" (12.5mm)	MBS 10,350 lbs	33_-16-00300	\$380.00	\$431.00
600'	7/16" (11mm)	MBS 7,900 lbs	33_-14-00600	\$600.00	\$627.00
600'	1/2" (12.5mm)	MBS 10,350 lbs	33_-16-00600	\$715.00	\$825.00



PMI CLASSIC PRO

PMI's Classic EZ-Bend 16-carrier construction combined with the toughest nylon on the market makes PMI ropes some of the toughest in the world. PMI Classic 16-carrier ropes will always beat 32, 40, and 48-carrier designs made with lesser quality nylons hands down in abrasion and real-world durability tests. Although all diameters of PMI Classic rope are 16-carrier sheath design, the denier (thickness) of each diameter's sheath is different. It is carefully designed to provide the maximum abrasion resistance, "grab" the core to minimize sheath slippage, and provide the desired hand for the intended applications.

Key Features: NFPA Certified • 16-carrier construction • CI1801 • Third party certified by UL (Underwriters Laboratories) • CE • Torsionally balanced, continuous filament nylon

LENGTH	DIAMETER	STRENGTH	PART*	WHITE	COLOR†
300'	7/16" (11mm)	MBS 6,407 lbs	RR110_092E	\$281.00	\$340.00
300'	1/2" (12.5mm)	MBS 9,442 lbs	RR125_092E	\$326.00	\$390.00
300'	5/8" (16mm)	MBS 15,287 lbs	RR160_092E	\$420.00	\$484.00
600'	7/16" (11mm)	MBS 6,407 lbs	RR110_183E	\$562.00	\$680.00
600'	1/2" (12.5mm)	MBS 9,442 lbs	RR125_183E	\$664.00	\$781.00
600'	5/8" (16mm)	MBS 15,287 lbs	RR160_183E	\$839.00	\$968.00
1,200'	7/16" (11mm)	MBS 6,407 lbs	RR110_366E	\$1,124.00	\$1,360.00
1,200'	1/2" (12.5mm)	MBS 9,442 lbs	RR125_366E	\$1,328.00	\$1,562.00
1,200'	5/8" (16mm)	MBS 15,287 lbs	RR160_366E	\$1,678.00	\$1,936.00



PMI TALON

PMI Talon is the best of both worlds for experienced rope users. With a 16-carrier nylon sheath over a polyester core, this rope combines the hand, durability, and higher friction that you're accustomed to from PMI Classic nylon ropes with virtually no elongation.

Key Features: NFPA Certified • 16-carrier construction • 6.6 nylon sheath • Polyester core • Resists flattening under load

LENGTH	DIAMETER	STRENGTH	PART*	PRICE
300'	3/8" (10mm)	MBS 5,000 lbs	PR100_092NP	\$253.00
300'	7/16" (11.5mm)	MBS 6,070 lbs	PR110_092NP	\$297.00
600'	3/8" (10mm)	MBS 5,000 lbs	PR100_183NP	\$505.00
600'	7/16" (11.5mm)	MBS 6,070 lbs	PR110_183NP	\$593.00
1,200'	3/8" (10mm)	MBS 5,000 lbs	PR100_366NP	\$1,010.00
1,200'	7/16" (11.5mm)	MBS 6,070 lbs	PR110_366NP	\$1,186.00



PELICAN DYNEEMA TOW AND WINCH LINE

This high performance rope features superior strength, low weight, and specific gravity. Unaffected by oil and common chemicals, this high strength rope is easily spliced, exhibits low flex fatigue, near zero creep, excellent abrasion resistance with a low elongation-to-break ratio. Load-sharing and staggering failure built in can eliminate dangerous backlash. The fiber grades used in this rope are SK60, SK65, SK75 and SK78. Dyneema is, pound for pound, 10 times stronger than steel and 33% lighter than Nylon with over 3 times the strength of Polyester or Nylon. Additional protection is provided by urethane coating. Eyes are professionally hand-spliced along with polyester chafe guards. Break strength remains constant in wet or dry conditions, making this the perfect choice for heavy duty winch line, mooring and towing lines, offshore positioning ropes, yachting lines, and commercial fishing ropes. With a specific gravity of 0.98, this rope floats!

Key Features: Low flex fatigue • Near zero creep • High UV resistance • Floats on water • Eliminates backlash • 6% elongation at break • Excellent abrasion resistance • 3x stronger than polyester or nylon

LENGTH	DIAMETER	STRENGTH	PART	PRICE
600'	1/4" (6.5mm)	ABS 8,400 lbs	7D-080-06S	\$785.00
600'	5/16" (8 mm)	ABS 13,200 lbs	7D-100-06S	\$1,100.00
600'	3/8" (10mm)	ABS 19,000 lbs	7D-120-06S	\$1,450.00
1,200'	1/4" (6.5mm)	ABS 8,400 lbs	7D-080-12S	\$1,570.00
1,200'	5/16" (8mm)	ABS 13,200 lbs	7D-100-12S	\$2,200.00
1,200'	3/8" (10mm)	ABS 19,000 lbs	7D-120-12S	\$3,140.00



STERLING TECH 11

Designed with rigors of tree work in mind, the Tech11 is an 11mm rope constructed with an aramid sheath and nylon core. When used as a flip-line, it offers great abrasion resistance, incredible durability and security. This rope has been in development and field tested for several years. It has been exposed to some of the roughest conditions by rope access, fire rescue and arboriculture professions.

LENGTH	DIAMETER	STRENGTH	PART	PRICE
200'	7/16" (11mm)	MBS 9,014 lbs	T11AN061	\$370.00
660'	7/16" (11mm)	MBS 9,014 lbs	T11AN200	\$1,212.00



STERLING TECH 125

The most durable, strong and heat resistant rope Sterling makes. The Tech 125 is perfect for roof-rescue and other high heat and abrasion intensive activities. With a heat and cut resistant Technora sheath and a balanced nylon core, the Tech 125 offers extreme durability in a general-use size rope.

LENGTH	DIAMETER	STRENGTH	PART	PRICE
150'	1/2" (12.5mm)	MBS 10,183 lbs	T12AN046	\$384.00
200'	1/2" (12.5mm)	MBS 10,183 lbs	T12AN061	\$509.00
300'	1/2" (12.5mm)	MBS 10,183 lbs	T12AN092	\$768.00
660'	1/2" (12.5mm)	MBS 10,183 lbs	T12AN200	\$1,636.00



**To complete the part number, replace the () with the corresponding color code. Not all rope diameters are available in all colors. *Color patterns and tracer colors may vary slightly. For custom lengths, please call us at (800) 940-6762 or email info@gmesupply.com.*

STERLING 1" TYPE 9800 FLAT WEBBING

Type 9800 webbing is a flat, woven nylon webbing that is abrasion resistant and offers a high tensile strength. The increased strength is often preferred in harsh or abrasive environments for anchor building, hauling or making harnesses. Because Type 9800 is woven solid opposed to a tubular webbing, it can be more difficult to handle.

LENGTH	WIDTH	STRENGTH	PART	PRICE
150'	1"	MBS 9,800 lbs	WB2549809046	\$100.45



STERLING 11/16" WEBBING SPOOL

Provides great strength and low weight which makes it versatile for slings and daisy chains.

LENGTH	WIDTH	STRENGTH	PART*	PRICE
300'	11/16"	MBS 3,000 lbs	WB174NY__091	\$116.90



STERLING MIL SPEC WEBBING

The standard in 1" webbing, Mil-Spec tubular webbing is favored by climbers and rescue specialists for slings and anchor systems as it offers exceptional abrasion resistance. As its name implies, Mil-Spec is also the standard webbing for military applications.

LENGTH	WIDTH	STRAIGHT PULL	SEWN LOOP	PART*	PRICE
300'	1"	MBS 4,000 lbs	MBS 6,129 lbs	WB254MS__091	\$114.05



16 CARRIER ARBORIST LINE

Made from polyester with nylon core in a 16 carrier construction, this rope has high strength, durability and performance. It is highly resistant to abrasion, easy to grip, and has great knot tying capabilities.

LENGTH	DIAMETER	STRENGTH	PART	PRICE
150'	1/2" (12.5mm)	MBS 6,000 lbs	16DB160150	\$167.00
300'	1/2" (12.5mm)	MBS 6,000 lbs	16DB160300	\$334.00
600'	1/2" (12.5mm)	MBS 6,000 lbs	16DB160600	\$668.00





8700223 \$114.99

DBI SALA ROPECRAFT LARGE ROPE BAG

33" height, 9" width, (3) carrying methods: carry handle, shoulder sling, adjustable backpack style straps; drawstring throat cord lock closure, clear plastic external pocket, internal pocket, stiffened rim, heavy-duty PVC construction, top and bottom haul loops, holds 328' of 1/2" rope, orange.

8700224 Extra large, 29" height, 13" width, red - \$132.99



S41Y 035

\$83.95

PETZL ROPE BUCKET

Bag remains upright and has an exterior folding lid system that allows easy access to the contents of the bag, external zippered pocket for personal effects, transparent external window, (2) large, comfortable carrying handles; adjustable strap for carrying bandolier style, 35 liters.

S41Y 025 25 liters - \$72.95



MDBAGROPELO8

\$46.85

STERLING LARGE ROPE BAG

25" height, 11" diameter, Sterling's rope bags are available in two sizes and feature padded backpack straps for easy hauling, a clear front pocket to store a rope log, and a rope cinch closure; large red bag, holds up to 400' of 1/2" rope.

MDBAGROPES07 Small, 19" height, 10" diameter, yellow - \$35.85

MDBAGROPEM07 Medium, 22" height, 17" width - \$40.50



RB44004 \$112.50

PMI DELUXE LARGE ROPE PACK

Roomy rope compartment, double sewn seams, 1000 denier heavy coated Cordura, drawstring closure, padded backpack straps, 5/8" grommet on bottom of bag, 2" webbing carrying handles, (2) large outside pockets with snap buckle closure, internal clip-in loop at bottom of bag, blue.

RB44006 Red - \$112.50

RB44002 Orange - \$112.50



RB44021

\$54.75

PMI LARGE ROPE PACK

25" height, 10.5" width, double sewn seams, 1000 denier heavy coated Cordura, drawstring closure, 1" tubular handles with rope insert, 5/8" grommet on the side of the bag, outside pocket, padded backpack straps, internal clip-in loop at bottom of bag, red. Also available in blue, black, and orange.

RB44024 XL, 23" height, 16" width - \$59.50

RB44056 XXL, 28.5" height, 17" width - \$61.50



5600RB

\$84.99

GME SUPPLY PREMIUM ROPE BAG

Easy fold lid to cover zipper from exposure to the elements, comfortable backpack straps, easy access side carry handle, straps that overlap at the top to allow easy hardware connection for hoisting, large transparent front pocket, gusseted bottom for moisture resistance, sewn-in web reinforcement from back to front, exclusive GME Supply "Climb Higher" logo.

5605RB Black - \$84.99

5610RB Yellow - \$84.99

HOW MUCH BAG DO YOU NEED?

Bag Description	10mm or 3/8"	11MM OR 7/16"	12.5MM OR 1/2"
Sterling Small Rope Bag	97M or 319'	93M or 305'	61M or 200'
Sterling Large Rope Bag	212M or 696'	159M or 522'	121M or 400'
Petzl S41 035 Rope Bucket	400M or 3,312'	310M or 1,017'	260M or 853'
Petzl S41 025 Rope Bucket	280M or 918'	220M or 721'	185M or 606'
DBI Sala Large Rope Bag	250M or 820'	200M or 656'	100M or 328'
DBI Sala XL Rope Bag	285M or 935'	230M or 754'	200M or 656'
GME Supply Premium Rope Bag	250M or 820'	200M or 656'	100M or 328'
PMI Standard Rope Bag	120M or 393'	100M or 328'	75M or 246'
PMI Large Rope Bag	160M or 524'	120M or 393'	92M or 301'
PMI XL Rope Bag	250M or 820'	200M or 656'	170M or 557'
PMI XXL Rope Bag	285M or 935'	230M or 754'	200M or 656'
PMI Deluxe Large Rope Bag	160M or 524'	120M or 393'	92M or 301'



01340 \$74⁹⁹

GUARDIAN POLYESTER STEEL ROPE WITH SNAPHOOK END

5/8" premium polyester steel rope; snaphook end / loop end; unlike nylon, poly steel rope does not absorb water AND will not diminish in strength in wet conditions; ANSI compliant, 50' length.

01350 75' - \$99.99

01360 100' - \$124.99

01365 150' - \$139.99



11331 \$69⁹⁹

GUARDIAN POLYDAC ROPE WITH SNAPHOOK END

3 strand Polydac rope; snaphook end / knot end; 100% resistant to rot and mildew, even if stored when wet; absorbs more energy than any other type of rope available on the market; melting point of over 300 degrees; ANSI compliant, 50' length.

11332 75' - \$109.99

11333 100' - \$128.99

11334 150' - \$149.99



411-50Z \$74⁹⁹

FRENCH CREEK ROPE LIFELINE WITH THIMBLE END AND SNAPHOOK END

Constructed of a 5/8" 3-strand polyblend synthetic rope, #74N locking snaphook end / thimble end, designed for excellent wear, strength, and limited stretch, ANSI compliant, 50' length.

411-75Z 75' - \$94.99

411-100Z 100' - \$109.99

Each additional 100' +\$75.00



410-50Z \$79⁹⁹

FRENCH CREEK ROPE LIFELINE WITH SNAPHOOK ENDS

Constructed of a 5/8" 3-strand polyblend synthetic rope, #74N locking snaphook at each end, designed for excellent wear, strength, and limited stretch, ANSI compliant, 50' length.

410-75Z 75' - \$99.99

410-100Z 100' - \$114.99

Each additional 100' +\$75.00

3 STRAND NYLON ROPE

One of the strongest synthetic fibers, offering superior elasticity and excellent abrasion resistance.

LENGTH	DIAMETER	STRENGTH	PART	PRICE
300'	1/2"	MBS 5,750 lbs	TWPS160300	\$115.00
300'	5/8"	MBS 9,350 lbs	TWPS200300	\$160.00
600'	1/2"	MBS 5,750 lbs	TWPS160600	\$230.00
600'	5/8"	MBS 9,350 lbs	TWPS200600	\$320.00
1,200'	1/2"	MBS 5,750 lbs	TWPS161200	\$430.00
1,200'	5/8"	MBS 9,350 lbs	TWPS201200	\$620.00



3 STRAND POLY-DACRON COMBINATION ROPE

High tensity polyester fiber wrapped cover over polyolefin core yarns, good abrasion resistance and strength.

LENGTH	DIAMETER	STRENGTH	PART	PRICE
300'	1/2"	MBS 4,818 lbs	PDTW160300	\$85.00
300'	5/8"	MBS 7,214 lbs	PDTW200300	\$150.00
600'	1/2"	MBS 4,818 lbs	PDTW160600	\$170.00
600'	5/8"	MBS 7,214 lbs	PDTW200600	\$300.00
1,200'	1/2"	MBS 4,818 lbs	PDTW161200	\$325.00
1,200'	5/8"	MBS 7,214 lbs	PDTW201200	\$550.00



5901583 \$29⁹⁹

DBI SALA COUNTERWEIGHT FOR VERTICAL LIFELINES

5.7 lb flexible counterweight keeps lifeline taut.



1202794 \$89⁹⁹

DBI SALA 50' LIFELINE

5/8" polyester/polypropylene blend rope for strength and durability, self-locking snaphook end for easy connection to the anchorage.




5000335 \$144⁹⁹

DBI SALA LAD-SAF ROPE GRAB

Mobile design automatically follows user for hands-free operation, detachable design can be attached or removed anywhere along lifeline, inertia and cam-locking systems for safety and "panic-grab" prevention, for use on 5/8" polyester/polypropylene rope lifeline, use with 3' shock absorbing lanyard.

5002045 With 1242007
EZ-Stop lanyard - \$222.59



19273

\$99⁹⁹

ELK RIVER ROPE GRAB WITH ATTACHED ZORBER

5/8" rope grab with attached Zorber web lanyard, moves up and down the length of vertical rope lifelines providing continuous fall protection.



60601 \$84⁹⁵

WESTFALL PRO TRAILING ROPE GRAB WITH LANYARD

Designed for 5/8" 3-strand rope, rope grab with 2" ring, anti-panic lock for added safety, anti-inversion plate for proper installation on rope, includes Guardian 01214 3' shock absorbing lanyard, ANSI compliant.

6050 Rope grab only - \$59.99



AC202D \$93⁹⁹

PROTECTA COBRA ROPE GRAB

Constructed of high impact resistant steel, 1.75 lbs total weight, operates in automatic or manual mode, accommodates 5/8" rope, can be removed and reattached to rope at any point during traverse, designed for use with nylon or polyester rope.



60612 \$199⁹⁹

WESTFALL PRO DELUXE ROPE GRAB WITH LANYARD

5/8" deluxe self-tracking/park rope grab, 3' shock absorbing lanyard, self-tracking design provides ease of vertical movement, hinged body allows simple placement at any point along rope, locks onto the rope lifeline at the onset of a fall event.



8358 \$94⁹⁹

FALLTECH ROPE GRAB WITH LANYARD

5/8" hinged self-tracking rope grab, 3' shock absorbing lanyard, self-tracking design provides ease of vertical movement, hinged body allows simple placement at any point along rope, locks onto the rope lifeline at the onset of a fall event.



01503 \$94⁹⁹

GUARDIAN ROPE GRAB WITH LANYARD

Removable rope grab; easy to install; fits 5/8" or 1/2" thick safety ropes; locks automatically when a fall occurs; includes attached 3' shock absorbing lanyard; made of galvanized steel; minimum breaking strength 5,000 lbs.

L57 \$58⁹⁵**PETZL
ABSORBICA**

Tear-webbing energy absorber, for use in combination with a JANE lanyard to make an energy-absorbing lanyard; maximum length of two meters; ends equipped with STRING to hold the connector in position and protect the sling from abrasion; compact and lightweight.

**B71AAA**\$230⁰⁰**PETZL ASAP
MOBILE FALL
ARRESTER**

Arrests falls, slides, and uncontrolled descents; works on vertical or angled rope, locks on the rope even if grabbed during the fall, moves up or down the rope without any manual manipulation of the device, easy to install and remove at any point on the rope, may be combined with an ASAP'SORBER energy absorbing lanyard to work at a distance from the rope, comes with an OK TRIACT-LOCK automatic locking carabiner.

**L71AA** \$40⁹⁵**PETZL ASAP'SORBER
LANYARD WITH
ENERGY ABSORBER**

Connects the ASAP or ASAP LOCK mobile fall arrester to the harness, allows the user to distance himself from the rope in order to declutter the work area and protect the rope from sharp tools and molten metal splash, absorbs the energy of a fall by the tearing of specific stitching, available in (2) lengths for a choice of the best balance between distance from the rope and reducing the fall length.

L71AA 20 20 cm - \$40.95

L71AA 40 40 cm - \$50.95

**B71ALU**\$265⁰⁰**PETZL ASAP LOCK
MOBILE FALL
ARRESTER**

Integrated locking function allows the user to immobilize the device to reduce the length of a fall. In case of a strong wind, this function also prevents the rope from being blown upward. Arrests falls, slides, and uncontrolled descents; works on vertical or angled rope, locks on the rope even if grabbed during the fall, moves up or down the rope without any manual manipulation, easy to install and remove at any point on the rope, connection arm makes the system loss-resistant when passing intermediate anchors, is used with an ASAP'SORBER energy absorbing lanyard to work at a distance.

**802**\$147⁹⁹**KONG
BACK-UP
MOBILE FALL
ARRESTER**

Supports fall factor 2 falls in a semi-dynamic way, without damage to the safety rope; works on vertical or angled rope; moves up or down along the rope without manual intervention; easy to install and remove at any point on the rope; for rope access applications unit can be used with tug cord; 10.0 to 12.0 mm semi-static ropes (EN 1891 type A) certified with the device.

**8700620**\$379⁹⁹**DBI SALA
ROPE-SAFE
MOBILE/STATIC
ROPE GRAB WITH
ATTACHED EZ-STOP**

Easy to use automatic to manual operation switch; integrated tow cord; built-in swivel; swivel cover; built-in anti-panic grip; triple action aluminum carabiner; (2) person rescue load rated up to 440 lbs; for use with 27/64 in. to 1/2 in. (10.5 - 13.0 mm) kernmantle rope; 1' integral energy absorbing lanyard.

8700643 2' lanyard - \$379.99

8700621 3' lanyard - \$379.99

**RG1200**\$160⁰⁰**MIO ROPE GRAB**

Stainless steel self-trailing rope grab, removable dual action pin for easy placement, grips automatically in the event of a fall and dissipates the energy of the fall by slipping along the rope, comes with lanyard and ANSI snaphook, for use with 1/2" rope.

RG5834 5/8" rope - \$160.00

RG716 7/16" rope - \$160.00





B16BAA \$69⁹⁵

PETZL CROLL CHEST ROPE CLAMP

Compact, lightweight chest rope clamp; used with the ASCENSION handled rope clamp for ascending a rope, toothed cam with self-cleaning slot optimizes performance under any conditions; stainless steel cam has better resistance to corrosion, catch is opened by pinching for easy manipulation; reinforced rope channel with stainless steel for greater durability for use with ropes 8mm-11mm in diameter.



B50 \$73⁹⁵

PETZL RESCUCENDER CAM-LOADED ROPE CLAMP

Removable axle can be used to install or remove the clamp at any point on the rope, locking pin reduces the risk of undoing the system accidentally, for single ropes between 9mm and 13mm in diameter.



B17 \$81⁹⁵

PETZL ASCENSION HANDHELD ROPE CLAMP

Designed for ascending and occasionally for hauling (progress capture); wide, ergonomic molded handle allows a comfortable yet powerful grip; lower holes for connecting a SPELEGYCA lanyard and installing a FOOT-APE foot loop with a quick link, toothed cam with self-cleaning slot optimizes performance under any conditions, upper hole through which a carabiner attaches the device to the rope, for single ropes between 8mm and 13mm in diameter.

- B17ALA** Left handed - \$81.95
- B17ARA** Right handed - \$81.95
- B17ARN** Right handed, black - \$81.95



888 \$84⁹⁹

KONG DUCK ROPE CLAMP

Duck, the innovative emergency rope clamp. Conceived for single ropes with a diameter between 8 and 13 mm, Duck is the first and only belay device that works also on plane and tubular slings from 10 to 15 mm width (even if these are not certified for progression). Due to the small dimensions, it can be easily inserted even with one only hand. The big hole allows the rotation of sleeve connectors. Use the Duck as an emergency rope clamp during self belay, retrievals, progression maneuvers and regulating daisy chains.



C47A \$33⁹⁵

PETZL FOOTAPE ADJUSTABLE FOOT SLING

Attaches to the ASCENSION handheld ascender for rope ascents, underfoot strap is abrasion-resistant and is slightly rigid to make it easier to step into, adjustable elastic keeps the foot in the foot loop with any type of shoe, mini DoubleBack buckle easily and quickly adjusts length of foot loop.



896R04D00KK

\$69⁹⁵

KONG LIFT RIGHT HANDED ASCENDER

Excellent ability to block out particularly on muddy and icy ropes thanks to the holes on the cam and on the side plate. The new material and a special chemical and thermal process give to the cam a much higher surface hardness. The result is a great wear resistance and a reduction of the fragility that usually penalizes steels by quenching to low temperatures. New opening lever, ergonomic, easy to handle and protected from shocks and from the risk of accidental opening. For ropes 8mm-13mm.

896B04S00KK Left handed - \$69.95



8700523 \$90⁹⁹

DBI SALA ROLLGLISS HANDHELD ASCENDER

Ergonomic handle, rigging points top and bottom, stainless steel eyelet in main bottom rigging hole to reduce wear, stainless steel investment cast teeth and cam face curvature ensure minimal rope damage while maintaining maximum strength, for ropes 10.5mm-13mm, **left handed**.

8200524 Right handed - \$90.99



8700387 \$247⁴⁹
**DBI SALA NOWORRIES
 DESCENDER**

Incorporates the functionality of a stop descender, chest ascender, and belay device in one compact unit, allows user to hard lock, for rope 10.5mm-12mm in diameter.



8700388 \$294⁹⁹
**DBI SALA NOWORRIES
 DESCENDER**

Incorporates the functionality of a stop descender, chest ascender, and belay device in one compact unit, allows user to hard lock, for rope 12.5mm-13.5mm in diameter.



D200S0 \$255⁰⁰
**PETZL SMALL P'D
 DESCENDER**

Large handle is rotated in various orientations to control whether the unit is in descent, stopped, or complete lock-off. **For rope between 10mm-11.5mm in diameter.**



D200L0 \$255⁰⁰
**PETZL LARGE P'D
 DESCENDER**

Large handle is rotated in various orientations to control whether the unit is in descent, stopped, or complete lock-off. **For rope between 11.5mm-13mm in diameter.**



D5 \$249⁹⁹
**ISC D5 WORK
 RESCUE DESCENDER**

Unique innovative cam action for precise control; auto lock function when aluminum handle is released; 500 lbs working load limit; for rope between 12.5mm-13mm.



D4 \$249⁹⁹
**ISC D4 WORK
 RESCUE DESCENDER**

Unique innovative cam action for precise control, 500 lbs working load limit, aluminum handle, **for rope between 10.5mm-11.5mm.**



RG50 \$309⁰⁰
ROCK EXOTICA UNICENDER

This revolutionary device combines ascending and descending in one piece of gear, works with both single and double rope technique, with seamless transition between ascending and descending, for ropes 11mm-13mm.



2103189 \$240⁹⁹
DBI SALA FISK DESCENDER

Descent control system designed for durability, thermal capacity and smooth flow, allows the operator to tie off and position themselves at a specific work level, comes with instructional DVD.



MBS
80 kN

P55 \$155⁰⁰
ROCK EXOTICA OMNI-BLOCK SWIVEL PULLEY

The Omni 2.6" brings heavy duty rigging to the Omni family with an MBS of 80kN and WLL of 20kN. In addition to the large 2.6" sheave, the P55 features a prusik minding sideplate, and push-button access to install rope.



MBS
36 kN

P53 \$108¹⁰
ROCK EXOTICA OMNI-BLOCK 2.0 SWIVEL PULLEY

Can replace a conventional pulley, carabiner, and swivel and is lighter, less expensive and saves valuable vertical space, allows installing/removing the rope while the pulley is still anchored, sheave diameter 2".

P53-B Black - \$111.00



MBS
36 kN

P51 \$81⁴⁰
ROCK EXOTICA OMNI-BLOCK 1.5 SWIVEL PULLEY

Can replace a conventional pulley, carabiner, and swivel and is lighter, less expensive and saves valuable vertical space, allows installing/removing the rope while the pulley is still anchored, sheave diameter 1.5".

P51-B Black - \$84.00



MBS
23 kN

P54 \$76⁵⁰
ROCK EXOTICA OMNI-BLOCK 1.1 SWIVEL PULLEY

Combines pulley with a swivel; replaces conventional pulley, carabiner and swivel; max rope diameter 13mm, 23kN MBS; sheave diameter 1.1".



MBS
44 kN

P1 \$57⁷⁰
ROCK EXOTICA PRUSIK MINDING PULLEY

Milled from solid 7075 aluminum so material can be taken away where it's not needed and left where it is, axle is machined as part of the side plate, compact, stronger and lighter weight than conventional stamped pulleys; sheave diameter 2".

P1-B Black - \$58.70



MBS
15 kN

P03A \$24⁹⁵
PETZL MOBILE PULLEY

Lightweight, compact pulley, designed for hauling systems and deviations, sheave mounted on self-lubricating bushings for efficiency.



MBS
23 kN

P05W \$28⁹⁵
PETZL FIXE PULLEY

Fixed side plates for quick installation and coupling with rope clamp, made for hauling systems and deviations, sheave mounted on self-lubricating bushings.



MBS
22 kN

610116 \$12⁹⁵
BLUEWATER ROPES MICRO PULLEY

Lightweight design features a steel axle, anodized aluminum frame and aluminum sheave; for ropes 8-13mm in diameter.



MBS
30 kN

K3040102 \$30⁹⁹
TRACTEL M PULLEY

Light alloy, swinging side plates for quick and easy installation, for ropes up to 16mm.



MBS
22 kN

157303 \$14⁹⁵
SMC CRX PULLEY

Smooth running 1.25" nylon sheave runs on a stainless steel rivet axle and the color-contrasting aluminum side plates rotate for easy rope insertion and removal, compact size, for ropes up to 13mm.

P53D \$165⁰⁰

ROCK EXOTICA OMNI-BLOCK 2.0 DOUBLE SWIVEL PULLEY

Install and remove rope while still connected to the anchor; sideplate locks with two-stage, double-catch safety mechanism; integrated swivel allows pulley to orient while reducing gain; connect, install and remove rope with one hand; CNC machined for optimal weight and strength; sheave diameter 2".

P53-B Black - \$167.00



P41SET

\$205⁰⁰

ROCK EXOTICA AZTEK PULLEY SET

Engineered from a solid block of aluminum to maintain strength; come together in either a blue/orange set or black set with laser engraved 'A' and 'B' markings; this coding is used to help set them up in the 4:1 configuration when used with Sterling's 6mm ratchets; can accept up to an 8mm rope.

P41SET-B Black - \$211.00



P21D \$87⁵⁰

ROCK EXOTICA MACHINED MINI 1.1 DOUBLE PULLEY

Recessed axle screw sits flush to pulley sideplates; Machined—not stamped parts, create a stronger pulley; axle is integrated into sideplates, adding additional strength and rigidity to the pulley; machined sideplates allow for a more compact design; sheave diameter 1.1".

P21D-B Black - \$88.50



P22D \$101⁰⁰

ROCK EXOTICA MACHINED RESCUE 1.5 DOUBLE PULLEY

Machined—not stamped parts, create a stronger pulley, increasing its strength-to-weight ratio; axle is integrated into sideplates, adding additional strength and rigidity to the pulley; machined sideplates allow for a more compact design while maintaining the same rope capacity of other pulleys; sheave diameter 1.5".



P51D \$126⁰⁰

ROCK EXOTICA OMNI-BLOCK 1.5 DOUBLE

Can replace a conventional pulley, carabiner, and swivel and is lighter, less expensive and saves valuable vertical space, allows installing/removing the rope while the pulley is still anchored, sheave diameter 1.5".

P51D-B Black - \$128.70



P1D \$113⁰⁰
ROCK EXOTICA PMP 2.0 DOUBLE PRUSIK MINDING PULLEY

Milled from solid 7075 aluminum; sheave diameter 2.0"; max rope 13mm.



P65A \$137⁰⁰
PETZL TWIN PULLEY

High strength, high efficiency double Prusik pulley, special side plates for use with a Prusik friction hitch in progress capture systems.



P66A \$99⁹⁵
PETZL GEMINI PULLEY

Special side plates designed for use with a Prusik friction hitch in progress capture systems. Parallel mounted sheaves and auxiliary attachment point.



P45 \$89⁹⁵
PETZL JAG

Double pulley designed for use with the JAG TRAXION double progress capture pulley to make a 4:1 haul system; sheaves mounted on sealed ball bearings.



SM154801N \$89⁹⁵
SMC ADV TECH MATE DOUBLE PULLEY

Made from high quality aluminum; anodized to help prevent corrosion; supports rope diameters from 7mm up to 12.5mm.



MBS
40 kN

P67 \$194⁰⁰

PETZL KOOTENAY KNOT-PASSING PULLEY

Voluminous rope channel allows the passage of joining knots, large diameter sheave mounted on sealed ball bearings for excellent efficiency, locking pins on the sheave allow use of the pulley as an anchor.



MBS
22 kN

P51A \$138⁰⁰

PETZL PRO TRAXION

Integrated progress capture device can be used as a pulley or rope clamp, lockable moving side plate for easy rope installation; for ropes from 8mm-13mm in diameter.



MBS
15 kN

P53 \$110⁰⁰

PETZL MICRO TRAXION

Ultra-light, ultra-compact progress-capture pulley that is exceptionally efficient (91%) thanks to its sealed ball bearings; can be used as a simple pulley.



MBS
16 kN

P54 \$135⁰⁰

PETZL JAG TRAXION

Double progress capture pulley designed for use with the JAG double pulley to make a 4:1 haul system. Sheaves mounted on sealed ball bearings for excellent efficiency.



MBS
22 kN

P46 \$79⁹⁵

PETZL PRO

High-efficiency loss-proof pulley; openable even when attached to the anchor, designed for maximum simplicity when setting up hauling or load deviation systems.



MBS
90 kN

8700039 \$201⁹⁹

DBI SALA KNOT PASSING PULLEY

Can be used as an edge roller for rope protection, a rigging point, or an anchor; for ropes 11-80mm.



MBS
39 kN

P3 \$202⁰⁰

ROCK EXOTICA KOOTENAY ULTRA

Lightweight and compact and features a single locking screw; (2) holes to separate your tag/hoist lines and to prevent spinning.



MBS
51 kN

SM152500 \$122⁵⁰

SMC 4" STAINLESS STEEL PULLEY

High efficiency sealed ball bearings, matched double-bend side plates help eliminate compression under load.



MBS
34 kN

SM154900 \$137⁷⁰

SMC ADVANCE TECH HX DOUBLE PULLEY

Integrated cam for progress capture without the need of Prusiks, high efficiency sealed ball bearing, one-handed operation.



MBS
28 kN

P4 \$89⁹⁵

ROCK EXOTICA HYDRA TRIPLE ATTACHMENT

Can be used as a pulley, rigging plate, and a swivel; add multiple connections that will still rotate when needed.



V4260 \$54⁹⁹
**TRACTEL SPLICE-SAFE
 TERMINATION PLATE**

For use with 7/16" or 1/2" kernmantle ropes and 5/8" or 3/4" three strand ropes, made of aluminum with (6) holes, eliminates the need for knots, splicing or swaging.



SRIW1000 \$45⁷⁹
**MSA SURETYMAN
 TERMINATION PLATE**

For use with 5/8" three strand, double-braid, or kernmantle rope; provides a quick reusable field termination that eliminates the need for knots.



7001 \$47⁹⁹
**WESTFALL ROPE END
 TERMINATION PLATE**

Used to connect a rope to something without the use of knots or factory terminations; for use with kernmantle rope between 7/16" and 3/4" or three strand rope between 5/8" and 3/4".



P68 \$147⁰⁰
PETZL CATERPILLAR

Vertical and horizontal rollers guide the moving rope with a minimum of rubbing. Each module can be positioned independently to adapt to the terrain, includes 4 modules and 6 quick links.



8700302 \$105⁹⁹
**DBI SALA
 MECHANICAL ROPE
 PROTECTOR**

Three linked units for use on natural or man-made surfaces.

RC48032
 \$12⁰⁰

PMI SPIROLL
 Effective, economical protection for stationary ropes; rugged polyurethane material, single rope use, for ropes greater than 9.5mm, perfect for anchors, easily movable, also available in black (RC48033)



RC48020
 \$22⁷⁵

**PMI SUPERMANTLE
 ROPE
 PROTECTOR**
 Ballistic nylon exterior, canvas interior, easy open flap, reflective strip, tie off tab, 18".
 24" - \$25.00
 36" - \$33.50



BK13006
 \$16⁹⁹

**MORROW GUIDE
 TO KNOTS**
 A compact, practical manual of (70) useful knots. From loops and bends to stopper knots and hitches, this guide includes step-by-step tying instructions, historical data, and useful tips.



STERLING ACCESSORY CORD

These cords have a very durable sheath and high MBS which makes them great for prusik cords, cordelettes, ice threads, lightweight low-stretch fixing and hauling "tag" lines. Patterns and colors vary by size. To complete the part number, replace the () with the corresponding color code.

LENGTH	DIAMETER	STRENGTH	PART	PRICE
50m	6mm	MBS 1,978 lbs	AN60_0050	\$64.95
100m	6mm	MBS 1,978 lbs	AN60_0100	\$128.00
200m	6mm	MBS 1,978 lbs	AN60_0200	\$253.30
50m	7mm	MBS 2,788 lbs	AN70_0050	\$79.90
100m	7mm	MBS 2,788 lbs	AN70_0100	\$158.30
200m	7mm	MBS 2,788 lbs	AN70_0200	\$313.20
50m	8mm	MBS 3,934 lbs	AN80_0050	\$99.50
100m	8mm	MBS 3,934 lbs	AN80_0100	\$197.00
200m	8mm	MBS 3,934 lbs	AN80_0200	\$389.90



8MM PRUSIK CORD

LENGTH	DIAMETER	COLOR	STRENGTH	PART	PRICE
16"	8mm	Orange	MBS 4,496 lbs	SC080320716	\$12.00
16"	8mm	Red	MBS 4,496 lbs	SC080320816	\$12.00
22"	8mm	Blue	MBS 4,496 lbs	SC080320622	\$12.25



6MM PRUSIK CORD

LENGTH	DIAMETER	COLOR	STRENGTH	PART	PRICE
44"	6mm	Yellow	MBS 2,810 lbs	SC060NYTR044	\$11.15
9.5"	6mm	Light	MBS 2,810 lbs	SC060NYRTL09	\$9.00
9.5"	6mm	Dark	MBS 2,810 lbs	SC060NYRTD09	\$9.00



RP1 \$27⁰⁰ ROCK EXOTICA TRIRIG

Lightest high performance (3) hole plate; milled from oversize material so that all surfaces are machined, even the faces.



RP2 \$47⁰⁰ ROCK EXOTICA PENTAPLATE

Made of strong aerospace aluminum alloy, (5) hole plate; thin design has the benefit of fitting carabiners and links better with less possibility of binding.



P63 M \$63⁹⁵ PETZL PAW

19 mm holes allow the locking sleeves of most carabiners to pass through.

P63 S (3) anchor point holes - \$32.95



RP5 \$114⁰⁰ ROCK EXOTICA BOLT

Uses a quick-detachable stainless steel rod, or 'bolt', allowing you to connect your gear directly to the five connection points without using carabiners.

757002 \$13⁰⁰

**BLUEWATER RHINO
DUAL LAYER
ANCHOR LOOP**

Blue Water Rope's Dual Sheath Armortech construction essentially creates a loop inside a loop; Yellow outer for high visibility; fluorescent orange inner webbing to alert users of cuts or abrasions; custom Dyneema thread make overlap of sewn closure 1/3 the length of other slings; 9,000 lbf straight pull, 10,000 lbf chocker, 15,000 lbf basket. Other lengths also available.

757003 36" - \$14.50

757004 48" - \$16.00



7639 \$7⁰⁰

**BLUEWATER ROPES
13MM TITAN
SLINGS**

BlueWater Rope's 13mm Titan Slings are constructed from Dyneema and offer the highest strength rating in the market. These slings are sewn with Spectra custom thread to ensure superior strength and performance.

763924S 24" - \$7.00

763948S 48" - \$12.50



3699998 \$12⁹⁹

**DBI SALA ROLLGLISS
RIGMASTER ANCHOR
STRAP**

Provides a portable and temporary rated anchorage connector designed to be used in rescue and rigging systems, versatile anchorage device can be used almost anywhere an anchorage point is needed, easy to use and install, 1.5' length, MBS 35kN.

3699952 3' - \$17.99

3699953 5' - \$22.99

3699954 6.5' - \$28.99

3699997 10' - \$37.99



SW127DYSL

**STERLING 12MM
DYNEEMA SEWN
SLINGS**

Dyneema slings offer significant performance advantages over traditional runners; they are lightweight, have high cut resistance, are extremely strong, and resist moisture; these features make them perfect for alpine climbing, MBS 5,170 lbs.

+0424 24" Black - \$9.45

+0630 30" Blue - \$12.70

+0448 48" Black - \$15.00



SW174NYSL

**STERLING 11/16"
NYLON SLINGS**

Sterling sewn runners are made with the highest quality webbing and computerized precision bar tacking making them exceptionally strong and lightweight, MBS 5,170 lbs.

+0624 24" Blue - \$5.05

+1930 30" Neon green - \$5.65

+1448 48" Red - \$7.70




SW25498RC

**STERLING BARC
RIGGING WEB CHAIN**

Designed for use as a basal anchor with your Portawrap or other friction brake lowering device, the BARC can also accommodate your rigging block aloft; BARC comes in 5ft and 8.5ft versions to accommodate trees up to 19" and 32" in diameter.

+60 60" - \$43.39

+103 103" - \$74.99



C07 \$7⁹⁵

PETZL ST'ANNEAU

Dyneema sling, lighter and more flexible than nylon slings, very abrasion resistant, 12mm width, MBS 5,000 lbs.

C07 24 24cm - \$7.95

C07 60 60cm - \$11.95

C07 120 120cm - \$16.95

C06 \$12⁹⁵

PETZL FIN'ANNEAU

Ultraight dyneema sling, very abrasion resistant, 8mm width, MBS 5,000 lbs.

C06 60 60cm - \$12.95

C06 120 120cm - \$17.95

C06 180 180cm - \$24.95

C40 \$7⁹⁵

PETZL ANNEAU

Webbing loop, also available in black, MBS 5,000 lbs.

C40 60 60cm - \$7.95

C40 80 80cm - \$9.95

C40 120 120cm - \$10.95

C40 150 150cm - \$13.95



6160030 \$419⁹⁵

**DBI SALA LAD-SAF X2
DETACHABLE CABLE
SLEEVE**

Sleeve for Lad-Saf fixed ladder safety system, for use on 3/8" (9.5 mm) and 5/16" (8 mm) 1x7 or 7x19 solid core cable, mobile design follows user for convenient climbing protection, easy to install and detach anywhere along lifeline, mechanical and inertial locking system stops falls within inches, built-in energy absorber and fall indicator, anti-inversion feature prevents incorrect installation, Saflok steel carabiner for secure connection to harness, extremely rugged and corrosion resistant construction.



6116540 \$403⁹⁹

**DBI SALA LAD-SAF
FLEXIBLE CABLE
SLEEVE WITH
CARABINER**

Sleeve for Lad-Saf fixed ladder safety system, for use on 3/8" (9.5 mm) and 5/16" (8 mm) 1x7 or 7x19 solid core cable, Automatically follows user for hands-free climbing and fall protection, easy to install and detach anywhere along lifeline, mechanical and inertial locking system stops falls within inches, built-in gravity lock prevents incorrect installation, Saflok steel carabiner for secure connection to harness, extremely rugged and corrosion resistant construction.

6116541 No Carabiner - \$364.99



VGCS \$368⁹⁹

**MILLER VI-GO
AUTOMATIC PASS-
THROUGH CABLE GUIDE**

For use with 5/16" or 3/8" diameter cable, automatically bypasses intermediate cable guides keeping both hands free for climbing, travels smoothly along cable and locks instantly in the event of a fall.

With carabiner - \$383.99

With swivel carabiner - \$401.49



RG-5000 \$149⁹⁹

**GME SUPPLY
CABLE GRAB**

For use with 3/8" cable, comes with carabiner and GME Supply carrying pouch, works on both galvanized and stainless steel cables, meets ANSI, OSHA and CSA requirements for vertical lifelines.



VL-38-20 \$199⁹⁹

FRENCH CREEK VERTICAL FLEXIBLE CABLE CLIMBING SYSTEM

Includes top bracket, bottom bracket with tensioner, rung clamps for up to 1-1/8" diameter rungs, 3/8" galvanized wire rope lifeline permanently terminated at one end and clips on the other end. Standard lengths vary from 20' to 300' and include an appropriate amount of cable guides based upon length.

VL-38-50 50' - \$259.99

VL-38-100 100' - \$359.99

VL-38-150 150' - \$459.99

VL-38-200 200' - \$539.99



1401-38 \$169⁴⁹

FRENCH CREEK WIRE ROPE GRAB

Stainless steel trailing wire rope grab for 3/8" wire rope.

1401A-38 With carabiner and shock absorber - \$192.49

2-1200A-AT

\$274⁹⁹

FRENCH CREEK CLIMBING TROLLEY

For use with French Creek's rigid rail climbing system; provide maximum climbing safety for workers in a multitude of applications, such as towers, antennas, water tanks, scaffolds, support poles, dams, silos, ladders, and more; trolley moves freely along the rail until a slip or fall occurs; trolley then instantly locks and the fall is immediately arrested.




602-100-003

\$368⁹⁹

MILLER SAF-T-CLIMB SHUTTLE

For use with Miller Saf-T-Climb Ladder System; provides total ladder climbing safety for workers above or below ground, straight or curved; immediately locks into the Saf-T-Notch rail as soon as a slip or fall occurs; integrated shock-absorbing element reduces fall forces on worker.




OMEGA INDUSTRIAL CUSTOM LADDER CAGES

Omega's Ladder Cages are designed with safety and durability in mind, made in the USA, they're fabricated to meet OSHA requirements and can be adapted to almost any application. They're custom designed for every ladder, and built to provide decades of service in just about any situation. They offer several options including cages, walk-thru handrails, locking hasps and more. Side members are 1/4" x 2" x 2" steel angle, climbing rungs are 3/4" corrugated steel round rungs spaced on 12" centers, stand-off brackets are 7", standard finish is a grey hybrid epoxy primer, custom color options are available upon request, hot dipped galvanized and stainless steel construction is an option. Conform to OSHA section 1910.27. Give us a call for more information on custom ladder options and pricing.



**CUSTOM MADE!
CALL FOR PRICING
(800) 940-6762**



5901980 \$1,275⁹⁹

DBI SALA LADDER GATE

Allows easy access by authorized personnel while preventing unauthorized use, heavy gauge aluminum shield, galvanized braces and hardware, continuous heavy duty piano hinge, fast and easy bolt-on bracket installation, built-in latch for padlock use, no special equipment required, authorized person simply unlocks your padlock on the ladder gate, swings the shielding gate aside and has unhampered access to the ladder; little or no maintenance required.



DBI LAD-SAF Flexible Cable Ladder Safety System



6116280 \$184⁹⁹

DBI SALA STANDARD TOP BRACKET

Galvanized top bracket with mounting hardware, fits up to 1-1/8" rung diameter, attaches to (3) rungs, built-in energy absorber, for systems up to 499'.

6116410 For systems over 500' - \$205.99

6100400 \$40⁹⁹

DBI SALA CABLE GUIDE

Non-metallic cable guide with mounting hardware, fits up to 1-1/8" rung diameter, must have one every 25', for systems up to 199'.

6100515 For systems over 200' - \$43.99

6110000 \$135/ft

DBI SALA CABLE LIFELINE

Galvanized cable, 3/8" (9.5mm) diameter, 1x7 type. Last (3) digits in part number indicate length.

6116540 \$391⁹⁹

DBI SALA LAD-SAF FLEXIBLE CABLE SLEEVE

For use with 8mm or 3/8" diameter 1x7 or 7x19 solid core cable. Comes with 2000112 carabiner. Meets OSHA and ANSI standards.

6116541 Without carabiner - \$364.99

6116507 With carabiner and shock absorber - \$523.99

6100090 \$87⁹⁹

DBI SALA STANDARD BOTTOM BRACKET

Fits up to 1-1/8" rung diameter, attaches to (2) rungs, tensioning device, galvanized.

DBI LAD-SAF Steel Pole (Weld-On) Ladder Safety System



6116261 \$178⁹⁹

DBI SALA TOP BRACKET

Weld-on top bracket with built-in energy absorber and fasteners.

6100710 Stand-off stainless steel for use with top bracket or bottom bracket - \$12.99

6110000 \$135/ft

DBI SALA CABLE LIFELINE

Galvanized cable, 3/8" (9.5mm) diameter, 1x7 type. Last (3) digits in part number indicate length.

6100430 \$43⁹⁹

DBI SALA CABLE GUIDE

Non-metallic cable guide. Must have one every 25'.

6100136 Cable guide support - \$10.99

6100035 \$127⁹⁹

BOTTOM BRACKET

Galvanized bottom bracket with built-in tensioner.

The Lad-Saf Flexible Cable Ladder Safety System consists of a top and bottom bracket that act as anchors for a steel cable that runs the length of the climbing area. The Lad-Saf X2 sleeve, attached by carabiner to the harness, arrests falls by locking onto the cable. Designed for ease of use, economy and versatility, optional brackets/designs are available for bolting or welding the system. There is a choice of rung clamp sizes/styles and there are systems for straight ladders and for connection to wood, concrete or steel structures.

Tension Indicator

Integrated tension indicating bottom bracket takes the guesswork out of installation.

Corrosion Resistant Construction

Galvanized and stainless steel construction stands up to harsh environments for maintenance free longevity.

Shock Absorbing Design

Integrated shock absorbing top bracket reduces forces imposed on ladder structure during a fall.

Intermediate Cable Guides

Non-metallic cable guides prevent cable wear against the ladder and permits the climber to bypass without disconnecting.

04639 \$486⁹⁹

GUARDIAN KERNMANTLE HORIZONTAL LIFELINE

Temporary, reusable, two-person system designed for Fall Arrest applications. It includes (1) Kernmantle Rope, (1) Ultra-Sack storage bag, (2) O-rings, (2) cross arm straps, (1) rope tensioner, and (2) self-closing and self-locking carabiners; convenient, durable, and ideal for transporting equipment around the jobsite, and also offers protection from contaminants; (2) cross arm straps function as durable anchorage connectors that can be reused in multiple applications, 30'.

04638 60' - \$466.99

04640 100' - \$528.99



04800 \$979⁹⁹

GUARDIAN CABLE HORIZONTAL LIFELINE SYSTEM

Designed to support up to (2) workers in fall arrest applications; includes 100' span of 3/8" diameter cable, (2) cross arm strap anchorage connectors, (1) web tensioner, (3) cable clamps, and (1) impact attenuator.



04625 \$535⁹⁹

GUARDIAN POLYESTER HORIZONTAL LIFELINE

Temporary, reusable, 2-person system; includes polyester rope, SOS carrying/storage bag, (2) O-rings, (2) cross arm straps, rope tensioner, and (2) self-locking carabiners.

04628 60' - \$555.99

04630 100' - \$625.99



1200101 \$361⁹⁹

PROTECTA PRO-LINE TEMPORARY HORIZONTAL LIFELINE SYSTEM

60' lifeline with tensioner, shock absorber, bag, and (2) 6' tie-off adaptors, built-in shock absorber limits arresting forces during a fall and provides the user with a visual impact indicator, installs in seconds without special tools or equipment, fall arrest rated for two users, OSHA compliant.

1200105 Without tie-off adaptors - \$250.99



7605060 \$1,385⁹⁹

DBI SALA EZ-LINE RETRACTABLE HORIZONTAL LIFELINE

60' retractable system can be set at any length, rugged 1/4" 7x19 galvanized cable lifeline, ergonomic easy to carry case, extremely lightweight and portable design, built-in winch, pre-tension and impact indicators, durable construction will stand up to tough jobsites, single and multi-span (with SecuraSpan stanchion) system configurations, internal energy absorber limits fall arrest forces, flexible system capacity, use with any 5,000 lb anchorage device, equipped with i-Safe.



600235MH \$135⁰⁰
BLUEWATER MINI-HAUL KIT TACTICAL

4:1 mini-haul kit, includes multi-use technician bag with velcro belt type rear attachment, 35' tactical black 8mm NFPA BlueWater Escape rope, polyester sheath, nylon core, 6mm stainless steel quick link, 2 black double sheave mini pulleys, 1 with becket, 2 auto-lock Rock Exotica Pirate carabiners, 6mm x 11" hybrid sewn prusik.



P44 \$299⁰⁰
PETZL JAG HAUL SYSTEM

Haul kit for pickoffs, making a releasable anchor, or tensioning a system, thanks to its 4:1 mechanical advantage and excellent efficiency (sheaves with sealed ball bearings). The collapsed kit is very compact, making usage possible even if the distance to the anchor is very short. The JAG SYSTEM haul kit is quick and easy to deploy: it is ready to use thanks to the flexible cover that prevents any risk of tangling. The haul end is color coded for instant identification.



P41 KIT \$337⁹⁹
ROCK EXOTICA AZTEK COMPACT SYSTEM

4:1 mechanical advantage, complete system with two Aztek pulleys, main rope (8 or 9mm), two Prusiks, a travel restrict Prusik and a compact bag to carry it all in for rapid deployment. Can be used for pick off, travel restrict, adjustable directional, high directional guyline, load release hitch, and much more.



KTPHAULER \$215⁰⁰
STERLING ROPE POCKET HAULER

This perfect mini mechanical advantage system can literally fit in a pocket; creates a 4:1 or 5:1 increase in force depending on orientation, for use in partner/self rescue, adjustable directionals, piggy-backed haul systems, tensioning lines and multiple other rigging needs. Kit includes: (2) SR mini-double pulleys, 50' of 8mm rope with sewn eye, (2) Hawk autolock carabiners, and 6mm sewn ratchet screwlink.



KT36158 \$410⁰⁰
PMI SMC ADVANCE TECH HAUL SYSTEM

Pre-rigged system provides either 4:1 or 5:1 mechanical advantage, built in progress capture, 10 meters of 9mm PMI Classic Pro EZ-bend rope, max rope diameter 12.5mm.



KT36128 \$185⁰⁰
PMI / SMC JR HAUL SYSTEM

4:1 or 5:1 mechanical advantage, includes (2) mini JR pulleys, (2) aluminum carabiners, 10m, 7mm tuff cord; 2m, 5mm accessory cord; 5mm oval screw link, bag.



KT36077
 \$350⁰⁰
PMI / SMC DELUXE HAUL SYSTEM

4:1 or 5:1 mechanical advantage, includes (2) mini PMP pulleys, (2) lite steel carabiners, 10m, 9mm EZ-Bend; 2m, 6mm accessory cord; 5mm oval screw link, bag.



09025 \$744⁹⁹

GME SUPPLY RESCUE KIT

Includes 300' of 7/16" kernmantle rope, GME Supply 5600RB premium rope bag, DBI Sala 8700387 NoWorries descender, PMI SG51180 easy pick-off strap, (4) GME Supply 07400 4-7/8"x3" steel carabiners, DBI Sala 5' tubular webbing sling, and trauma shears.

09035 600' - \$1,044.99

09024 150' - \$574.99



09050 \$1,044⁹⁹

GME SUPPLY DELUXE RESCUE KIT

Includes 300' of 7/16" kernmantle rope, GME Supply 5600RB premium rope bag, DBI Sala 8700387 NoWorries descender, PMI SG51180 easy pick-off strap, (4) GME Supply 07400 4-7/8"x3" steel carabiners, DBI Sala 5' tubular webbing sling, DBI Sala 8701100 micro haul kit: 2m working length 8mm kernmantle rope, mini hand ascender, triple sheave pulley, triple sheave progress capture head, screw gate carabiner, quick link, kit bag; trauma shears; designed for emergency pick-offs and rescue.

09075 600' - \$1,344.99

3325100 \$849⁹⁹

DBI SALA ROLLGLISS R550 RESCUE AND DESCENT DEVICE

Emergency rescue and evacuation from a wide variety of elevated work areas, fully automatic controlled descent, bidirectional design enables multiple rescues, rated for up to 1,640' height for one user, 575' for (2) users; compact and lightweight design, high-strength corrosion resistant construction, integrated rope ears, dual brake design, equipped with i-Safe, kit also contains 4' anchor sling, (2) carabiners and carrying bag, 100' 3/8" kernmantle rope lifeline.

3325200 200' - \$1,049.99

3325275 275' - \$1,199.99

3325300 300' - \$1,249.99



09010

GME SUPPLY BASIC RESCUE KIT

Includes 150' of 7/16" kernmantle rope, Sterling MDBAGROPES09 small rope bag, DBI Sala 8700387 NoWorries descender, PMI SG51180 easy pick-off strap, (4) GME Supply 07405 4-1/2"x2-3/4" steel carabiners, DBI Sala 5' tubular webbing sling, WestFall Pro Rope End Termination Plate, and trauma shears.





09026 \$829⁹⁹

GME SUPPLY STANDARD RESCUE KIT

Includes 300' of 7/16" kernmantle rope, GME Supply 5600RB premium rope bag, DBI Sala 8700387 NoWorries descender, PMI SG51180 easy pick-off strap, (4) GME Supply 07400 4-7/8"x3" steel carabiners, DBI Sala 3699998 5' tubular webbing sling, BlueWater Ropes 763948S 4' Titan sling, BlueWater Ropes 600235MH mini-haul kit tactical, and trauma shears.



09027 \$809⁹⁹

GME SUPPLY TOWER Z RIG RESCUE KIT

Includes 300' of 7/16" kernmantle rope, GME Supply 5600RB premium rope bag, DBI Sala 8700387 NoWorries descender, PMI SG51180 easy pick-off strap, (4) GME Supply 07400 4-7/8"x3" steel carabiners, Petzl B17WRA ascension rope clamp, BlueWater 610117 micro pulley, WestFall Pro 4-7/8" x 3" aluminum carabiner, and trauma shears.



SG51180

\$44⁵⁰

PMI EASY PICK-OFF STRAP

This high performance pick-off strap is designed to weigh less and be less bulky, but still perform when you need it; with a sewn anchor loop on the load end and a hand loop on the haul end, this strap allows for quick weight transfer from one system to another, adjustable length 7" to 42".



SG51032

\$48⁷⁵

PMI PICK-OFF STRAP

This traditional pick-off strap has a metal D-ring at the rescuer's end for a metal-on-metal connection, once connected - slack can be removed simply by pulling on the free end of the strap, fast connection, hook and loop, buckles slip at 4500 lbf, adjustable length 8"-50".



532

\$53⁰⁰

YATES BIG WALL LADDER

The Yates Big Wall Ladder offers the simplicity of traditional 1" etriers with the comfort of 2" wall etriers; Berry Amendment compliant; designed and developed over the years with input and collaboration from many professional users in the field; (6) steps; measures 70".



8516294

\$189⁹⁹

DBI SALA ROLLGLISS 8' RESCUE LADDER

Available in 8' sections, extra sections can be added to lengthen for specific site requirements, comes complete with (3) connecting carabiners enabling fast and easy anchorage to structure, optional anchorage plate is ideal for confined space entry systems.

8516316 Rollgliss ladder anchor - \$89.99



YOU DON'T HAVE ALL DAY

That's why we designed our Chance® Series 90 Captstan Hoists to be one of the fastest and quietest in the industry, pulling 40 feet per minute at full load. An improved design features a multiple-planetary drive/backstop clutch assembled on the center shaft of a steel gearcase with full-length internal teeth. This design handles more rugged jobs, extends service life and reduces maintenance.

At Hubbell Power Systems, Inc. our main focus is safety. Be sure you're practicing hoist safety by reviewing our Tips of the Trade at hpstips.com/hoist.

AD_09_056_E

CHANCE

ENDURING PRODUCTS & PEOPLE
YOU CAN DEPEND ON
hubbelpowersystems.com





C3081170 \$2,074⁹⁵

AB CHANCE CAPSTAN HOIST WITH FOOT CONTROL

1000 lb load rating, 115 Volt AC, 40 ft/min rope speed, 14 amperes motor current, 45 lbs, (4) 3/8" mounting bolts are furnished with each unit, mounting flange provides (8) 3/8" tapped holes on 5-5/8" bolt circle.

C3081370 Rope speed 12 ft/min, 3,000 lb load rating, 1/2" bolts - \$3,199.99



ESSENTIALKIT \$2,764⁹⁹

AB CHANCE TRUCK KIT

Includes AB Chance 1,000 lb capstan with foot control, AB Chance hitch mount, and AB Chance swivel and C-Bracket.

ESSENTIALKIT/C3080856 With AB Chance rope lock - \$3,009.99



C3080856 \$154⁹⁹

AB CHANCE ROPELOCK

Rope lock device for Series 90 hoists, includes mounting bolts and washers.



C3081335 \$474⁹⁹

AB CHANCE BRACKET

All-purpose bracket for 1,000 lb series 90 hoists, includes two chain clamps.

C3081443 For 3,000 lb series - \$529.99



T3080999 \$299⁹⁵

AB CHANCE HITCH MOUNT

Features a hole pattern specifically designed to fit the AB Chance Swivel Mount C3080903. For use with 12V, 115V and Hydraulic 1,000 lb rated hoists.

C3088017 Hardware for attachment - \$9.99



T3081506 \$412⁹⁹

AB CHANCE SWIVEL & C-BRACKET

Includes C3080903 and C3080890. Turntable design permits alignment without repositioning service vehicle.

C3080903 Swivel bracket - \$299.99

C3080890 C-Bracket - \$114.99



30-12 \$1,724⁹⁹

MY-TE CAPSTAN HOIST

800 lb single-line or 1,600 lb double-line lift, 115 Volt AC or 12 volt DC brake motor with triple brake system for instant stopping, low voltage 10' pendant hand or foot control, heavy-duty angle base drilled for four 1/2" bolts (9/16" mounting holes) with no welding required, fully sealed aluminum housings with precision-cut gears run in an oil bath, hardened steel worm and forged bronze worm gear holds load in position when stopped, stress-proof drum shaft, frictionless bearings, 175:1.

30-12 12 volt DC - \$1,724.99

300AB 115 volt AC - \$1,919.99



148452 \$84⁹⁹

MY-TE RECEIVER HITCH MOUNT

Bolts to the capstan winch-hoist in order to mount the unit using a utility truck's 2" receiver hitch, shipped with hardware, hitch pin is not included, mounting plate may be used with any My-Te frame style capstan winch.



CAPKIT6 \$2,749⁹⁹
AB CHANCE STRAIGHT MOUNT CAPSTAN TRUCK KIT

Includes AB Chance 1,000 lb capstan with foot control, Weld-Lok reinforced straight capstan mount, (2) Hubbell 3" top-opening hand-line aluminum blocks, (2) Liftex 4' green round slings, and 600' double braid rope.

CAPKIT12 1,200' double braid rope - \$3,049.99



CAPKIT6S \$3,349⁹⁹
AB CHANCE SWIVEL MOUNT CASPTAN TRUCK KIT

Includes AB Chance 1,000 lb capstan with foot control, AB Chance hitch mount kit, (2) Hubbell 3" top-opening hand-line aluminum blocks, (2) Liftex 4' green round slings, and 600' double braid rope.

CAPKIT12S 1,200' double braid rope - \$3,799.99



SM1170 \$124⁹⁹

WELD-LOK REINFORCED STRAIGHT CAPSTAN MOUNT

Patent-pending design featuring reinforced Weld-Lok™ technology; strong, durable, and made for tough jobs; load rated at 1,000 lbs, engineered and manufactured in the U.S.




PSC3081563

\$684⁹⁹

AB CHANCE HITCH MOUNT KIT

Includes C3080903, C3080890, and T3080999; provides fast mounting for 1,000 lb capstans.



148331

\$214⁹⁹

MY-TE SWIVEL MOUNT

Swivel mount bolts to your truck bed with (4) 1/2" bolts, capstan winch frame bolts to swivel mount using tapped mounting holes and hardware provided, winch rotation allows you to use your winch even when your truck is in an awkward location, pin stop locks swivel base in one position.



148353

\$479⁹⁹

MY-TE POLE MOUNT ADAPTER

Sturdy steel construction with mounting bolts for bolting adapter to winch frame. Comes with chain tightener for securing to pole, allows same base-mounted unit to be used in either installation.





WESTFALL PRO LOAD LINE

The Westfall Pro Load Line is designed specifically for use with capstan hoists. This load line has a number of unique traits that set it apart from other double braid rope on the market.

Key Features: Unique sheath design gives it superior snag resistance and prevents particles and debris from penetrating the rope, extending the life and strength of the rope • Terminated ends for easy, versatile rigging options, no need for knots or termination plates which decrease rope strength • Protective sheath increases life of rope by protecting high-wear areas • High contrast tracers for increased rope visibility over other single color tracers • Improves perception of speed while lifting and lowering, seeing contrasting motion of orange and blue tracers makes it clear how fast rope is moving from hundreds of feet away



LENGTH	DIAMETER	STRENGTH	PART	PRICE
300'	3/8" (10mm)	MBS 5,000 lbs	LL120300	\$125.00
300'	1/2" (13mm)	MBS 11,000 lbs	LL160300	\$210.00
300'	5/8" (16mm)	MBS 18,000 lbs	LL200300	\$300.00
600'	3/8" (10mm)	MBS 5,000 lbs	LL120600	\$240.00
600'	1/2" (13mm)	MBS 11,000 lbs	LL160600	\$400.00
600'	5/8" (16mm)	MBS 18,000 lbs	LL200600	\$600.00
1,200'	3/8" (10mm)	MBS 5,000 lbs	LL121200	\$480.00
1,200'	1/2" (13mm)	MBS 11,000 lbs	LL161200	\$780.00
1,200'	5/8" (16mm)	MBS 18,000 lbs	LL201200	\$1,200.00



PELICAN LOAD PRO

Cost effective, strong polyester cover over a low stretch polyester core, chemical resistant, low stretch UV and abrasion resistant, green tracer.



LENGTH	DIAMETER	STRENGTH	PART	PRICE
300'	3/8" (10mm)	ABS 5,000 lbs	1AP-140-03	\$125.00
300'	1/2" (13mm)	ABS 11,000 lbs	1AP-160-03	\$200.00
300'	5/8" (16mm)	ABS 17,000 lbs	1AP-200-03	\$300.00
600'	3/8" (10mm)	ABS 5,000 lbs	1AP-140-06	\$242.00
600'	1/2" (13mm)	ABS 11,000 lbs	1AP-160-06	\$400.00
600'	5/8" (16mm)	ABS 17,000 lbs	1AP-200-06	\$600.00
1,200'	3/8" (10mm)	ABS 5,000 lbs	1AP-140-12	\$484.00
1,200'	1/2" (13mm)	ABS 11,000 lbs	1AP-160-12	\$780.00
1,200'	5/8" (16mm)	ABS 17,000 lbs	1AP-200-12	\$1,200.00



P55 \$155⁰⁰
ROCK EXOTICA OMNI 2.6"

Install and remove rope while still connected to the anchor; sideplate locks with two-stage, double-catch safety mechanism; integrated swivel allows pulley to orient while reducing gain; 80kN MBS, 20kN WLL.



7630 \$64⁹⁹
WESTFALL PRO LOAD RATED CARABINER

7" x 4-1/2" steel carabiner with 2.2" gate, auto twist-lock gate, heat treated alloy steel, painted gate to differentiate from fall protection carabiners, 45 kN MBS, 3600 lb. Gate, ANSI Z359.1-2007 compliant, 2000 lb WLL.



B1000 \$114.99
WESTFALL PRO ALUMINUM SIDE-OPENING HAND LINE BLOCK

3" aluminum alloy and magnesium block, lightweight design, excellent for use with capstan winches, load tested prior to shipment, for rope up to 7/8" diameter, rated 1,000 lbs.



B2500 \$364.99
WESTFALL PRO ALUMINUM SIDE-OPENING HAND LINE BLOCK

4" aluminum alloy and magnesium block, lightweight design, excellent for use with capstan winches, load tested prior to shipment, for rope up to 7/8" diameter, rated 2,500 lbs.



HLB1250SH
 \$80.25
BETHEA ALUMINUM TOP-OPENING HAND LINE BLOCK

3" aluminum alloy block, swivel eye and safety hook, permanently lubed and shielded ball bearings that operate on 5/8" steel axle, rated 1,250 lbs.



22301 \$139.99
HUBBELL ALUMINUM TOP-OPENING HAND LINE BLOCK

3" aluminum alloy block, forged steel swivel-eye suspension ring, for rope up to 5/8" diameter, bronze oilite bearings, rated 1,250 lbs.



303B2PJ \$129.99
KEARNEY ALUMINUM SIDE-OPENING HAND LINE BLOCK

Rugged cast aluminum alloy, 3" sheave for rope up to 5/8" diameter, 1/2" axle and swivel bearing, forged hook with safety latch and swivel, rated 1,000 lbs.

404B2PJ 4", rated 2,500 lbs - \$409.99



50061 \$359.95
BUCKINGHAM OX BLOCK

Snatch block with integrated friction bar, for use with rescue, lower loads, snubbing loads, and raising loads; replaces standard handline blocks, parted blocks and various snatch blocks; eye to Hook: 6,000 lb MBS; eye to Sheave: 10,000 lb MBS.

SWIVEL HOOKS

PART	WLL	PRICE
EH1TASLP	1 ton	\$25.20
EH112TASLP	1.5 tons	\$27.30
EH2TASLP	2 tons	\$31.50
EH3TASLP	3 tons	\$36.75
EH5TASLP	5 tons	\$42.00
EH7TASLP	7 tons	\$89.25



WESTFALL PRO SNATCH BLOCKS

PART	STYLE	WLL	SHEAVE	PRICE
2010	Hook	2 tons	3"	\$114.99
2000	Shackle	2 tons	3"	\$114.99
2015	Hook	4 tons	4.5"	\$199.99
2005	Shackle	4 tons	4.5"	\$189.99



GUNNEBO JOHNSON SNATCH BLOCKS

PART	STYLE	WLL	SHEAVE	PRICE
SB2S3BH	Hook	2 tons	3"	\$144.95
SB2S3BS	Shackle	2 tons	3"	\$132.95
SB4S4BH	Hook	4 tons	4"	\$249.95
SB4S4BS	Shackle	4 tons	4"	\$231.95



SNATCH BLOCKS


PART	STYLE	WLL	SHEAVE	PRICE
SB3H	Hook	2 tons	3"	\$47.25
SB3S	Shackle	2 tons	3"	\$47.25
SB3TB	Tailboard	2 tons	3"	\$44.75
SB412H	Hook	4 tons	4.5"	\$84.00
SB412S	Shackle	4 tons	4.5"	\$87.25
SB412TB	Tailboard	4 tons	4.5"	\$78.75
SB6H	Hook	8 tons	6"	\$141.75
SB6S	Shackle	8 tons	6"	\$148.00
SB6TB	Tailboard	8 tons	6"	\$115.50
SB8H	Hook	8 tons	8"	\$188.00
SB8S	Shackle	8 tons	8"	\$194.25
SB8TB	Tailboard	8 tons	8"	\$157.50




NOW AVAILABLE

OMNI 2.6"


- MBS of 80kN, 20kN WLL
- Install and remove rope while staying connected to the anchor




- Sideplate locks with two-stage, double-catch safety mechanism
- Integrated swivel allows pulley to orient while reducing gain
- Connect, install and remove rope with one hand



THE NEWEST OF THE OMNI FAMILY



Available in single or double sheave versions, from 1.1" up to 2.6" sheave diameter.



rock exotica

JET HDT MANUAL TROLLEY

PART	CAPACITY	WIDTH	HEIGHT	CURVE	PRICE
262005	1/2 ton	2.5"-8"	3"-24.5"	35"	\$69.00
262010	1 ton	3"-8"	5"-24.5"	39"	\$94.00
262020	2 ton	3.25"-8"	6"-24.5"	43"	\$154.00
262030	3 ton	4"-8"	8"-24.5"	51"	\$304.00
262050	5 ton	4.625"-8"	10"-24.5"	55"	\$570.00



WEISNER LEVER HOISTS

PART	CAPACITY	LIFT	CHAIN GRADE	PRICE
WLH34-5	3/4 ton	5'	80	\$176.99
WLH112-55	1-1/2 tons	5'	80	\$226.99
WLH3-5	3 tons	5'	80	\$352.99
WLH34-10	3/4 tons	10'	80	\$192.99
WLH112-10	1-1/2 tons	10'	80	\$248.99
WLH3-10	3 tons	10'	80	\$384.99



WEISNER HAND CHAIN HOISTS

PART	CAPACITY	LIFT	CHAIN GRADE	PRICE
WCH12-10	1/2 ton	10'	80	\$122.99
WCH1-10	1 ton	10'	80	\$134.99
WCH2-10	2 tons	10'	80	\$188.99
WCH3-10	3 tons	10'	80	\$244.99
WCH5-10	5 tons	10'	80	\$388.99
WCH10-10	10 tons	10'	80	\$738.99
WCH12-20	1/2 ton	20'	80	\$168.99
WCH1-20	1 ton	20'	80	\$180.99
WCH2-20	2 tons	20'	80	\$244.99
WCH3-20	3 tons	20'	80	\$336.99
WCH5-20	5 tons	20'	80	\$520.99
WCH10-20	10 tons	20'	80	\$987.99



JET JLH LEVER HOISTS

PART	CAPACITY	LIFT	WEIGHT	PRICE
275010	3/4 ton	10'	15 lbs	\$320.00
275015	3/4 ton	15'	17 lbs	\$359.00
275020	3/4 ton	20'	19.5 lbs	\$389.00
210010	1 ton	10'	15.25 lbs	\$334.00
215010	1-1/2 tons	10'	21.25 lbs	\$399.00
215015	1-1/2 tons	15'	25 lbs	\$424.00
215020	1-1/2 tons	20'	28.5 lbs	\$474.00
230010	3 tons	10'	37.5 lbs	\$624.00
230020	3 tons	20'	53 lbs	\$729.00
260010	6 tons	10'	72 lbs	\$984.00



JET JLH COMPACT LEVER HOISTS

PART	CAPACITY	LIFT	WEIGHT	PRICE
181205	1/4 ton	5'	3.5 lbs	\$189.00
181210	1/4 ton	10'	4.2 lbs	\$209.00
181215	1/4 ton	15'	5.25 lbs	\$229.00
181505	1/2 ton	5'	5.5 lbs	\$259.00
181510	1/2 ton	10'	7 lbs	\$289.00
181515	1/2 ton	15'	8.6 lbs	\$319.00



JET JLP MINI PULLERS

PART	CAPACITY	LIFT	WEIGHT	PRICE
187740	1/4 ton	5'	4.25 lbs	\$114.00
187741	1/4 ton	10'	4.75 lbs	\$156.00
187742	1/4 ton	15'	5 lbs	\$189.00
187505	1/2 ton	5'	5 lbs	\$154.00
187506	1/2 ton	10'	5.5 lbs	\$189.00
187507	1/2 ton	15'	5.75 lbs	\$224.00



JET JLP LEVER HOISTS

PART	CAPACITY	LIFT	WEIGHT	PRICE
187607	3/4 ton	10'	17 lbs	\$259.00
187608	3/4 ton	15'	19 lbs	\$274.00
187609	3/4 ton	20'	22 lbs	\$289.00
187611	1-1/2 tons	10'	30 lbs	\$319.00
187612	1-1/2 tons	15'	34 lbs	\$349.00
187613	1-1/2 tons	20'	39 lbs	\$369.00
187614	3 tons	5'	43 lbs	\$449.00
187615	3 tons	10'	50 lbs	\$484.00
187616	3 tons	15'	57 lbs	\$539.00
187901	6 tons	10'	76 lbs	\$779.00
187621	6 tons	20'	91 lbs	\$909.00



TRACTEL GRIPHOIST/TIRFOR WIRE ROPE HOISTS

PART	CAPACITY	WIRE ROPE	WEIGHT	PRICE
T 508D	2,000	30' of 5/16"	23 lbs	\$1,209.99
T 516D	4,000	60' of 7/16"	48 lbs	\$1,732.99
T 532D	8,000	30' of 5/8"	61 lbs	\$2,299.99



HARRINGTON LB MINI LEVER HOISTS

Harrington's LB lever hoists combine easy operation with a compact, low headroom design that easily handles real-world demands. Rated #1 selling lever hoist in the U.S., these hoists can be used horizontally, vertically, inverted, or at any other direction. Perfect for use in heavy-duty tower construction and maintenance, manufacturing, and day-to-day maintenance and repair. Rugged, all-steel construction; includes two brake pawls for additional reliability; moisture resistant brake pads; patented spring-loaded freewheel mechanism permits easy adjustment of the load chain and safeguards against accidental freewheeling under load; equipped with standard rubber grip for non-slip operation. Other capacities and lift heights available.

Capacity (Tons)	Part Number	Lift Height	HEAD ROOM (INCHES)	PULL TO LIFT LOAD* (LBS)	NET WEIGHT (LBS)	PRICE
3/4	LB008-10	10	11	54 (36)	13	\$496.00
3/4	LB008-15	15	11	54 (36)	13	\$548.60
3/4	LB008-20	20	11	54 (36)	13	\$604.60
1 1/2	LB015-10	10	13.2	64 (45)	18	\$675.00
1 1/2	LB015-15	15	13.2	64 (45)	18	\$742.50
1 1/2	LB015-20	20	13.2	64 (45)	18	\$788.50
3	LB030-10	10	15.6	69	57	\$892.99
3	LB030-20	20	15.6	69	57	\$1057.80
6	LB060-10	10	21.3	78	88	\$1692.90

*Figures in parentheses are for hoists with the optional load limit warning handle



HARRINGTON LX MINI LEVER HOISTS

Harrington's LX lever pullers are ultra lightweight and compact yet extremely durable; Perfect toolbox hoists. Available in 1/4 Ton and 1/2 Ton; compact, low headroom design makes it ideal for use in tight quarters; low pulling force required for ease of use; effortless transport, install, and store; free-chain adjusting mechanism for quick adjustments; rugged die-cast aluminum body with steel frame; grade 100, nickel-plated load chain is corrosion and wear resistant; strong hook latches including notched tip; includes test certificate verifying that every hoist has been factory load tested to 125% of rated capacity in accordance with ASME B30.21 requirements. 10' Standard Lift, additional length available on request.

Capacity (Tons)	Part Number	HEAD ROOM (INCHES)	PULL TO LIFT LOAD (LBS)	NET WEIGHT (LBS)	PRICE
1/4	LX003	8.1	40	3.5	\$234.10
1/2	LX005	9.7	62	5.7	\$321.70



CX003-10 \$331⁰⁰

HARRINGTON 1/4 TON CX MINI HAND CHAIN HOIST

Harrington's CX mini hand chain hoist is the world's smallest industrial hoist; 10-foot lift; uniquely compact and lightweight; perfect choice for jobs with light loads in high or difficult to reach places; aluminum body with steel frame provides superior strength; load limiter prevents the hoist from being used to lift damaging loads beyond rated capacity; very low force is required to lift load; metal chain guide allows smooth operation; easy to install and store; grade 100 nickel-plated load chain is corrosion and wear resistant; durable stainless steel hand chain; strong hook latches include safety tip; includes test certificate verifying that every hoist has been factory load tested to 125% of rated capacity in accordance with ASME B30.21 requirements 7 lbs. 20-foot lift also available.



CF005-20 \$410⁰⁰

HARRINGTON 1/2 TON CF HAND CHAIN HOIST

Harrington's 1/2 Ton CF hand chain hoist provides a practical alternative thanks to an economical design using fewer parts for trouble free service. Outstanding durability is due to a die-cast aluminum body and high-strength, heat treated main pinion shaft and load gear. Pre-lubricated ball bearings, precision machined gears, and Weston-style load brake make lifting smooth and easy while allowing long service and low maintenance. Grade 100 heat-treated manganese alloy load chain resists abrasion and wear while minimizing chain weight; forged and heat treated alloy steel hooks, designed to open slowly and not fracture under excessive loads; includes test certificate verifying that every hoist has been factory load tested to 125% of rated capacity in accordance with ASME B30.21 requirements. 20-foot lift also available.

CF010-20 - 1-ton Hand Chain Hoist, 20' lift - \$461.00




PT10 \$217⁰⁰

HARRINGTON 1 TON PT MANUAL TROLLEY

Versatile, durable, and economical push trolley; maintenance-free sealed ball bearings provide smooth operation; assist in maneuvering loads easily; high strength and rigidity from a lightweight, compact design; easily adjust trolley to fit a wide variety of beam flange widths; load equalizing suspension distributes the load to all wheels; wide standard flange ranges reduce the need for optional extended shaft kits. 1/2 ton through 3 ton units are available. Geared trolleys of larger capacities also available.

KLEIN TOOLS PARALLEL JAW GRIPS

Round inside-jaw contour for maximum contact to minimize cable deformation, lower jaw is serrated to firmly grip insulated cables and conductors, includes a latch that prevents the grip from falling in case of jaw disengagement from the cable, large diameter eye.



PART	MIN - MAX CABLE DIAMETER	MAX LOAD	JAW LENGTH	WEIGHT	PRICE
1685-20	.157" - .875" (4mm - 22mm)	4,500 lbs	2-1/2" (64mm)	3 lbs	\$187.99
1685-31	.625 - 1.250" (16mm - 32mm)	7,500 lbs	4-1/2" (114mm)	5 lbs	\$245.99

KLEIN TOOLS WIRE ROPE HAVEN'S GRIPS

Designed for use when light, compact grip is desired and where cable deformation is not a factor, gripping pressure of the knurled jaw is applied to 1/4" (6.35 mm) cable area, all 1625 series have a swing latch to help hold cable in the jaw.




PART	MIN - MAX CABLE DIAMETER	MAX LOAD	WEIGHT	PRICE
1625-20	.28" - .75" (7.11mm - 19.05mm)	8,000 lbs	4 lbs	\$112.99
1625-20 7/8	.38" - .88" (9.65mm - 22.35mm)	8,000 lbs	4 lbs	\$129.49
1625-20 1	.50" - 1.00" (12.70mm - 25.40mm)	8,000 lbs	4 lbs	\$145.49

KLEIN TOOLS AIRCRAFT CABLE, MESSENGER, AND GUY STRAND CHICAGO GRIPS

Double V grooves provide four-point contact, reducing chance of slipping and providing proper alignment of wire and cable (1684-5F is a Single V with file insert).


PART	HOT LATCH	SPRING	MIN - MAX CABLE DIAMETER	MAX SAFE LOAD	JAW LENGTH	WEIGHT	PRICE
1613-40	1613-40H	S1613-40H	.12" - .37" (3.05mm - 9.40mm)	4,500 lbs	4-3/16" (106mm)	3 lbs	\$125.99
1684-5F	NA	NA	.16" - .550" (4.06mm - 13.97mm)	8,000 lbs	5" (127mm)	6.25 lbs	\$385.99
1684-5	1684-5H	S1684-5H	.218" - .550" (5.54mm - 13.97mm)	8,000 lbs	5" (127mm)	6.25 lbs	\$202.99
1692-5	NA	NA	.218" - .550" (5.54mm - 13.97mm)	8,000 lbs	5" (127mm)	6.40 lbs	\$187.99
1684-74	NA	S1684-74H	.218" - .550" (5.54mm - 13.97mm)	8,000 lbs	5" (127mm)	6.30 lbs	\$204.99
1628-16	NA	NA	.31" - .62" (7.87mm - 15.75mm)	15,000 lbs	7-1/4" (184mm)	15.30 lbs	\$439.99
1628-17	NA	NA	.50" - .75" (12.70mm - 19.05mm)	15,000 lbs	7-1/4" (184mm)	16.30 lbs	\$503.99
1628-18	NA	NA	.75" - 1.00" (19.05mm - 25.40mm)	15,000 lbs	7-1/4" (184mm)	15.70 lbs	\$505.99




SIZE (A)	WLL	PIN (B)	(C)	(D)	(E)	(F)	PART	USA	PART	IMPORT
3/8"	1 ton	7/16"	1.44"	.63"	.91"	1.00"	206204	\$13.29	SHA38LRBT	\$3.15
1/2"	2 tons	5/8"	1.88"	.81"	1.31"	1.25"	206303	\$17.75	SHA12LRBT	\$6.15
5/8"	3-1/4 tons	3/4"	2.44"	1.06"	1.56"	1.69"	206358	\$25.65	SHA58LRBT	\$9.99
3/4"	4-3/4 tons	7/8"	2.88"	1.19"	1.88"	1.94"	206402	\$36.99	SHA34LRBT	\$15.74
7/8"	6-1/2 tons	1"	3.38"	1.44"	2.13"	2.19"	206457	\$53.20	SHA78LRBT	\$19.75
1"	8-1/2 tons	1-1/8"	3.81"	1.69"	2.38"	2.63"	206501	\$71.99	SHA1LRBT	\$29.15
1-1/8"	9-1/2 tons	1-1/4"	4.25"	1.75"	2.63"	2.88"	206556	\$93.35	SHA118LRBT	\$33.59
1-1/4"	13-1/2 tons	1-3/8"	4.69"	2.00"	3.00"	3.13"	206600	\$126.65	SHA114LRBT	\$51.99
1-3/8"	17 tons	1-1/2"	5.31"	2.13"	3.25"	3.50"	N/A	N/A	SHA138LRBT	\$80.99



BOLT TYPE SAFETY SHACKLES



SCREW TYPE SAFETY SHACKLES



SIZE (A)	WLL	PIN (B)	(C)	(D)	(E)	(F)	PART	USA	PART	IMPORT
3/8"	1 ton	7/16"	1.44"	.63"	.91"	1.00"	201209	\$6.99	SHA38LR	\$3.15
1/2"	2 tons	5/8"	1.88"	.81"	1.31"	1.25"	201308	\$9.50	SHA12LR	\$6.15
5/8"	3-1/4 tons	3/4"	2.44"	1.06"	1.56"	1.69"	201353	\$17.50	SHA58LR	\$9.99
3/4"	4-3/4 tons	7/8"	2.88"	1.19"	1.88"	1.94"	201407	\$25.65	SHA34LR	\$15.75
7/8"	6-1/2 tons	1"	3.38"	1.44"	2.13"	2.19"	201452	\$35.55	SHA78LR	\$19.75
1"	8-1/2 tons	1-1/8"	3.81"	1.69"	2.38"	2.63"	201506	\$47.10	SHA1LR	\$29.15
1-1/8"	9-1/2 tons	1-1/4"	4.25"	1.75"	2.63"	2.88"	201551	\$69.99	SHA118LR	\$33.60
1-1/4"	13-1/2 tons	1-3/8"	4.69"	2.00"	3.00"	3.13"	201605	\$100.00	SHA114LR	\$56.99
1-3/8"	17 tons	1-1/2"	5.31"	2.13"	3.25"	3.50"	201650	\$185.00	SHA138LR	\$69.99



AWT05-508251 \$4,100⁰⁰

DILLON QUICK-CHECK TENSION METER

Can be placed on a cable to measure its tension and removed in under 5 seconds! Operator can quickly select from (20) different wire sizes and types stored in Quick-Check's memory, operating range -4°F to 140°F, tension units of measure include pound-force, kilogram-force, and Newtons, **2,000 x 2 lbf.**

36289-0014 10,000 x 10 lbf - \$2,499.99



TT3000-7.5C-FHB \$49⁹⁹

TUF-TUG TOTE-TUGGER


Solid steel construction, heavy-duty, dual ratchet drive design; 7.5' reach, 3,000 lb pull capacity, 1,500 lb lift capacity, 3/16" cable diameter, folds into compact carrying case, folding handle.



181420 \$212⁹⁹

JCP-SERIES CABLE PULLER

Incorporates proven industrial designs that lift, lower, stretch or pull heavy loads; manufactured with lightweight zinc-plated steel to resist corrosion and a double sealed ratchet wheel brake system; 2,000 lb capacity.



HF 36/1 \$11,920⁰⁰

TRACTEL DYNAROPE

Dynarope HF 36 devices are designed specifically for measuring the tensile load of a variety of cables or ropes, which must not be dismantled for this purpose; Capacity 200 lbs to 80,000 lbs.



TTMHC-1000

\$29⁹⁵

TUF TUG LOAD RATED STEEL CARABINER

Dual action carabiner, 4-1/10" length, 2-1/5" width, 1/2" gate opening, 1,000 lb safe working load limit, ASME B30, for use with lifting and rigging applications.



TTMHC-1500

\$32⁹⁵

TUF TUG LOAD RATED STEEL CARABINER

Dual action carabiner, 4-2/5" length, 2-3/5" width, 3/4" gate opening, 1,500 lb safe working load limit, ASME B30, for use with lifting and rigging applications.



7630

\$64⁹⁹

WESTFALL PRO LOAD RATED CARABINER

7" x 4-1/2" steel carabiner with 2.2" gate, auto twist-lock gate, heat treated alloy steel, painted gate to differentiate from fall protection carabiners, 45 kN MBS, 3600 lb. Gate, ANSI Z359.1-2007 compliant, 2000 lb WLL.



TT2-APRH

\$189⁹⁹

DAS / LTE 2 INCH ANTENNA PIPE ROOSTER HEAD

Hoists DAS/LTE antennas up the tower into position for a quick and safe installation, slides into standard 2" pipe mount, max 250 lbs lift load capacity, 4" pulley with oversized groove, use with 1/2" diameter rope or 3/8" diameter wire rope.



LC1 \$800⁰⁰

ROCK EXOTICA ENFORCER LOAD CELL

Compact aluminum load cell that measures force up to 20kN, lightweight aluminum construction, facilitates "in-line" use in rigging systems, swivel attachment points diminish potentially dangerous torsional and off-axis forces, features (2) sampling modes: "slow" for monitoring and "fast" for break-testing, monitor forces wirelessly on your iPhone with built-in Bluetooth connectivity, record and download graphs of dynamic events, measures force in kg, lbf, and kN.



AWT05-506319

\$1,856⁹⁹

DILLON EDJUNIOR DYNAMOMETER

Capacities from 2,500-25,000 lbs, generous shackle openings mate with most hooks and hardware, 0.2% accuracy, high specification materials on all load components, heat treated to tight tolerances, broadest range of capacities and resolutions are certain to fit your needs, NIST Traceable Certificate included, largest safety factor for overload protection and long life, 2 year warranty, includes high strength case that resists heavy blows.

LIFTEX ROUNDUP ENDLESS ROUND SLING

Continuous loop of 100% polyester fiber, double polyester woven jacket to protect the load-bearing fibers from damage. Each sling has a tough, resilient tag for quick and easy identification. Base prices are for 3' slings, longer lengths available.

PART	WIDTH	COLOR	VERTICAL	PRICE	+/FT
ENR1	0.6"	Purple	2,600 lbs	\$9.45	\$2.00
ENR2	0.8"	Green	5,300 lbs	\$11.25	\$2.55
ENR3	1"	Yellow	8,400 lbs	\$14.99	\$3.45
ENR4	1.2"	Tan	10,600 lbs	\$17.25	\$4.00
ENR5	1.3"	Red	13,200 lbs	\$21.99	\$5.30
ENR6	1.4"	White	16,800 lbs	\$23.99	\$6.10
ENR7	1.75"	Blue	21,200 lbs	\$33.99	\$7.65
ENR8 (6')	2"	Orange	25,000 lbs	\$74.99	\$11.55



LIFTEX PRO-EDGE PREMIUM POLYESTER EYE AND EYE WEB SLING

PART	PLY	WIDTH	VERTICAL	CHOKER	BASKET	MIN. LENGTH	PRICE	+/FT
EE1-91P	1	1"	1,600 lbs	1,250 lbs	3,200 lbs	3'	\$4.50	\$0.35
EE1-92P	1	2"	3,200 lbs	2,560 lbs	6,400 lbs	4'	\$6.58	\$0.60
EE1-93P	1	3"	4,800 lbs	3,840 lbs	9,600 lbs	4'	\$10.24	\$1.00
EE1-94P	1	4"	6,400 lbs	5,120 lbs	12,800 lbs	4'	\$16.19	\$1.20
EE2-91P	2	1"	3,200 lbs	2,560 lbs	6,400 lbs	3'	\$6.25	\$0.75
EE2-92P	2	2"	6,400 lbs	5,120 lbs	12,800 lbs	3'	\$9.99	\$1.25
EE2-93P	2	3"	9,300 lbs	7,440 lbs	18,600 lbs	4'	\$15.94	\$2.00
EE2-94P	2	4"	12,000 lbs	9,200 lbs	23,000 lbs	4'	\$24.65	\$3.75



WIRE ROPE SLING

PART	WIDTH	VERTICAL	CHOKER	BASKET	EYE SIZE	MIN. LENGTH	PRICE	+/FT
MS14	1/4"	.65 tons	.48 tons	1.3 tons	2x4	1'	\$11.29	\$1.00
MS516	5/16"	1 tons	.74 tons	2.0 tons	2.5x5	1'	\$14.97	\$1.50
MS38	3/8"	1.4 tons	1.1 tons	2.8 tons	3x6	2'	\$16.79	\$1.75
MS716	7/16"	1.9 tons	1.4 tons	3.8 tons	3.5x7	2'	\$18.15	\$1.75
MS12	1/2"	2.5 tons	1.9 tons	5.0 tons	4x8	2'	\$19.69	\$2.00
MS916	9/16"	3.2 tons	2.4 tons	6.4 tons	4.5x9	2'	\$23.65	\$2.25
MS1	1"	9.8 tons	7.2 tons	19.6 tons	5x10	3'	\$70.89	\$5.50



LIFTEX ROUND QUICK SLEEVE

These heavy polyester sling covers have velcro closures for quick and easy protection of slings and/or load from damage.

PART	WIDTH	FITS RS SIZE	PRICE/FT
QSR2HP	6"	1 & 2	\$12.99
QSR5HP	8"	3, 4 & 5	\$17.99
QSR7HP	10"	6 & 7	\$21.99
QSR9HP	12"	8 & 9	\$23.99
QSR11HP	14"	10 & 11	\$34.99
QSR13HP	16"	12 & 13	\$38.99



LIFTEX 3' PRO-EDGE PREMIUM POLYESTER ENDLESS WEB SLING

PART	PLY	WIDTH	VERTICAL	CHOKER	BASKET	MIN. LENGTH	PRICE	+/FT
EN1-91P	1	1"	3,200 lbs	2,500 lbs	6,400 lbs	3'	\$3.99	\$0.75
EN1-92P	1	2"	6,400 lbs	5,000 lbs	12,800 lbs	3'	\$6.25	\$1.25
EN1-93P	1	3"	8,600 lbs	6,900 lbs	17,200 lbs	3'	\$9.99	\$2.00
EN1-94P	1	4"	11,500 lbs	9,200 lbs	23,000 lbs	3'	\$11.99	\$2.50
EN2-91P	2	1"	6,200 lbs	4,900 lbs	12,400 lbs	3'	\$7.88	\$1.50
EN2-92P	2	2"	12,200 lbs	9,800 lbs	24,400 lbs	3'	\$12.25	\$2.50
EN2-93P	2	3"	16,300 lbs	13,000 lbs	32,600 lbs	3'	\$18.64	\$4.25
EN2-94P	2	4"	20,700 lbs	16,500 lbs	41,400 lbs	3'	\$22.75	\$5.25



liftex®

The most trusted name in slings since 1955.

- Synthetic Web Slings
- Round Slings
- Specialty Custom Slings



Liftex® is

"The most trusted name in slings since 1955"



1204057 \$529⁹⁹

DBI SALA CYNCH-LOK FALL RESTRICTING POLE STRAP

Allows user to easily hitch-hike poles and move past obstacles, interchangeable exterior straps, pinch free, ergonomic grips, abrasion resistant rope guard, stopping cleat and carabiner restrict a fall during a cut-out, **distribution model, pole size (dia/circ): 5.5"/17.5" - 18.5"/58"**, 4.8 lbs.

1204058 Transmission model, pole size (dia/circ): 5.5"/17.5" - 30.5"/96", 5.3 lbs - \$550.99



1204075

\$501⁹⁹

DBI SALA CYNCH-LOK FALL RESTRICTING POLE STRAP

Web distribution model, pole size (dia/circ): 5.5"/17.5" - 18.5"/58", 4.9 lbs.

1204076 Web transmission model, pole size (dia/circ): 5.5"/17.5" - 30.5"/96", 5.4 lbs - \$548.99



1200110


\$315⁹⁹

DBI SALA CYNCH-LOK REPLACEMENT STRAP

Interchangeable replacement strap for distribution model Cynch-Lok.

1200111 For transmission model - \$334.99

1200136 For web model - \$280.99



5278N

\$299⁹⁹

KLEIN TOOLS DELUXE FULL-FLOATING BODY BELT

Forged D-rings have corrosion-resistant finish, full-floating web strap, padded for maximum comfort, latigo-leather belt pad. Available in sizes 18D-30D.



D213-9NE-CR-INS

\$73⁹⁹

KLEIN TOOLS INSULATED HIGH-LEVERAGE SIDE-CUTTING PLIERS

Clearly marked with the official 1000-volt rating symbol, (2) layers of insulation provide protection against electric shock, integral finger guards.



832-32

\$43⁹⁹

KLEIN TOOLS LINEMAN'S STRAIGHT CLAW HAMMER

Heavy-duty, double-duty hammer drives lags and pulls big nails, special high-carbon steel head with solid, octagon-shaped driving end and thick, strong claw.



CN1986AR

\$298²⁹

KLEIN TOOLS POLE CLIMBERS WITH GAFFS

Complete set, 1-9/16" gaffs, 8"x8" cushioned, high-grade leather climbing pads, neoprene-impregnated nylon climber straps, secure sleeve and leg iron connection, 4-7/16" wide stirrup, contoured leg irons, 15"-19" adjustable length.

CN1986ARL 17"-21" length - \$282.15



3101527

\$332⁹⁹

DBI SALA ARC FLASH NANO-LOK

Arc flash rated; built-in connector for single-leg SRL direct attachment to harness; 8' of 3/4" Kevlar fiber webbing lifeline; self-locking snaphook on lifeline; tough and impact resistant thermoplastic housing; swiveling anchorage loop, wide variety of configurations available.



1234070

\$188⁹⁹

DBI SALA ADJUSTABLE ROPE POSITIONING LANYARD

Abrasion resistant sleeve helps prolong product life, blue wear indicating core signals when product needs to be taken out of service, 2.2 lbs, 8' length.



1240536

\$199⁹⁹

DBI SALA EZ STOP II ARC FLASH SHOCK ABSORBING LANYARD

ARC rating: 40 cal/cm², resistant to grease, oil and dirt; coated hardware for corrosion resistance, Nomex/Kevlar web loop at one end to reduce weight and electrical conductivity, self-locking snaphook at other end, 6' length.



1204030

\$170⁹⁹

DBI SALA ADJUSTABLE WEB POSITIONING STRAP




Double locking snaphook ends, 8,000 lb nylon strap webbing, built-in wear indicator shows a two-ply red core when frayed or worn, 6' length.



2104801 \$949⁹⁹

DBI SALA SAFLOK POLE CLIMBING FALL ARREST SYSTEM

Comes with anchor tube, 80' of 5/8" high dielectric rope, installation/removal tool, carabiner, rope grab with integrated shock absorbing lanyard, and carrying bag; allows linemen to "free" climb poles while maintaining 100% fall protection, provides linemen various options to suit their own climbing styles for ultimate flexibility and ease of use, specifically designed to address most congested utility pole scenarios allowing the worker to climb into position around obstructions.



33527

\$1,096⁵⁹

KLEIN TOOLS GENERAL PURPOSE INSULATED TOOL KIT

(2) layers of insulation provide protection against electric shock, comprehensive assortment of (22) insulated tools, piano-hinged cover has both a combination lock and two key-locked latches for security.



148-1000

\$14⁹⁹

PIP NOVAX LEATHER GLOVE PROTECTORS

Cover glove to be used only for mechanical protection for rubber insulating gloves, top grain goatskin leather, available with gauntlet or driver cuff. Available in sizes 7-12 for Class 00-4 rubber insulating gloves, 10", 12", 13", or 14" length. Not to be used for electrical protection per ASTM F696-02.



150-00-11

\$49⁹⁹

PIP NOVAX RUBBER ELECTRICAL INSULATING GLOVES

Meets ANSI/ASTM D120 standard and NFPA 70E for use around electrical hazards and arc flash protection. Available in sizes 7-12 for Class 00-4 rubber insulating gloves, 11", 14", 16", or 18" length.





05007 \$129⁹⁹

ELK RIVER CONSTRUCTION PLUS ROOFER KIT

Complete roofer safety requirements in a convenient bucket, keeps you in full OSHA compliance. Kit includes: single D-ring harness (S-XL), 5/8" rope grab and snaphook, reusable roof anchor with nails, 50'x5/8" ConstructionPlus lifeline with snaphook and thimble eye, 3.6M gate. All contents meet ANSI A10.32-2004 and OSHA 1926.502.



2199803 \$150⁹⁹

PROTECTA ROOFER COMPLIANCE IN A CAN

Includes reusable roof anchor, 5-point harness, rope grab, and 50' lifeline; improved fit, updated colors, and durable yet lightweight construction; provides greater comfort and added safety which translates to reduced worker fatigue and increased productivity, 3,600 lb gated hooks, meets ANSI Z359.



2199802 \$73⁹⁹

PROTECTA COMPLIANCE IN A CAN LIGHT ROOFER'S FALL PROTECTION KIT

Complete all purpose fall protection system in one handy container; lightweight FIRST harness with pass-thru buckle legs and 5-point adjustment (model 1191995); PRO 6" single-leg shock absorbing lanyard (model 1341001), durable bucket with handle; meets OSHA 1910.66 and OSHA 1926.502.



00815 \$113⁹⁹


GUARDIAN ROOFER KIT

Incorporates an integrated shock absorber into the lifeline, user will never have to worry about adding a shock absorbing lanyard to his fall protection system, by removing the shock pack from the workers back less dead weight is transferred to the dorsal D-ring, comes in a variety of configurations. Includes HUV #01700, Temper reusable roof anchor #00455, and VLA-50' #01320; ANSI compliant.

7901000 \$203⁹⁹

DBI SALA FLEXIGUARD PORTABLE GUARDRAIL STANCHION

Fall protection in its simplest form – requires no special training or gear, mounts in both parapet and edge grab configurations allowing the use of a single base for multiple applications, clamp expands from 6" to 24", rapid clamp system speeds installation, supports both wood and concrete structures for added flexibility, durable zinc plated finish, supports both top and mid-rail guardrails, incorporates mounting locations for toe board for use in the edge grab configuration, designed to be used with standard wood 2x4s or other common guardrail material.



1041 \$49⁹⁹

LAKESIDE PLASTICS PERIMETER DEFENDER



Easy flag tie-off system, quick set-up and removal, stores easily, (2) mounting holes for warning lights or signs, UV resistant safety orange, non-conductive, 39" OSHA compliant tie off height 1926.502(f)(2)(ii), high-impact polyethylene, skid resistant, will not leave rust marks on roofs, rubber base will not damage surfaces, stackable with or without base, large grip handle for ease of transporting and handling, base made of 100% recycled rubber.



15225 \$176⁹⁹

GUARDIAN SINGLE STANCHION

Specially designed for use with a reusable warning line, block worker from exposure to fall hazards, weighs only 23 lbs, 39" tall, composed of powder-coated steel for superior durability and weather resistance, easy to install and store, convenient handle facilitates simple transportation, maximum spacing 50' apart.



7900008 \$1,924⁹⁹

DBI SALA PORTABLE GUARDRAIL ROOF HATCH KIT

Powder coated, (4) guardrail bases #7900060, (3) 6' guardrail sections #7900061, (3) rail splice kits to customize length, swing gate #7900007, free-standing guardrail system doesn't require attachment to surface, simple set-screw design, compact and lightweight design, various lengths and individual components are available.

7900060 Portable guardrail base - \$271.99

7900061 Portable guardrail, 6' section - \$161.99



15183 \$109⁹⁹

GUARDIAN GUARDRAIL

Part of the ultimate free-standing fall prevention system, block workers from exposure to fall hazards, made from powder-coated steel for supreme durability and weather resistance, compatible with both the multi-directional base plate and standard base plate options, meets all applicable OSHA & ANSI standards, powder coated safety yellow, 42" x 6'.

15182 42" x 8' - \$162.95

15181 42" x 10' - \$172.95

15178 Multi-directional guardrail base - \$214.99

15105 Guardrail safety swing gate - \$148.99



10087 \$19⁹⁹

100' PERIMETER WARNING PENNANTS

These bright yellow warning pennants make workers aware of dangerous areas, work great around any jobsite or roof, lightweight, easy to setup, and do not take up much storage space.



TP7 \$482⁹⁹

**FRENCH CREEK
CONFINED SPACE TRIPOD**

7' aluminum tripod, (2) attachment points on head, designed to withstand 5,000 lbs of vertical load, lightweight and portable, quick and easy single person setup, adjustable/locking aluminum legs, safety chain, non-slip rubber safety shoes.

TP9 9' - \$608.99

S50G-7 7' with RG50 rescue unit - \$1,903.99

S50G-9 9' with RG50 rescue unit - \$2,029.99



R50G \$1,375⁰⁰

**FRENCH CREEK
3-WAY SELF-RETRACTING
LIFELINE**

50' galvanized wire rope; manufactured with rugged, lightweight cast aluminum housing; includes a mounting bracket for tripod or davit systems used for raising, lowering, for rescue or retrieval; uses friction brake that prevents the crank handle from free-wheeling while under load.

MW50G \$475⁰⁰

**FRENCH CREEK
MANUAL RETRIEVAL
WINCH**

50' galvanized wire rope; manufactured with rugged, steel frame and drum; unit includes a #45 pulley and carabiner for attaching the line to an anchor; friction brake prevents unit from free-wheeling when under load.

MW100G 100' - \$705.00



9533-25 \$381⁹⁹

ALLEGRO 8" COM-PAX-IAL BLOWER WITH CANISTER

This versatile system features the 8" COM-PAX-IAL blower with 25' of ducting; designed with the quick-connect clipping system which allows workers to attach the canister, tools-free, to the input side for powerful extraction or output side for ventilation; ducting stores conveniently within the canister; compact blower designed for easy use and storage without sacrificing airflow; polyethylene housing and canister assembly; lightweight, corrosion; UV and chemical resistant; safety orange color for easy visibility; bottom enclosure to protect electrical components; carry handle molded into blower and canister housing; steel powder coated grill.



05611 \$1,772⁵⁹

**ELK RIVER
ECONOMY EZE-MAN
CONFINED SPACE
SYSTEM**

Includes Deluxe EZE-Man winch 3:1 ratio, tripod pulley, tripod head assembly, tripod leg assembly, one auto-lock carabiner, yoke, tote bag, tripod bag, winch bag, harness bag, five D-ring universal harness, rope grab with lanyard, nylon rope lifeline. 25' length.

05612 50' - \$1,943.99

05613 75' - \$2,019.99

05614 100' - \$2,097.99



8300030 \$2,699⁹⁹

DBI SALA ADVANCED ALUMINUM TRIPOD WITH SALALIFT II WINCH

7' aluminum tripod (model 8000000), telescoping adjustable locking legs, built-in pulley system, specialized safety shoes and leg support chain, integrated 5,000 lb. eyebolt anchor points, manually operated winch (model 8102001), 60' of 1/4" galvanized steel wire rope, 6:1 gear ratio mechanical advantage, free-wheel mode, built-in fall protection, overload clutch, swiveling snaphook with impact indicator, quick-connect winch/SRL mount bracket, equipped with i-Safe.

MGC-Dock-WM

\$1,995⁰⁰

GAS CLIP MULTI GAS DETECTOR DOCK

All-in-one stand-alone docking station designed for maximum testing efficiency and portability; tests up to 4 units simultaneously, reducing testing time and gas usage; simple, two button design; optionally stored in rugged case or a wall mountable metal enclosure; logs are stored on a USB flash drive which can easily be transferred to a computer for analysis; test up to 12 instruments in a minute; internal gas cylinder regulator and pressure gauge; no computer required to operate.



MGC-Dock

\$1,995⁰⁰

GAS CLIP MULTI GAS DETECTOR DOCK

All-in-one stand-alone docking station designed for maximum testing efficiency and portability; tests up to 4 units simultaneously, reducing testing time and gas usage; simple, two button design; optionally stored in rugged case or a wall mountable metal enclosure; logs are stored on a USB flash drive which can easily be transferred to a computer for analysis; test up to 12 instruments in a minute; internal gas cylinder regulator and pressure gauge; no computer required to operate.



MGC-CSK

\$465⁰⁰

GAS CLIP CONFINED SPACE KIT

Everything you need for remote sampling; includes: hard-sided carrying case with foam insert, 3 foot calibration hose with quick connect, hand aspirator pump, 10 foot sampling hose with quick connect, 1 foot sampling probe, IR data link, and a 0.5 lpm regulator. (MGC detector and gas sold separately)



MGC-Q-58

\$210⁰⁰

GAS CLIP CALIBRATION GAS

When calibrating your monitors with the SGC Dock or MGC Dock manually, use NIST traceable gas; Standard Quad gas mixture - H2S/25 ppm, CO/100 ppm, O2/18% vol. and CH4/2.5% vol. (50% LEL). 58 Liters

MGC-Q-116 116L - \$310.00

SGC-DOCK

\$1,995⁰⁰

GAS CLIP SINGLE GAS DETECTOR DOCK

All-in-one docking station designed for maximum testing efficiency and portability; housed in a rugged Pelican case; 2 GB USB memory; accurately test and record all monitor data; reduced testing time and gas usage; test 4 instruments simultaneously; test up to 12 instruments a minute; simple 1 button operation; robust rechargeable internal battery capable of testing hundreds of units before recharging; internal gas cylinder regulator and pressure gauge; can also be wall mounted.



GAS CLIP SINGLE GAS DETECTOR

Ideal for any environment, adjustable alarm set points and real-time gas reading; 50% larger battery capacity; two-way IR comms for event downloads, bump tests and updates; programmable unit identification; visual, vibrating and audible alarms.

PART	GAS TYPE	RANGE	ALARM THRESHHOLD	MEASURING	RESPONSE TIME	PRICE
SGC-C	CO	0-300 ppm	35/200 ppm	1 ppm	15 sec	\$169.00
SGC-H	H ₂ S	0-100 ppm	10/15 ppm	0.1 ppm	15 sec	\$169.00
SGC-O	O ₂	0-0.3 Vol.-%	19.5/23.5 Vol.-%	0.1 Vol.-%	15 sec	\$169.00



GAS CLIP MULTI GAS DETECTOR

Detects presence of combustible gases, H₂S, CO, and O₂; 2 month battery life (continuous run time); 6 month calibration cycle; will work in inert environments, no need for oxygen; simple to use; bump/calibration reminders; docking station compatible; programmable user ID. Available with or without sampling pump. Gases Detection Range: H₂S: 0-100 PPM, CO: 0-500 PPM, Combustible: 0-100 %LEL, O₂: 0-30%

PART	Description	GAS TYPES	PRICE
MGC	Multi Gas Clip w/ Infrared Combustible Sensor (4 Gas)	H ₂ S, CO, O ₂ LEL	\$745.00
MGC-P	Multi Gas Clip w/ Pellistor Combustible Sensor (4 Gas)	H ₂ S, CO, O ₂ LEL	\$595.00
MGC-2	Multi Gas Clip w/ Infrared Combustible Sensor (2 Gas)	O ₂ LEL	\$595.00
MGC-2-P	Multi Gas Clip w/ Pellistor Combustible Sensor (2 Gas)	O ₂ LEL	\$445.00

8510140

\$1,335⁹⁹

**DBI SALA
VEHICLE
HITCH MOUNT
SLEEVE**

Designed to install into a 2" hitch receiver on an attendant vehicle to provide a portable anchor point for confined space entry/retrieval, rescue, and fall-arrest systems; various sockets, extensions and accessories available.



3400923 \$3,624⁰⁰

SEALED-BLOK SELF RETRACTING LIFE-LINE - RETRIEVAL/BACKET

50 ft of 3/16" galvanized steel wire rope with swivel snap hook; 3-way retrieval winch and mounting bracket; anchorage carabiner; 4 ft cable tie-off adapter; environmentally sealed dynamic components; 3-way emergency retrieval system; integrated quick-mount bracket; extremely durable construction; FAST-Line cable lifeline replacement system; FAST-Line means lifetime field recertification; anti-ratcheting locking system; built-in carrying handle; large pivoting anchor loop stays in line with load for added security and allows use of a variety of connecting hardware; swiveling snap hook with impact indicator; large pivoting anchorage loop; reserve lifeline system; i-Safe equipped.

3400853 30' - \$3,071.00

3400871 85' - \$4,481.00

3400976 130' - \$5,532.00



8518513 \$109⁰⁰

ADVANCED CARRYING BAG FOR 5-PIECE DAVIT HOIST

Set of 2 carrying bags for Advanced 5-Piece Davit Hoist; lightweight and durable polyester construction; built-in web carrying handles; heavy-duty zipper closure; vinyl coated liner; easily move your davit system from one location to another; protect your asset with an easy to care for and long lasting bag.



8518000 \$4,999⁹⁹

ADVANCED 5-PIECE DAVIT HOIST SYSTEM

Adjustable offset upper davit mast; telescoping reach of 11-1/2" to 27-1/2"; adjustable vertical height of 33" to 43"; built-in primary and secondary pulleys; quick mount winch/SRL bracket; detent and knob style adjustment; 33" lower davit mast extension; combine up to 2 extensions; 3-piece adjustable portable base adjusts from 37" to 64"; unique foot level and height adjustment system; designed for manhole and confined space entry/retrieval applications; constructed of lightweight materials including high-strength aluminum; davit pivots for ease-of-rescue and has adjustment for overhead clearance restrictions; lower base adjusts to fit most standard entries.



1231460 \$109⁰⁰

RESCUE/RETRIEVAL Y-LANYARD WITH SPREADER BAR

2 foot in length; D-ring at center and snap hooks at leg ends; keeps victim upright during rescue; abrasion resistant polyester webbing; built-in spreader bar; user friendly self locking snap hooks; high strength D-ring tie-off point; Equipped with i-Safe.



8518560 \$2,658⁰⁰

ADVANCED DIGITAL 100 SERIES WINCH

Manually operated winch for use with tripod or davit rescue system; 60 foot galvanized steel wire rope; 9:1 and 4:1 gear ration mechanical advantage; quick mount bracket; built-in digital usage indicator; triple redundant braking system; break wear indicator; durable corrosion resistant construction; sealed bearings at all contact points; integral carrying handle; swiveling snap hook with impact indicator; power drive option available, 60' length.

8518561 90" - \$2,674.00

8518581 140" - \$3,386.00

8518582 190" - \$3,412.00

8518603 240" - \$4,193.00





5734 \$39⁹⁹
ARSENAL PLASTIC BOTTOM CANVAS BUCKET
 14" height, 10" diameter, (2) inside pockets, load rated 75 lbs.
 5734T With detachable top - \$55.29
 5744 With swivel - \$45.99
 5744T With detachable top & swivel - \$65.99



5653 \$62⁹⁹
ARSENAL SYNTHETIC PLASTIC BOTTOM NYLON BUCKET WITH D-RINGS
 15" height, 12.5" diameter, interior pocket, load rated 100 lbs.
 5653T With detachable top - \$75.95



5650 \$91⁹⁹
ARSENAL SYNTHETIC LEATHER BOTTOM NYLON BUCKET WITH D-RINGS
 12.5" height, 10" diameter, inside pocket, load rated 150 lbs.
 5650T With detachable top - \$99.95



5760 \$84⁹⁵
ARSENAL LEATHER BOTTOM CANVAS BUCKET WITH D-RINGS
 17" height, 12.5" diameter, inside pocket, load rated 150 lbs.
 5760T With detachable top - \$100.95



Swivel



Canvas detachable top



Nylon detachable top



5733 \$44²⁹
ARSENAL PLASTIC BOTTOM CANVAS BUCKET
 15" height, 12.5" diameter, inside pocket, load rated 100 lbs.
 5733T With detachable top - \$64.49
 5743 With swivel - \$50.79
 5743T With detachable top & swivel - \$70.79



5732 \$75⁹⁹
ARSENAL TALL LEATHER BOTTOM CANVAS BUCKET
 28" height, 10" diameter, (2) inside pockets, load rated 125 lbs.
 5732T With detachable top - \$98.99



5735 \$110⁹⁹
ARSENAL XL LEATHER BOTTOM BUCKET
 20" height, 16" diameter, inside pocket, swivel, load rated 150 lbs.
 5735T With detachable top - \$126.99



5109SLR
 \$48⁹⁹
KLEIN TOOLS ALL PURPOSE CANVAS WORK BUCKET
 15" height, load rated 150 lbs.



EXCLUSIVELY FROM GME
**STRONG,
 DURABLE,
 NOSE BAGS**



GM-5104 \$59⁹⁹

**GME SUPPLY LEATHER
 BOTTOM CANVAS BUCKET**

17" height, 12" diameter, made of heavy-duty canvas, high-density polyethylene top ring for strength and chemical resistance, reinforced high-strength webbing strap, black leather cuff at bottom extends 3" up the side, inside pocket measures 8" x 8", made in the USA. Load rated 100 lb.

GM-5104S With swivel snaphook - \$64.99



GM-5109 \$34⁹⁹

**GME SUPPLY PLASTIC
 BOTTOM CANVAS BUCKET**

15" height, 12" diameter, made of heavy-duty canvas, high-density polyethylene top ring for strength and chemical resistance, reinforced high-strength webbing strap, black molded polypropylene bottom, made in the USA.

GM-5109S With swivel snaphook - \$39.99



5144 \$69⁹⁹

**KLEIN TOOLS OVAL
 CANVAS BUCKET
 WITH 15 POCKETS**

10" height, 14" length, 7" width, (15) inside pockets, (2) heat resistant ABS hooks.



5152S \$101⁹⁹

**KLEIN TOOLS OVAL
 CANVAS BUCKET
 WITH 41 POCKETS**

10" height, 14" length, 7" width, (26) inside pockets, (15) outside pockets.



5144HBS \$69⁹⁹

**KLEIN TOOLS HARD
 BODY OVAL BUCKET**

10" height, 14" length, 7" width, (15) inside pockets, leather skinning knife sheath, non-conductive plastic exterior.



5172PS \$74⁴⁹

**KLEIN TOOLS TAPERED
 WALL CANVAS BUCKET
 WITH 15 POCKETS**

12" top diameter, 9" bottom diameter, (15) inside pockets.



5104MINI \$15⁹⁹

**GME SUPPLY MINI
 LEATHER BOTTOM
 BUCKET**

6" tall and 5" wide, black leather-reinforced bottom, heavy-duty natural canvas, high-strength webbing handle, makes great gift.

KLEIN TOOLS



5104CLR17 102⁹⁹
KLEIN TOOLS HEAVY DUTY TOP CLOSING CANVAS BUCKET

17" height, 14" diameter, load rated 150 lbs, top zipper closure, leather bottom.

5104CLR22 22" height - \$110.99



5104OCTO \$98⁹⁹
KLEIN TOOLS LEATHER BOTTOM BUCKET WITH CONNECTION POINTS

17" height, load rated 100 lbs. Six small D-rings sewn in the interior provide secure connection points for tethers, extra large hook fits onto large-sized rigging equipment.



5104 \$69⁹⁹
KLEIN TOOLS LEATHER BOTTOM CANVAS BUCKET

17" height, 12" diameter.

5104S With swivel - \$75.79



5109 \$40⁹⁹
KLEIN TOOLS WIDE-OPENING STRAIGHT WALL CANVAS BUCKET

15" height, 12" diameter.

5109P With inside pocket - \$46.99

5109S With swivel - \$45.99

5109PS With inside pocket & swivel - \$53.99



5104M \$14⁹⁵
KLEIN TOOLS MINI LEATHER BOTTOM BUCKET

6" height, 5" width, miniature version of 5104 bucket, leather-reinforced bottom, heavy duty natural canvas, rope handle, great gift for tower climbers, riggers, contractors, and more.



5113 \$37⁵⁹
KLEIN TOOLS TAPERED WALL CANVAS BUCKET

13" height, 12" top diameter, 9" bottom diameter.

5113S With swivel - \$46.99



5106 \$37⁹⁹
KLEIN TOOLS STRAIGHT WALL CANVAS BUCKET

14" height, 9" diameter.

5106P (2) inside pockets - \$47.99

5106S With swivel - \$43.99



5171PS \$62⁴⁹
KLEIN TOOLS HEAVY-DUTY TAPERED WALL CANVAS BUCKET WITH 4 POCKETS

12" height, 12" top diameter, 9" bottom diameter, (4) outside pockets, swivel.



5103S \$44⁷⁹
KLEIN TOOLS TAPERED WALL CANVAS BUCKET

12" height, 12" top diameter, 9" bottom diameter, swivel.



5528 \$28⁹⁹

ARSENAL TOPPED PARTS POUCH

7.5"L x 7.5"W x 12"H; hands-free, self-closing trap door closure that prevents small parts, hardware, and tools from falling when working at heights; 20 oz water resistant canvas; trap door closure for safety and security; patented nickel-plated storm drain; (2) exterior nickel-plated D-rings for tool lanyard attachment; (2) exterior tool loops; maximum safe working capacity: 20 lbs.



5538 \$28⁹⁹

ARSENAL TOPPED PARTS POUCH

7.5"L x 7.5"W x 12"H; hands-free, self-closing trap door closure that prevents small parts, hardware, and tools from falling when working at heights; 20 oz water resistant canvas; trap door closure for safety and security; patented nickel-plated storm drain; (2) exterior nickel-plated D-rings for tool lanyard attachment; (2) exterior tool loops; maximum safe working capacity: 20 lbs.



5725 \$28⁵⁹

ARSENAL TOP-CLOSING BOLT BAG

10" length, 9" height, cinch-up top, (2) exterior tool loops, storm drain, tunnel loop belt connection.



5728 \$30⁵⁹

ARSENAL TOP-CLOSING BOLT BAG

10" length, 13" height, cinch-up top, (2) exterior tool loops, storm drain, tunnel loop belt connection.



1500128 \$79⁹⁵

PYTHON EXTRA DEEP TOOL POUCH WITH D-RING AND RETRACTORS

8.75" width, 13" height, (2) retractors and (1) D-ring; made of heavy duty canvas with inner lining; multiple inner pockets; magnetic strip closure system with side release buckle.



MORE COLORS

1500122 \$59⁹⁵

PYTHON SMALL PARTS POUCH

8" width, 10" height; innovative self-closure system that traps objects inside; nearly impossible for object to fall out; easy to retrieve objects since no opening or closing is necessary; compatible with most tool belts.



51A \$27⁹⁹

KLEIN TOOLS NUT AND BOLT POUCH

Interior pocket; top sides of pouch reinforced with leather; inside bottom reinforced with leather and ventilating eyelet; metal snaps on loops for easy attachment; top edge reinforced with 1/4" rope.



NEW



GM-5416TCP \$29⁹⁹

GME SUPPLY HEAVY DUTY TOP-CLOSING BOLT BAG

12" height, 9" length, 5" width, bull-pin loop on each side, durable Cordura 3" drawstring closing top prevents items from falling out, inside pocket, tunnel loop belt connection, up to 3" wide belt capacity, exclusive GME Supply logo.

GM-5416T \$13⁹⁹

GME SUPPLY BULL-PIN AND BOLT BAG

10" depth, 5" length, 9" width, bull-pin loop on each side, tunnel loop belt connection, heavy-duty construction, up to 3" belt capacity, exclusive GME flame logo.



NEW



GM-5416TC \$25⁹⁹

GME SUPPLY HEAVY DUTY TOP-CLOSING BOLT BAG

12" height, 9" length, 5" width, bull-pin loops, durable Cordura 3" drawstring closing top, tunnel loop belt connection, GME Supply logo.

84522 \$39⁹⁹

ELK RIVER DEEP BOLT BAG WITH DRAWSTRING

2.5"x10"x14" deep, drawstring closing top, inside pocket, bull-pin loop on each side, tunnel loop belt connection.

5416TCP \$29⁹⁹

KLEIN TOOLS TOP-CLOSING BOLT BAG

12" height, 9" length, 5" width, bull-pin loop on each side, 3" drawstring closing top, inside pocket, loop belt connection.

5416TC Without inside pocket - \$28.99

84521 \$32⁹⁹

ELK RIVER BOLT BAG WITH DRAWSTRING

2.5"x9"x10" deep, drawstring closing top, bull-pin loops, tunnel loop belt connection.

84520 Without top-closing - \$27.99

54160CTO \$28⁹⁹

KLEIN TOOLS TOP-CLOSING BOLT BAG

9" height, 5" length, bull-pin loop on each side, 4 connection points inside, 2 on front, belt loop connection.



GM-5141P \$30⁹⁹

GME SUPPLY EXTRA LARGE UTILITY BAG

10" length, 12" width, 9"x5" top diameter, inside pocket, leather reinforced bottom, ventilation eyelet in bottom, snap belt connection.



GM-5142P \$27⁹⁹

GME SUPPLY LARGE UTILITY BAG

9" length, 10" width, 8"x3" top diameter, inside pocket, leather reinforced bottom, ventilation eyelet in bottom, snap belt connection.



5416 \$16⁹⁹

KLEIN TOOLS BULL-PIN AND BOLT BAG

10" depth, 5" length, 9" width, bull-pin loop on each side, loop belt connection.

5416T \$17⁹⁹

KLEIN TOOLS BULL-PIN AND BOLT BAG

10" depth, 5" length, 9" width, bull-pin loop on each side, tunnel loop belt connection.
5416L Leather version - \$45.19

5179 \$16⁹⁹

KLEIN TOOLS WATER-REPELLENT POUCH

9" height, 7.5" length, 3.5" width, loop belt connection.

5179S Snap belt connection - \$16.99

5142 \$30⁹⁹

KLEIN TOOLS UTILITY BAG

9" length, 10" width, 8"x3" top diameter, ventilating eyelet in bottom, snap belt connection.

5142P With inside pocket - \$32.99

5141P \$31⁷⁹

KLEIN TOOLS EXTRA LARGE UTILITY BAG

10" length, 12" width, 5" depth, 9"x5" top diameter, inside pocket, leather reinforced bottom, ventilation eyelet in bottom, snap belt connection.



5020MP

\$24⁹⁹

ARSENAL DUFFEL BAG

29"x13"x13", 600D polyester w/ PVC backing, heavy duty ribbed straps top and side, heavy duty #8 zippers, removable adjustable shoulder strap & strap grabber, (2) end zipper pockets, black.



5180 \$116⁹⁹

KLEIN TOOLS EXTRA-LARGE GEAR BAG

18" depth, 24" length, 10" width, orange vinyl-coated nylon fabric bag, bottom reinforced with 1/4" (6mm) plywood, nylon-web handles extend around bag for extra support, wide-opening steel frame is securely riveted in top of bag, extra flap for storm protection.



5116 \$42⁹⁹

ARSENAL GENERAL DUTY GEAR BAG

18"x10"x12", 600D polyester main material, 1680D ballistic polyester base, heavy duty, PP webbing for structure and durability, water repellent backing on main material.

5115 14"x9"x10" - \$37.99



54-697 \$64²⁹

FOX OUTDOOR JUMBO GEAR BAG/BACKPACK

35"x13"x14", rugged tactical polyester, (4) interior mesh pockets, concealed shoulder straps, (2) end pockets with fitted storm flaps and zippered closure, army digital.

54-690 Olive Drab - \$64.29

54-691 Black - \$64.29



RB44031

\$96⁰⁰

PMI RIGGERS BAG

24" length, 11" width, 12" height, jumbo main compartment, (6) zippered compartments, 1000 denier heavy coated Cordura, detachable shoulder strap, padded handles, clear ID holder.



41-573 \$48⁷⁹

FOX OUTDOOR IDF TACTICAL BAG

34"x15"x12", replica of Israeli Defense Forces Tactical Bag, (3) zippered outside pockets, (3) end pockets with velcro closure, vinyl waterproof bottom, digital woodland.

41-577 Army digital - \$48.79

41-58 Black - \$48.79

41-57 Olive Drab - \$48.79



3025 \$59⁹⁹

GME SUPPLY DELUXE GEAR BAG

29"x17"x16", huge 4.5 cubic ft interior storage, (4) outside pockets, 600 denier - PU coated, polyester duck fabric; back panel opens to reveal a mesh vent window, reflective trim along straps, clear business card holder, shoulder straps, red.

3050 Black - \$59.99



CUSTOMIZE WITH YOUR LOGO

5005 \$62⁹⁹

**ARSENAL
LARGE
F & R GEAR
BAG**

16"x21"x15", 1000D nylon, double-coated polyurethane, maltese cross, heavy duty #10 zippers, 2" webbing handle and shoulder straps, Grab 'n Go pull strap and removable shoulder strap.



51810RA \$101⁸⁹

**KLEIN TOOLS
VINYL
EQUIPMENT BAG**

24"x20"x10", large outside pocket with velcro fastening, adjustable/padded shoulder strap, double-stitched plastic bottom, rain flap, (2) heavy-duty, slide-action buckles; wide-opening, steel frame securely riveted to top of bag helps maintain bag's shape.



5182BLA Black - \$112.69

5030L \$124⁹⁹

**ARSENAL WATER
RESISTANT
DUFFEL**

32"x19"x19", water resistant tarpaulin material with 1000D polyester mesh, shoulder straps configured to carry as duffel or backpack, open design for maximum storage capacity, interior mesh pocket under flap, (4) compression straps and (2) haul handles, ID and document pockets on top of bag.



5030M 28"x17"x17" - \$103.99

5030S 24"x15"x15" - \$92.99

5120 \$104⁹⁹

**ARSENAL LARGE
WHEELED GEAR
BAG**

30"x14"x14", 600D polyester main material, 1680D polyester base, molded wheels for safe and easy transport, (3) removable internal dividers for organization, molded retractable pull handle, padded and adjustable shoulder strap, heavy-gauge nylon stitching and heavy-duty zippers, material backing provides water protection.



GM-30905 \$60⁰⁰

GME SUPPLY ANRITSU PIM MASTER GEAR BAG

Designed to protect your expensive equipment, accommodates the Anritsu PIM Master PIM Tester, custom Y-Lanyard for 100% tie-off, fall rated carabiners, 5,000 lbs. MBS lifting rings, flip over screen cover to protect from debris and bumps, storage pouch on back for leads and documents, heavy-duty webbing, durable YKK zippers, ample padding to protect unit.





1500 \$199⁹⁹

PELICAN PROTECTOR 1500 MEDIUM CASE

Watertight, crushproof, dustproof; easy open double throw latches, open cell core with solid wall design; strong and light weight; O-ring seal; automatic pressure equalization valve; comfortable rubber over-molded handle; stainless steel hardware and padlock protectors; available with and without foam insert. Interior: 16.75" x 11.18" x 6.12". Exterior: 18.5" x 14.06" x 6.93"



1520 \$214⁹⁹

PELICAN PROTECTOR 1520 MEDIUM CASE

Slightly larger than the 1500. Watertight, crushproof, dustproof; easy open double throw latches, open cell core with solid wall design; strong and light weight; O-ring seal; automatic pressure equalization valve; comfortable rubber over-molded handle; stainless steel hardware and padlock protectors; available with and without foam insert. Interior: 18.06" x 12.89" x 6.72". Exterior: 19.78" x 15.77" x 7.41".



1510 \$279⁹⁹

PELICAN PROTECTOR 1510 CARRY-ON CASE

Meets FAA maximum carry on size requirements; retractable extension handle; strong polyurethane wheels with stainless steel bearings; watertight, crushproof, dustproof; easy open double throw latches, open cell core with solid wall design; strong and light weight; O-ring seal; automatic pressure equalization valve; comfortable rubber over-molded handle; stainless steel hardware and padlock protectors; available with and without foam insert. Interior: 19.75" x 11.00" x 7.60". Exterior: 22.00" x 13.81" x 9.00".



1620 \$409⁹⁹

PELICAN PROTECTOR 1620 LARGE CASE

Watertight, crushproof, dustproof; easy open double throw latches, open cell core with solid wall design; strong and light weight; O-ring seal; automatic pressure equalization valve; comfortable rubber over-molded handle; stainless steel hardware and padlock protectors; Retractable extension handle; strong polyurethane wheels with stainless steel bearings; fold down side handles; available with and without foam insert. Interior: 21.48" x 16.42" x 12.54". Exterior: 24.76" x 19.57" x 13.90".



55421BP14

\$90⁰⁰

KLEIN TOOLS PRO ORGANIZER BACKPACK

39 pockets for tool storage, hard molded front pocket protects safety glasses, front zipper pocket for small parts and tools, taller bag and interior pockets allow for long screwdrivers, fully molded bottom protects from elements, orange interior for easy tool visibility, 1680D ballistic weave for durability; shoulder straps with extra padding and handles for easy carrying.

55421BP14CAMO Camo - \$99.95



GB5125 \$219⁹⁹

ARSENAL CARRY-ON LUGGAGE

14"x9"x22.5", 1680D ballistic polyester, YKK zippers, haul handles located on the bag for easy carry, molded wheels for safe and easy transport, molded retractable pull handle, rugged construction with extra bartacks and nylon stitching.

10103908 \$31⁹⁹

MSA V-GARD DIGITAL CAMOUFLAGE HARD HAT CAP STYLE

Fas-Trac 4-point suspension includes ratcheting system and perforated vinyl sweatband, polyethylene shell, top impact protection, ANSI compliant.

10104254 Full brim - \$32.99



475395 \$89⁹⁹

MSA SKULLGARD HARD CAP

Heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common, resin shell with 4-point Fas-Trac ratcheting suspension, fits head sizes 6-8, ANSI compliant.

475407 Full brim - \$94.99



475358 \$11⁹⁹

MSA V-GARD HARD HAT CAP STYLE

Fas-Trac 4-point suspension includes ratcheting system and perforated vinyl sweatband, polyethylene shell, top impact protection, ANSI compliant. Available in red, white, blue, green, yellow, orange, hi-vis orange, and gray.

475310 Full brim - \$19.99



VCB200 \$27⁹⁹

WESTERN OUTLAW COWBOY HARD HAT

6-point deluxe nylon suspension with adjustable ratchet, wide brim provides more UV protection, ANSI compliant. Available in white, black, and tan.



KASK
helmets

WHE00010 \$129⁹⁹

KASK SUPER PLASMA HELMET

High density ABS Plastic outer shell, Polystyrene inner shell, (10) vents for maximum airflow, high-tech fabric 2DRY for quick absorption of moisture, removable and washable padding, fully adjustable width and height, anti-intrusion grill prevents entry of debris, ANSI compliant. Available in white, red, orange, yellow, blue, black, and hi-viz lime (+\$10.00).



10148708 \$12⁹⁹

MSA FAS-TRAC REPLACEMENT SUSPENSION

Ratcheting suspension liner includes headband, nape strap, sweatband, and crown straps; Designed for the V-Gard hat or cap shell.

10153385 Suspension for Skullgard - \$16.99



A15A \$56⁹⁵

PETZL VIZIR FACE SHIELD

Easy to mount on VERTEX and ALVEO helmets, (2) positions: raised on top of helmet, lowered in working position, scratch/fog resistant, ANSI compliant.


A15AS Shadow Tinted - \$61.95



6609 \$5⁴⁹

ERGODYNE CHILL-ITS TERRY SWEATBAND

Absorbent terry headband, fits most hard hat suspension systems, machine washable, 100% cotton, economical way for hard hat wearers to manage moisture.



A10200 \$11⁹⁵

PETZL ABSORBENT FOAM FOR VERTEX

Comfort foam for Petzl VERTEX, absorbs perspiration, machine washable.

A20200 for ALVEO - \$9.95



10115730 \$10⁹⁹

MSA V-GARD FRAME FOR SLOTTED CAPS

Sloped design allows liquids, chips, and other materials to slide off frame and away from sight, ANSI compliant.

10117750 Polycarbonate visor - \$5.99



A10V \$115⁰⁰

PETZL VERTEX VENT

Ventilation holes with adjustable sliding shutters allow air to circulate in the helmet when needed, 6-point webbing suspension system conforms to the shape of the head for improved comfort, shock absorption is achieved through deformation of the outer shell, CenterFit adjustment system ensures centering and optimal stability, ANSI compliant.

A10VWA White - \$115.00

A10VRA Red - \$115.00


A10VOA Orange - \$115.00

A10VYA Yellow - \$115.00

A10VYA Hi-Vis - \$115.00

A10VBA Blue - \$115.00

A10VNA Black - \$115.00



E36AHR \$185⁰⁰

PETZL NAO SELF-ADJUSTING HEADLAMP

Reactive lighting with brightness that adapts instantly to need, due to sensor; maximum brightness of 575 lumens; (2) lighting levels, lithium-ion rechargeable battery.



E93HG \$29⁹⁵

PETZL TIKKA HEADLAMP

Wide beam and (2) lighting modes, comfortable proximity lighting, 80 lumens over a distance of 50 meters.



E93HN \$39⁹⁵

PETZL TIKKA PRO HEADLAMP

Compact; (2) lighting modes: a mode for proximity lighting and a mode for limited movement; push-button for easy, quick lighting mode selection.



A10B \$120⁰⁰

PETZL VERTEX BEST

Unventilated shell ensures protection against electrical risks and molten metal splash, 6-point webbing suspension system conforms to the shape of the head, CenterFit adjustment system ensures centering and optimal stability, ANSI compliant. Available in white, red, orange, yellow, blue, and black.



A20B \$110⁰⁰

PETZL ALVEO BEST

Unventilated shell ensures protection against electrical risks and molten metal splash, lightweight helmet with comfort foam that is barely felt on the head, shock is absorbed by deformation of the expanded polystyrene liner, CenterFit adjustment system ensures centering and optimal stability, ANSI compliant.



A20V \$110⁰⁰

PETZL ALVEO VENT


Lightweight helmet with comfort foam that is barely felt on the head, shock is absorbed by deformation of the expanded polystyrene liner, CenterFit adjustment system ensures centering and optimal stability, ventilation holes, side slots for mounting hearing protection, inserts for accepting a VIZIR face shield, slot for mounting PIXA headlamp, (4) clips for mounting a headlamp with an elastic headband, chin strap designed to limit risk of losing helmet during a fall (strength greater than 50 daN), (2) thicknesses of foam bands included for customized fit, ANSI compliant.



A20VWA White - \$110.00

A20VRA Red - \$110.00

A20VYA Yellow - \$110.00



E78BHB2 \$59⁹⁵

PETZL PIXA 2 HEADLAMP

Mixed beam, versatile and very durable, may be worn on head, mounted on helmet, or placed on ground; provides constant, stable light, (2) lighting modes.



E78CHB2 \$74⁹⁵

PETZL PIXA 3 HEADLAMP

Multi-beam, adapted for close-range work, moving around and long-range vision, may be worn on the head, mounted on the helmet, or placed on the ground.



Rock solid comfort

VERTEX®

Comfortable, versatile helmet for work at height

VERTEX helmets offer unparalleled comfort, thanks to a 6-point suspension system, and the CenterFit adjustment system provides superior stability and positioning on the head. Designed with modularity in mind, VERTEX helmets can accommodate a headlamp, a VIZIR face shield, and hearing protection.

www.petzl.com/VERTEX



TW6151 \$49⁹⁹

JSP DELUXE WHEEL RATCHET HARD HAT

High-density polyethylene shell, 6-point textile cradle suspension, 3D precision fitting, Revolution wheel ratchet adjustment, Chamlon sweatband with Egyptian cotton core and porous PU coating for maximum sweat absorption, universal accessory slots, chin strap, firmest fit available, short brim, ANSI compliant. Available in white, red, yellow, orange, and blue - vented or non-vented.



ML5151-10 \$9⁹⁵

JSP COMFORT PLUS TYPE I HARD HAT

High-density polyethylene shell, shock-absorbing 6-point suspension with adjustable polyester straps, swiveling ratchet suspension for optimal adjustment, universal accessory slots, brushed nylon backed foam sweatband, ANSI compliant. Available in white, orange, yellow, blue, and green.



EV6161 \$18⁹⁹

JSP DELUXE WHEEL RATCHET FULL BRIM HARD HAT

High-density polyethylene shell, 6-point textile cradle suspension, 3D precision fitting, Revolution wheel ratchet adjustment, Chamlon sweatband, provides extra protection to neck and ears, non-vented, ANSI compliant.



AHS150-10 \$49⁹⁹

JSP MK8 EVOLUTION TYPE II HARD HAT

Side impact and penetration protection, Polystyrene impact liner, high-density polyethylene shell, strap suspension with microfiber crown pad, wheel ratchet adjustment, ANSI compliant.



HL33012 \$178⁵⁰

PMI ADVANTAGE NFPA HELMET

Made of Kevlar, fully adjustable ratchet headband and straps, three point chin-strap, headlamp retainer, goggle mount, clips to attach earmuffs, ANSI compliant. Available in red, white, blue, orange, black, and lime green.



250-EVS-0000 \$9⁹⁹

JSP RETRACTABLE SAFETY GLASSES

Clear polycarbonate 6-base curved lens, can be fully retracted into helmet shell, anti-fog and scratch resistant coatings, compatible with any JSP Deluxe 6100 helmet.



281-CSD-2PT \$5¹⁹

JSP DELUXE 2-POINT CHIN STRAP

Helps keep hats and caps stable on the worker's head, attaches directly to shell, 2-point elastic with chin cup, great for work at-height.



396-800 \$6⁷⁹

EZ-COOL HARD HAT VISOR

Shield eyes and neck from the sun, hi-viz yellow with orange trim, silver reflective tape on back, fits most hard hats, elastic at back for secure fit.



6660 \$9²⁹

CHILL-ITS HARD HAT BRIM WITH SHADE

Fits around the outside of the hard hat, provides sun/UV protection, universal design fits most hard hats. Available in lime or orange.



3150 \$3⁹⁹

ERGODYNE SQUIDS HARD HAT LANYARD

Comfortably attaches to hard hats and other headwear, double lock plastic buckle attaches to fall protection, comfortable high stretch elastic material.

264-47002

\$94⁹⁹

ELECTRONIC EAR MUFF WITH HEADBAND ADJUSTMENT AND ACTIVE LISTENING

Level dependent microphones provides natural sound quality, soft cushions with Smart "Snap-In" System for easy replacement, smooth size adjustment for optimized comfort and seal, includes (2) 1.5 V AA batteries for up to 1000 hours of use, external 3.5 mm sound input for MP3 players, etc; tested and CE approved against European and North American standards.



267-HPR300C \$74⁹⁹

PIP REUSABLE EAR PLUGS

Easy to store when not in use and an individual carrying case promotes good hygiene, stiffened shaft makes insertion easy, natural sounds image, NRR 25.

267-HPR300 Uncorded - \$64.99

267-HPF300 \$21⁹⁹

PIP EAR PLUGS

Disposable soft polyurethane foam, tapered design fits natural contour of the ear canal, X-Emboss at end of the plug reduces pressure, NRR 30, uncorded.

267-HPF300C Corded 100 PR - \$19.99

267-HPF300-1 300 PR - \$31.99

267-HPF200 \$21⁹⁹

PIP EAR PLUGS

Disposable soft polyurethane foam, tapered design fits natural contour of the ear canal, X-Emboss at end of the plug reduces pressure, NRR 32, uncorded.

267-HPF200C Corded 100 PR - \$19.99

267-HPF200-1 300 PR - \$31.99

MAX-1 \$24⁹⁹

HOWARD LEIGHT MAX

Single-use, the world's most-used polyurethane foam earplug, bell shaped for maximum in-ear comfort, NRR 33, uncorded, polybag.

MAX-1-D Refill box (500 PR) - \$55.99

MAX-30 Corded polybag (100 PR) - \$23.49

LS-500 \$139⁹⁹

HOWARD LEIGHT SOURCE 500

Heavy-duty anodized aluminum, wall mountable, crank handle to dispense earplug. Holds 500 pairs of Howard Leight earplugs: Max, Max Lite, Laser Lite, Multi Max, Matrix and Quiet.

263-11001

\$4⁵⁹

HELLBERG ECONOMY HEADBAND EAR MUFF

Very lightweight, smooth and easy size adjustment, single-point attachment in combination with flexible sliders ensures that the pressure and seal is always distributed evenly around the ears, tested and CE approved to North American standards, NRR 23



263-41001

\$11⁹⁹

SECURE 1 PASSIVE EAR MUFF WITH ADJUSTABLE HEADBAND

Slim stirrup design, color coding, soft cushions with Smart "Snap-In" System, smooth size adjustment, tested and CE approved to North American standards, NRR 23.

263-41002 NRR 26 - \$16.99

263-41003 NRR 28 - \$19.99



263-42001

\$12⁹⁹

CAP MOUNTED PASSIVE EAR MUFF

Soft cushions maintains a high level of comfort protection, color coding for easy selection and identification, smooth size adjustment, tested and CE approved to North American standards, NRR 22.

263-42002 NRR 24 - \$16.99

263-42003 NRR 27 - \$19.99





322-2000 \$9⁹⁹

3M E-A-R SWERVE BANDED EARPLUGS

Lightweight and durable plastic flexes and rebounds easily for frequent on-and-off wearing, neckband adjusts for optimal fit, band slides forward and back for custom neck and ear positioning, neckband shape helps eliminate contact with collars and headgear, reduces band sound transmission, NRR 23.



1010924

\$19⁹⁹

HOWARD LEIGHT LIGHTNING NOISE BLOCKING EARMUFFS


Robust steel wire construction withstands demanding use, especially in tough environments; features patented Air Flow Control technology, delivering optimal attenuation across all frequencies; snap-in ear cushions make replacement quick and easy, multiple attenuation levels allow for targeted attenuation for a variety of applications, telescopic height adjustment remains fixed during use, delivers high degree of comfort; ideal for situations where compact earmuffs and reliable Noise-Blocking protection are required. NRR 30



SMF-30 \$79⁹⁹

HOWARD LEIGHT SMARTFIT

Multi-use, conforming material technology uses body heat to adapt to the individual shape of each wearer's ear canal, delivers superior comfort and a truly individual fit, simplifies inventory control – a single product fits almost every wearer, detachable cord system and storage case, NRR 25.



QB2HYG \$39⁹⁹

HOWARD LEIGHT INNER-AURAL

Smooth, ergonomic pods fit in the ear for maximum protection; patented band design prevents ear pods from touching dirty or contaminated surfaces, lightweight and portable – designed especially for environments with intermittent noise hazards, includes pair of replacement pods, Designed for people who are exposed to intermittent noise, NRR 25.



311-1101 \$58⁹⁹

3M E-A-R CLASSIC CORDED

Poly bag keeps each pair of disposable earplugs available or accessible for re-use, flame-resistant and moisture-resistant, corded for easy short term storage around the neck., NRR 29, test compatible with 3M E-A-Rfit Validation System.



311-1252 \$56⁹⁹

3M E-A-R SOFT YELLOW NEON BLASTS

These corded foam earplugs offer a soft, low-pressure solution with exciting flame graphics; poly bag keeps earplugs clean and accessible for re-use, regular size fits most earcanals, NRR 33, test compatible with 3M E-A-Rfit Validation System.



318-1001 \$49⁷⁵

3M E-A-R PUSH-INS UNCORDED

These push-to-fit, corded foam uncorded earplugs are easy to use again and again, reducing waste; proprietary no roll-down, poly bag keeps earplugs clean before use, blue stem makes fitting and removal cleaner and easier, NRR 28, test compatible with 3M E-A-Rfit Validation System.



GL-7V-WK

\$159⁹⁵

VOLT HEATED WORK LEATHER GLOVES

Waterproof leather work gloves that provide hours of heat; heating elements the length of each finger, as well as palm and back of hand; breathable Aquatex waterproof membrane; soft tricot lining; built-in 4 level microprocessor controller to select desired heat output; provides over 150 degrees of heat for 2 hours on highest setting; 8 hours on lowest setting; includes two 7.4v 2200 mAh batteries and charger. Available in sizes M-2XL.



120-4070

\$29⁷⁹

MAXIMUM SAFETY MAD MAX THERMO

Thinsulate insulation, waterproof Hipora liner, reflective knuckle stripe, black synthetic leather palm reinforced with PVC sandy grip, impregnated fingertips and thumb crotch reinforcements, hi-vis lime back with molded TPR reinforcements, foam padded knuckle protection, breathable airprene wrists. Ideal for petrochemical, construction, auto repair, demolition, manufacturing, mining, fabrication. Available in sizes M-3XL.



816 \$25²⁹

PROFLEX THERMAL FLIP-TOP MITTENS

Converts from mitten to fingerless glove for cold weather detail work. Flip-top fingers and thumb secured open with velcro tabs, durable polyester knit outside, windproof, water repellent micro fleece inside, double layer palm with synthetic suede anti-slip grip, soft, polyester fleece cuff.

16073 M - \$25.29

16074 L - \$25.29

16075 XL - \$25.29



818WP \$37⁵⁵

PROFLEX THERMAL WATERPROOF UTILITY

Durable synthetic leather with PVC reinforced palm and fingers, 40g 3M Thinsulate insulation, water and wind-proof, breathable insert liner, low-profile closure, Terry thumb brow wipe.

16024 M - \$37.55

16025 L - \$37.55

16026 XL - \$37.55



817 \$22⁹⁹

PROFLEX THERMAL UTILITY

40g 3M Thinsulate insulation, double reinforced synthetic leather palm, padded spandex back and neoprene knuckle pad, low-profile closure with woven elastic cuff, also available in waterproof.

16333 M - \$22.99

16334 L - \$22.99

16335 XL - \$22.99



710 \$23⁹⁹



PROFLEX FULL FINGER TRADE GLOVES

Visco-elastic gel palm to dampen shock and impact; abrasion resistant, textured palm and fingers; 3-layer stretch spandex with neoprene knuckle pad, flex zones for added comfort, reinforced fingertips. Also available in cut/puncture resistant (CR).

16153 M - \$23.99

16154 L - \$23.99

16155 XL - \$23.99



819WP \$44⁹⁹

PROFLEX THERMAL WATERPROOF W/ GAUNTLET

40 grams of Thinsulate insulation, Hipora breathable waterproof/windproof liner, 500D nylon back and gauntlet cuff, PVC reinforced. Available with OutDry (OD).

16043 M - \$44.99

16044 L - \$44.99

16045 XL - \$44.99



1485 \$16²⁴

TILLMAN TRUEFIT INSULATED GLOVES

Made from top grain pigskin, Thinsulate lined, nylon spandex on backside, contoured shape and calibrated thickness, rough side out reinforced palm.

1485M M - \$16.24

1485L L - \$16.24

1485XL XL - \$16.24





925FX \$31.49  4132

PROFLEX DORSAL IMPACT REDUCING

Hi-viz, TPR armor on knuckles, fingers and carpal bone for impact protection, pinch injury prevention, and blow deflection, non-slip finger and thumb grippers. Also available in waterproof (WP), OutDry waterproof (OD), and cut/puncture resistant (CP).

16053 M - \$31.49

16054 L - \$31.49

16055 XL - \$31.49



GL22403 \$32.00

PMI FINGERLESS BELAY GLOVES

Fingerless design constructed of pliable goatskin, extra layer of durable cowhide across the palm, lightweight, innovative designed leather pull tab between fingers for quick removal.

GL22403 M - \$32.00

GL22404 L - \$32.00

GL22405 XL - \$32.00



GL22304 \$38.00

PMI ROPE TECHNICIAN GLOVES

Synthetic leather (palm base layer), cowhide layer (finger wear points and palm), ergonomically shaped, two-way stretch spandex on top and fingers.

GL22303 M - \$38.00

GL22304 L - \$38.00

GL22305 XL - \$38.00



K53 \$49.95  4344

PETZL K53 CORDEX PLUS RIGGING AND RAPPELLING GLOVES

Ergonomic cut for high dexterity without being too tight; made of high quality goat skin for perfect balance between durability and dexterity; goat skin leather; carabiner hole to attach gloves to harness. Available in sizes M-2XL.

42 \$13.49

TILLMAN PIGSKIN WELDING GLOVES

Premium heavyweight top grain pigskin, great in wet and oily conditions, unlined palm for dexterity, cotton/foam lined back for added heat protection, 4" cuff, straight thumb with added reinforcement strap, lock stitching with Kevlar thread.

C34106551 M - \$13.49

C34106541 L - \$13.49

C34120481 XL - \$13.49



K52 \$39.95
PETZL CORDEX BELAY & RAPPEL GLOVES

Lightweight, made from natural, high-quality leather, double layered in high-wear areas, breathable nylon back, neoprene cuff with velcro closure.

K52ST S - \$39.95

K52MT M - \$39.95

K52LT L - \$39.95

K52XLT XL - \$39.95



 2242

750 \$36.95
PROFLEX AT-HEIGHTS GLOVES

Double layer palm and fingertips, EVA foam padding on upper palm, base and middle digit sections provides comfort for climbing and rope work while maintaining superior dexterity at fingertips; rugged stretch spandex shell, double-needle Kevlar stitching on palm and fingers for extended wear and durability, perforated neoprene knuckle pad and cuff, convenient pass-through hole on cuff for clipping to carabiner, adjustable wrist cinch anchor.

16443 M - \$36.95

16444 L - \$36.95

16445 XL - \$36.95



 2112

120-4200
\$24.95

MAXIMUM SAFETY JOURNEYMAN GLOVES

Brown goatskin leather reinforced palm and back, hi-vis yellow knuckle protectors, split goatskin leather reinforced fingertips, internal foam padded palm, TPR molded knuckle guards, nylon spandex fabric, Sandy PVC thumb crotch and thumb reinforcement, micro cotton thumb, easy-on, easy-off design; hook & loop closure patch. Available in sizes S-2XL.



34-874



\$39⁹⁹

**MAXIFLEX
ULTIMATE BY
ATG**

Black micro-foam nitrile coated palm and fingertips, 15 gauge gray seamless knit nylon with Lycra liner, breathable coating keeps hands cool and dry, designed to produce minimal lint and dust, minimal penetration, silicone free, excellent dexterity, sensitivity and tactility. Used in applications which require a high degree of dexterity and sensitivity. (12) pairs, available in sizes 2XS-2XL.



33-G125



\$18⁰⁰

**G-TEK NYLON
GLOVES WITH
POLY GRIP
GLOVES**

Seamless knit nylon shell offers increased comfort, finger dexterity and breathability, Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity, breathable back for comfort, Bulk discounts available. (12) pairs, available in sizes S-2XL.



41-1400



\$56⁴⁹

**POWERGRAB
THERMO**

Seamless construction for a comfortable fit, acrylic gloves provide economical cold weather protection, latex MicroFinish coating provides a superior grip in dry and wet conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled, knit wrist helps prevent dirt and debris from entering the glove, excellent thermal insulation, quickly evaporates moisture from the skin, extra softness for non-chafing comfort, launderable. (12) pairs, available in sizes S-2XL.



34-8745



\$51⁹⁹

**MAXIFLEX
ENDURANCE BY ATG**

Black micro-foam nitrile, fully coated including ribbed knit wrist, 15 gauge Nylon/Lycra liner, unique NitrIDot technology on palm for excellent grip, SinAqua repels water and light oil, Actifresh impedes odors and eliminates germs, designed to produce minimal lint and dust, excellent dexterity, sensitivity and tactility. (12) pairs, available in sizes S-2XL.



56-425



\$58⁹⁹

**MAXIDRY BY ATG
3/4 DIPPED**

Ultra lightweight nitrile on fine gauge seamless knit nylon liner, 3/4 dipped coating, EN certified 100% low level chemical and oil repellent, maximum finger tip tactile sensitivity, GripTech coating offers non-slip capabilities, locking cuff, LiquiTech Barrier Technology provides resistance to oils and liquids, silicone free. (12) pairs, available in sizes S-2XL.



56-424 Dipped coating on palm and fingertips only - \$54.29

34-274



\$39⁹⁹

MAXIFLEX ELITE BY ATG

Blue micro-foam nitrile coated palm and fingertips, blue seamless knit nylon liner, 30% thinner than traditional foam nitrile gloves, patented micro-foam nitrile coating offers 360° breathability, ultra lightweight liner creates smooth and rounded fingertips, minimal penetration (strike through) leaves only the soft liner resting against the skin, silicone free. (12) pairs, available in sizes XS-2XL.



34-C232



\$20⁹⁹

**G-TEK SEAMLESS
NYLON GLOVE W/
COATED FOAM GRIP**

G-Tek seamless one-piece nylon shell offers increased comfort, finger dexterity, and breathability, solid dipped nitrile coatings provide excellent dry grip and will not absorb liquids into the coating, knit wrist helps prevent dirt and debris from entering the glove. (12) pairs, available in sizes XS-XL.



33-G115



\$8⁰⁰

**SEAMLESS KNIT
POLYESTER GLOVE WITH
COATED GRIP**

Seamless knit nylon shell offers increased comfort, finger dexterity and breathability, PU coatings offer great puncture and abrasion resistance with excellent tactile sensitivity, breathable back for comfort. (12) pairs, available in sizes S-2XL.





4544



19-D3400R \$16⁹⁹

G-TEK 3GX

Seamless construction offers increased comfort and breathability; Dyneema & Spandex shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance; Nitrile coated palm and fingertips for excellent dry grip and will not absorb liquids into the coating; knit wrist helps prevent dirt and debris from entering the glove; washable, resistant to chemicals, water, and ultraviolet light; available in sizes XS-2XL.



4441



19-D322 \$7⁹⁹

GREAT WHITE 3GX

Dyneema Diamond and Lycra shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance, Seamless construction offers increased comfort and breathability, polyurethane coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip; available in sizes XS-2XL.



4543



19-D470 \$21⁹⁹

MAXICUT DYNEEMA

Innovative Dyneema engineered high performance yarn and fibers offer cut protection while maintaining high levels of comfort, micro-foam nitrile coatings are compatible with light oils and provide a good grip and excellent abrasion resistance, reinforcement between thumb and forefinger improves cut resistance and extends glove life in wear area, smooth and rounded fingertips improve sensitivity, micro-cup finish allows for controlled grip; available in sizes S-2XL.



4441



09-K1250 \$3⁹⁹

G-TEK KEVLAR

Kevlar and Lycra blend, 15 gauge, lightweight, cut resistant, seamless knit, Polyurethane coated for added abrasion resistance, Kevlar will not melt, ignite or conduct electricity. Dupont Kevlar brand fiber provides high tensile strength relative to its weight - up to five times stronger than steel; available in sizes S-2XL.



4542



19-D330 \$15⁹⁹

G-TEK 3GX

High performance dyneema and spandex shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance, seamless construction offers increased comfort and breathability, polyurethane coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip, washable, resistant to chemicals, water, and ultraviolet light, knit wrists helps prevent dirt and debris from entering glove; available in sizes XS-2XL.



3342



19-D318

\$7⁴⁹

G-TEK 3GX

Dyneema Diamond and Lycra glove with Polyurethane coated smooth grip on palm and fingers, seamless construction offers increased comfort and breathability, Dyneema & Lycra shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance, great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip; available in sizes XS-2XL.



4331



34-8743

\$6⁴⁹

MAXIFLEX CUT BY ATG

High performance yarns and fibres offer cut protection whilst maintaining high levels of comfort, reinforcement between the thumb and forefinger improves cut resistance and extends glove life in an inherently weak area, patented micro-foam nitrile coating offers 360° breathability, mimics the "hand at rest", reducing hand fatigue and increasing comfort; optimized grip delivered through our micro-cup finish, allows for a controlled grip; available in sizes XS-2XL.



2241



09-K3700

\$22⁹⁹

KUT-GARD

Top Grain Goatskin Leather Glove, Drivers gloves feature slip-on styling to provide good fit and comfort, Kevlar fiber liner provides high tensile strength relative to its weight, inherently cut resistant and will not melt, ignite or conduct electricity, top grain goatskin leather palm is soft, abrasion-resistant and is highly recommended for applications requiring tactile sensitivity, Straight thumb increases comfort in closed-fisted work; available in sizes XS-2XL.

95-806

\$4⁹⁹

PIP POLYESTER JERSEY GLOVE

Cotton/Polyester construction is breathable and decreases hand fatigue, knit wrist helps prevent dirt and debris from entering the glove, clute cut provides a roomy fit, straight thumb increases comfort in closed-fisted work, dark color hides the dirt and extends the wear. (12) pairs, one size fits most.

95-806C Women's one size fits most - \$4.99



90-9081

\$9⁹⁹

PIP CANVAS SINGLE PALM

Simple and reliable hand protection, multi-purpose fabric gloves, used for light protection in many general applications, natural cotton canvas keeps hands cool and protected, knit wrist helps prevent dirt and debris from entering the glove, clute cut provides roomy fit, straight thumb increases comfort in closed-fisted work. (12) pairs, one size fits most.



33-GT125

\$19⁹⁹

G-TEK TOUCH SEAMLESS KNIT

Seamless knit polyester for great dexterity, polyurethane coated palm and fingers for abrasion resistance, breathable back for comfort, static wired thumb, index finger and middle finger allows user to operate touch screen phone or device without removing gloves. Used in construction, sanitation, law enforcement, fire, utilities, electronic and computer assembly, quality control, inspection and general assembly. (12) pairs.



4131



68-101 \$78⁹⁹

PIP TOP GRAIN COWHIDE LEATHER DRIVER

Top Grain Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability; features slip-on styling, straight thumb increases comfort in closed-fisted work, elastic closure. (12) pairs, available in sizes XS-XXL.



69-134 \$44⁹⁹

PIP SPLIT COWHIDE

Split Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability; split leather is economical and has a visible texture, features slip-on styling, straight thumb increases comfort in closed-fisted work, elastic closure. (12) pairs, available in sizes S-XL.



85-7500 \$19⁹⁹

PIP SPLIT LEATHER PALMS WITH SAFETY CUFFS

Economy grade cowhide split leather palm glove, wing thumb, and knuckle strap; blue, black, and red striped fabric back; 2.75" rubberized safety cuff with cotton binding, elastic closure sewn inside glove for safety and comfort, cotton lined palm for extra comfort. (12) pairs, available in sizes S-XL.



85-7512 \$24⁹⁹

PIP B/C GRADE SPLIT LEATHER PALM GLOVE WITH FABRIC BACK

Constructed of "B/C" grade shoulder split cowhide, cotton lined palm, gunn cut pattern delivers excellent durability, wear, and comfort; wing thumb increases comfort in open-handed work, fabric back provides breathability and flexibility, rubberized safety cuff. (12) pairs, available in Men's XL.



64-346PF \$54⁹⁹

AMBI-DEX FOOD GRADE NON-LATEX POWDER FREE

Designed for medical and other applications to avoid concerns regarding latex proteins, excellent form-fitting grip, powder free to reduce allergic reactions, ambidextrous for quick and easy donning, food grade, smooth grip. (12) pairs, available in sizes S-XL.





250-AN-10112 \$3⁹⁹

BOUTON ANSER

Black frame, smoke lens, anti-scratch, semi-rimless design provides all day user comfort, sleek and sporty style with wraparound lens protection, bayonet temples with flexible rubber tips for comfortable and secure fit, soft rubber nose pads to keep glasses in place, adjustable neck cord, 9 base curve, 99.9% UV protection, ANSI compliant.

- 250-AN-10114 Black frame, I/O lens - \$4.19
- 250-AN-10110 Black frame, clear lens - \$3.99
- 250-AN-10120 Black frame, amber lens - \$3.99
- 250-AN-10125 Black frame, silver mirror lens - \$4.49
- 250-AN-10115 Black frame, blue mirror lens - \$4.99
- 250-AN-10123 Camo frame, gray lens - \$6.99
- 250-AN-10121 Camo frame, brown lens - \$6.99
- 250-AN-10118 Black frame, IR Filter 3.0 lens - \$6.99
- 250-AN-10119 Black frame, IR Filter 5.0 lens - \$7.99

{ COMPARE TO
NEMESIS



bouton
OPTICAL
a clear vision of safety



56030 \$19⁹⁹

SKULLERZ LOKI GLASSES/GOGGLES

Full frame safety glasses convert to sealed goggle with interchangeable temples, elastic strap and removable foam gasket (all included); ANSI compliant for both spectacles and goggles; MIL-PRF-32432 compliant.

50030 \$17⁹⁹

SKULLERZ ODIN SAFETY GLASSES

Full frame safety glasses; rubber co-injection temples and non-slip nose piece; polycarbonate lenses with scratch-resistant coating filter 99.9% of harmful UVA; ANSI compliant; MIL-PRF-32432 compliant.

52320 \$12⁹⁹

SKULLERZ DAGR SAFETY GLASSES

Sleek half frame; rubber co-injection temples and non-slip nose piece; polycarbonate lenses with scratch-resistant coating filter 99.9% of harmful UVA; ANSI compliant; MIL-PRF-32432 compliant.

250-47-0005 \$8⁹⁹

BOUTON SUNBURST

This "sun" collection offers polarized and mirror plus lenses featuring an AR treatment to eliminate reflection, lightweight, full frame design for all day comfort, bayonet temples are rubber co-molded for a secure fit, non-slip rubber nose pads provide a comfortable fit, 8 base curve lens, 99.99% UV protection, black frame, silver mirror lens, anti-scratch, anti-reflective, reduces glare up to 15% more than tinted lenses alone, ANSI compliant.

250-47-0004 Black frame, red mirror lens - \$8.99

250-47-0007 Black frame, gold mirror lens - \$8.99

250-47-0006 Black frame, blue mirror lens - \$8.99

250-47-1008 Black frame, green mirror lens - \$8.99



bouton
OPTICAL
a clear vision of safety



bolle
SAFETY

*Discounted case packs available for all styles. Additional lens options available in case packs.



51330 \$17⁹⁹

SKULLERZ THOR SAFETY GLASSES

Large full frame; rubber co-injection temples for a secure fit; polycarbonate lenses with scratch-resistant coating filter 99.9% of harmful UVA; ANSI compliant; MIL-PRF-32432 compliant.

40050 \$18⁹⁹

BOLLE SAFETY CONTOUR METAL

High impact 2.2mm polycarbonate lens, anti-fog/anti-scratch, 99.99% UVA/UVB light absorption, 8 base curve, dual piece lens, 180° distortion free viewing, pouch and adjustable neck cord, ANSI compliant.

40081 \$7⁹⁹

BOLLE SAFETY SLAM

High impact 2.3mm polycarbonate lens, anti-fog/anti-scratch, 99.99% UVA/UVB light absorption, 11 base curve, single piece lens, 180° distortion free viewing, pouch and adjustable neck cord, ANSI compliant.

PERSONAL SAFETY // PROTECTIVE EYEWEAR



MORE COLORS & OPTIONS

250-01-0021 \$17⁶⁹

SAFETYGEAR ZENON Z12

Gray polycarbonate lens and temples, anti-scratch/anti-fog, rimless design, molded nose bridge, 9.5 base curve, 99.9% UV protection, ANSI compliant.

250-01-0920 Clear lens and temples - \$17.69



MORE COLORS & DIOPTERS

250-27-0115 \$2⁹⁹

SAFETYGEAR ZENON Z12R READERS

28 mm wide reading magnifier, lightweight, rimless design; rubberized temples, gray rubber co-molded temples, molded nose bridge design, 9.25 base curve, +1.50 Diopter, ANSI compliant.



MORE COLORS & DIOPTERS

250-25-0020 \$4⁹⁹

SAFETYGEAR MAG READERS

30 mm wide curved top reading magnifier, +2.00 diopter, durable nylon frame with extra wide bridge pads and soft temple pads for added comfort, 8 base curve, ANSI compliant.



250-99-0900 \$1⁹⁹

BOUTON SCOUT (VISITOR GLASSES)

Large frame that can be used alone or as an Over-The-Glass style to fit all personal eyewear, polycarbonate unilens, molded nose bridge design, indirect vent temples to reduce fogging, 4 base curve, ANSI compliant.



MORE COLORS

250-31-0021 \$4⁹⁹

BOUTON BULLSEYE

Gray lens, lightweight, rimless design, flexible bayonet style temples provide a secure fit, molded nose bridge design to fit the vast majority of users, 9 base curve, anti-scratch/anti-fog coating, ANSI compliant.



MORE COLORS

250-32-0031 \$6⁹⁹

BOUTON RECON

Gradient lens, lightweight, rimless design; rubber co-molded bayonet temples for a comfortable fit, non-slip rubber nose pads, anti-fog lens coating, anti-scratch, 10 base curve, ANSI compliant.



MORE COLORS

MORE COLORS

**Discounted case packs available for all styles. Additional lens options available in case packs.*



40071 \$7⁹⁹

BOLLE SAFETY RUSH

High impact 2.2mm smoke polycarbonate lens, anti-fog/anti-scratch, 99.99% UVA/UVB light absorption, 10 base curve, single piece lens, 180° distortion free viewing, adjustable neck cord, ANSI compliant.

40159 \$17⁹⁹

BOLLE SAFETY SHADOW

High impact 2.0mm red mirror polycarbonate lens, anti-scratch, 99.99% UVA/UVB light absorption, 8 base curve, dual lens, distortion free viewing, pouch and adjustable neck cord, ANSI compliant.

40149 \$14⁹⁹

BOLLE SAFETY HUSTLER

High impact 2.2mm polycarbonate lens, anti-fog/anti-scratch, 99.99% UVA/UVB light absorption, 8 base curve, dual lens, 180° distortion free viewing, pouch and adjustable neck cord, ANSI compliant.



40095 \$19⁹⁹

BOLLE NITRO

High contour lens with 180 degree distortion free viewing and superior optical quality, ultra-low profile design fits under hard hats, latex-free adjustable pivoting strap, anti-scratch/anti-fog, ANSI compliant.



248-5090-400B \$3⁹⁵

BOUTON 550 SOFTSIDES DIRECT VENT

Provides protection from chips and flying particles, anti-scratch/anti-fog, direct side ventilation, soft vinyl body, fits over most prescription glasses, elastic headband, 99.9% UV protection, ANSI compliant.



MORE COLORS

40097 \$31⁹⁹

BOLLE DUO

High impact double polycarbonate lens, anti-fog/anti-scratch, 99.99% UVA/UVB light absorption, 9 base curve, indirect lower vents, fog-free performance, TPR frame, adjustable strap, ANSI compliant.



MORE COLORS

40085 \$19⁹⁹

BOLLE TRACKER

Protection from chemical and mechanical risks, upper and lower protection, removable foam reinforcement with indirect ventilation, removable adjustable strap, side ventilation, anti-scratch/anti-fog, ANSI compliant.



MORE COLORS

40092 \$17⁴⁹

BOLLE ATOM

Extremely comfortable thermo plastic rubber (TPR) frame, overflow chute for liquids, ball-pivot, adjustable strap, fits over prescription glasses, anti-scratch/anti-fog, ANSI compliant.



MORE COLORS

250-50-0420 \$8⁴⁹

BOUTON FUSELAGE

Clear lens, anti-scratch/anti-fog, temples and headband snap in/out to easily convert from safety glass to dust goggle, flame resistant soft foam padding, 8 base curve, 99.9% UV protection, ANSI compliant.



MORE COLORS

250-33-0021 \$8²⁹

BOUTON COMMANDER

Gloss black frame, gray lens, semi-rimless design; bayonet style temples, anti-scratch/anti-fog coating to keep vision clear, adjustable rubber nose pads, 9.5 base curve, ANSI compliant.



MORE COLORS

250-46-0021 \$4⁴⁹

BOUTON CAPTAIN

Gray lens, rimless design provides all day comfort, bayonet temples with end tips that curve out for ease of placement on face, 9 base curve, non-slip rubber nose pads, anti-scratch/anti-fog coating, ANSI compliant.



250-48-0226 \$7⁴⁹

BOUTON BLIZZARD

White frame, blue lens, lightweight, semi-rimless design; rubber co-molded bayonet temples for a comfortable fit, non-slip rubber nose pads, anti-scratch, anti-fog, 8 base curve, ANSI Compliant.

bouton
OPTICAL
a clear vision of safety



WWW.ERGODYNE.COM

©2016 ERGODYNE

COOL DRIVES COMPLIANCE

SKULLERZ® EYE PROTECTION



ODIN // SAFETY GLASSES



THOR // SAFETY GLASSES
FEATURING KRYPTEK®



DAGR // SAFETY GLASSES
FEATURING KRYPTEK®



LOKI // SAFETY GLASSES/GOGGLES

VIEW THE FULL EYE PROTECTION COLLECTION AT WWW.ERGODYNE.COM



270-2050 \$8⁴⁹

N95 CONE RESPIRATOR

95% filtration efficiency against airborne particles, not resistant to oil, low breathing resistance and a soft inner lining ensure all-day comfort, adjustable outside nosepiece (with inside foam padding) provides a proper fit, flanged mask edge for better face seal and less inward leakage, latex-free braided head straps, ultrasonic welding of straps on wings (no staples), **exhalation valve for easier breathing**, (10) masks.

270-2000 Without Valve, (20) masks - \$9.69



270-3050 \$8⁹⁹

N95 FLAT FOLDED RESPIRATOR

95% filtration efficiency against airborne particles, not resistant to oil, flat design to easily fit inside pockets, soft and comfortable, adjustable nosepiece (with inside foam padding) provides a proper fit, latex-free adjustable rubber head strap, individually packed to remain clean prior to use, **exhalation valve for easier breathing**, (10) masks.

270-3000 Without Valve, (20) masks - \$10.99



N1115 \$17⁹⁹

SPERIAN SAF-T-FIT PLUS BOOMERANG

Molded cup design, boomerang nose seal, low breathing resistance, humidity-resistant filter media, durable suspension straps, latex free, available in sizes S-XL, (10) masks, N95 filtration efficiency.

N1125 With exhalation valve - \$36.99



N1139 \$27²⁹

SPERIAN SAF-T-FIT PLUS FULL FACE

Molded cup design, full face seal, low breathing resistance, humidity-resistant filter media, durable/adjustable suspension straps, exhalation valve, latex free, available in sizes S-XL, (10) masks, N99 filtration efficiency.

P1130 P100 filtration efficiency, (1) mask - \$7.99

6900 \$144⁹⁹

3M FULL FACE 6000 SERIES RESPIRATOR

Unique center adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve, quick and easy cleaning, large lens for wide field of view and excellent visibility, Cool Flow valve for cooler, drier comfort; lightweight, well-balanced design with silicone faceseal for enhanced comfort and durability; air purifying respirator (APR), supplied air (SA) and powered air purifying respirator (PAPR) modes, helps provide respiratory protection against a wide variety of gases and vapors when used with approved cartridges and filters. Available in sizes S-L.



888888 \$1,587⁹⁹

SPERIAN SURVIVAIR COUGAR SCBA

Meets the demands of industrial users who want the finest respiratory protection against environments that are Immediately Dangerous to Life or Health (IDLH), provides superior safety and comfort for industrial needs, Silicone rubber facepiece provides comfort and durability, even in extreme heat or cold; won't oxidize or react with ozone, basic industrial SCBA, low pressure, 30 min, 2216 psig, bell alarm, aluminum cylinder w/out locking collar, facepiece, nose cup, silicone headstrap, backpack is light and comfortable; no tools required for quick, easy disassembly and assembly.





8233 \$9⁹⁹

3M N100 DISPOSABLE RESPIRATOR

NIOSH's highest rated filtration efficiency in a disposable respirator N100, CoolFlow valve helps keep wearer cool, comfortable foam face seal, adjustable buckle straps, compatible with a variety of protective eyewear and hearing protection, adjustable noseclip, individually packaged.



8293 \$10⁹⁹

3M P100 DISPOSABLE RESPIRATOR

NIOSH's highest rated filtration efficiency in a disposable respirator P100, CoolFlow valve helps keep wearer cool, comfortable foam face seal, adjustable buckle straps, compatible with a variety of protective eyewear and hearing protection, adjustable noseclip, individually packaged.



8577 \$42⁹⁹

3M P95 DISPOSABLE RESPIRATOR

NIOSH P95 filter media helps protect against certain oil and non-oil based particles, carbon layer reduces exposure to nuisance levels of organic vapors, CoolFlow valve and adjustable M nose clip, braided head bands, soft inner materials, spacious and durable, box of (10).



8214 \$32⁹⁹

3M N95 DISPOSABLE RESPIRATOR

Used in applications involving metal fumes, carbon filter media reduces exposure to ozone/nuisance level of organic vapors, cake resistant filter media and flame resistant, comfortable foam face seal/fully adjustable straps, CoolFlow valve helps keep wearer cool.



7503 \$29⁹⁹

3M HALF FACEPIECE 7500 SERIES REUSABLE RESPIRATOR

Advanced silicone material for increased comfort and durability, CoolFlow valve for cool, dry comfort; dual-mode head harness for standard or drop-down mode. Available in sizes S-L.



6300 \$14⁹⁹

3M HALF FACEPIECE 6000 SERIES REUSABLE RESPIRATOR

Offers reliable, convenient respiratory protection when combined with 3M Particulate Filters or Cartridges, compatible and convenient respiratory protection. Available in sizes S-L.

3M RESPIRATOR CARTRIDGES

PART	CARTRIDGE TYPE	NIOSH APPROVED FOR	COMPATIBLE WITH	QTY	PRICE
60923	OV/AG/P100/Organic Vapor/Acid Gas/ P100	Certain Organic Vapors, Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Hydrogen Sulfide or Hydrogen Fluoride and Particulates	6000, 6500, 7500, and FF-400 Series	2	\$21.99
60924	AM/MA/P100/Ammonia/Methylamine/P100	Ammonia and Methylamine and Particulates	6000, 6500, 7500, and FF-400 Series	2	\$24.99
60925	FM/OV/P100/Formaldehyde/Organic Vapor/P100	Formaldehyde and Certain Organic Vapors and Particulates	6000, 6500, 7500, and FF-400 Series	2	\$24.99
60926	MG/ V/P100/ Multi-Gas/Vapor/P100	Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide, Ammonia/Methylamine, Formaldehyde or Hydrogen Fluoride and Particulates	6000, 6500, 7500, and FF-400 Series	2	\$23.99
60926S	HG/P100/Mercury/P100	Mercury Vapor, Chlorine, Sulfur Dioxide and Certain Particulates	6000, 6500, 7500, and FF-400 Series	2	\$32.99

3M RESPIRATOR FILTERS

PART	FILTER TYPE	NIOSH APPROVED FOR	COMPATIBLE WITH	QTY	PRICE
2091	P100	Particulates	6000, 6500, 7500, and FF-400 Series	2	\$6.99
2291	P100	Particulates	6000, 6500, 7500, and FF-400 Series	2	\$7.99
2096	P100 with nuisance level Acid Gas	Particulates	6000, 6500, 7500, and FF-400 Series	2	\$8.99
2296	P100 with nuisance level Acid Gas	Particulates	6000, 6500, 7500, and FF-400 Series	2	\$9.99
2097	P100 with nuisance level Organic Vapor	Particulates	6000, 6500, 7500, and FF-400 Series	2	\$8.99
2297	P100 with nuisance level Organic Vapor	Particulates	6000, 6500, 7500, and FF-400 Series	2	\$9.99
5N11	Prefilter for N95	Non-Oil Particulates	6000, 6500, 7500, and FF-400 Series	10	\$14.99
5P71	Prefilter for P95	Particulates	6000, 6500, 7500, and FF-400 Series	10	\$17.99



148820 \$209⁹⁹
NORTH MAJOR TRAUMA KIT

Assembled especially for use by those trained in rescue of injured victims, contains all the supplies necessary to treat a variety of wounds and other emergency medical needs, rugged nylon bag with carry straps for easy transport, includes adhesive tape, assorted bandages, hand wash, bloodstopper, facial dressing, eye wash, emergency blanket, rescue blanket, forceps, scissors, cold packs, first aid booklet, ABD pads, gauze pads, eye pads, Microshield CPR Mask, splint boards, gloves, wipes and hydrocortizone.



3100 \$121⁹⁹
PAC-KIT FIRST RESPONDER KIT

Durable Flambeau case holds a full assortment of EMT grade first responder supplies; snap tight Flambeau case with carrying handle; sold as a (98) piece kit; kit size: 17.5" x 12" x 13.5".

90292 \$7⁹⁵
PAC-KIT TITANIUM BONDED SHEARS 7"

Perfect for ER staff, EMS personnel, paramedics, or for use in rescue kits. Titanium bonded blades are three times stronger than stainless steel. Able to cut through lanyards or harness webbing in the event of a rescue situation. 7" shears with comfort grip grey/yellow handles.



3020 \$21⁹⁵
PAC-KIT EMERGENCY CPR KIT

Emergency CPR kit includes mask, gloves, antiseptic wipes, emergency blanket and biohazard bag; zip up soft pouch with handles, (11) piece kit, bag size: 7.5" x 7" x 2".



9000 \$199⁹⁹
PAC-KIT ALL-TERRAIN FIRST AID KIT

For intense working conditions, contains essential supplies for common injuries on fracking, mining, oil/gas refinery, and power generation/utilities worksites; comes stocked with emergency supplies to combat severe burns, eye injuries, major wounds, snake bites, stings, and other on-site emergencies.



3500 \$132⁹⁹
PAC-KIT EMS BAG WITH EXPANDED REFILL

Emergency response trauma kit includes a full assortment of EMS grade first responder supplies, snap cover closure soft bag with organizer compartments inside, roomy but compact, (151) piece kit, bag size: 11.5" x 10.5" x 5".



3300 \$174⁹⁹
PAC-KIT EMERGENCY RESPONSE BACKPACK

Emergency response backpack includes a full assortment of EMT grade first responder supplies, Soft sided zip up backpack with carrying straps, 91 piece kit; kit size: 12" x 16" x 5".



7082 \$27⁹⁹

PAC-KIT SOFT POUCH FIRST AID KIT

Zip up soft pouch first aid kit; 7.5" x 7" x 3"; contents meet or exceed those required items from ANSI Z308.1-2009; OSHA compliant pouch has easy carry handles or is wall mountable; (25) person.

7088 (50) person - \$48.99



6410 \$16⁹⁹

PAC-KIT WEATHERPROOF PLASTIC FIRST AID KIT

Weatherproof plastic; contents meet or exceed those required items from ANSI Z308.1-2009; gasket seal keeps contents free of dust and moisture; neat, orderly interior packaging makes contents easy to locate and use; OSHA compliant box has easy carry handle or is wall mountable; (10) person kit.

6430 (25) person kit - \$20.99

6490 (50) person kit - \$29.99



019741-0028L

\$16⁴⁹

NORTH BITE AND STING FIRST AID KIT

This first aid kit is developed specifically for treatment of bites and stings; ideal for snake and spider bites, and mosquito, bee and wasp stings; kit contents: (3) 020795 adhesive bandages, (2) 1" x 3" 021047 alcohol pads, disposable shaver, sting and bite pump with nozzles, (2) 021202P sting relief wipes.



6400 \$31⁴⁹

PAC-KIT WEATHERPROOF VEHICLE FIRST AID KIT

Weatherproof steel, 4.5" x 7.5" x 2.75", contents meet or exceed those required items from ANSI Z308.1-2009; OSHA compliant box has easy carry handle or is wall mountable; (10) person kit.

6420 (25) person kit - \$40.99

6450 (50) person kit - \$49.99



299-13210 \$13⁹⁹

PIP FIRST AID KIT

Contains the supplies you need to treat minor injuries, plastic box is gasketed for weatherproof protection, convenient molded carry handle includes slots for wall mounting, lightweight kit is ideal for use in the office or vehicle, labels have first aid instructions in English and Spanish, meets ANSI Z308.1-2009 requirements, (10) person kit.

299-13225 (25) person kit - \$18.99

299-13255 (50) person kit - \$34.99



RC-562 \$17⁴⁹

RED CROSS EMERGENCY PREPAREDNESS KIT WITH FIRST AID

Essential preparedness supplies, large clear pockets keep items organized and easily accessible, first aid treats cuts, scrapes, minor burns, and itching; zippered design keeps contents in one convenient place, includes supplies to keep you warm or dry and signal for help; perfect for the home, car or workplace.



6155 \$139⁹⁹

PAC-KIT 3 SHELF STEEL FIRST AID STATION

17.5" x 13.5" x 6"; (50) 1" x 3" heavy woven fabric strips; (10) heavy woven extra large strips; (25) heavy woven knuckle bandages; (25) heavy woven fingertip bandages; 12" sterile gauze bandages; 14" sterile gauze bandages; (10) 2" gauze pads; (10) 3" gauze pads; (10) 4" gauze pads; hema-seal trauma dressing; 22" tri-cut adhesive tape; (2) triangular bandages; (100) alcohol antiseptic wipes; (25) antiseptic towelettes; (25) first aid/burn cream packets; (25) triple antibiotic ointment packets; 14 oz eyewash, sterile eye cup, pads, strips; 14 oz burn spray; 14 oz antiseptic spray; (50) extra strength non-aspirin tablets; (100) cotton tip applicators; large instant cold pack; 14" elastic bandages; (100) exam gloves; scissors; forceps; and first aid guide.



PK-6155R \$79⁹⁹

PAC-KIT 3 SHELF FIRST AID STATION REFILL

Completely refills your 3 shelf first aid kit, part number 6155, all contents meet or exceed ANSI Z308.1-2009, includes 493 items, contains supplies for treating traumatic wounds, cuts, abrasions, headaches, and burns.



24-500 \$43⁹⁹

PAC-KIT PHYSICIANS CARE FIRST AID KIT AND EYE WASH STATION

Combination eyewash and first aid station, (25) person first aid kit provides essential supplies for most common workplace injuries, 16 oz eyewash for flushing or irrigating the eyes, includes eye cup for easily focusing the fluid stream into affected eye, wall mountable, includes mounting hardware, ANSI and OSHA compliant, FDA approved eyewash.



24-102 \$21⁹⁹

PAC-KIT EYE WASH STATION

Twin bottle eye flush station station with wall mount, used for flushing or irrigating the eyes, includes eye cup for easily focusing the fluid stream into affected eye, includes (2) 16 oz bottles of eye wash.

24-300 (2) 32 oz bottles of eye wash - \$39.99

24-202 Single station with (1) 32 oz bottle of eye wash - \$19.99



24-101 \$7⁹⁹

PAC-KIT 16 OZ EYE WASH REFILL

Replacement bottles of sterile isotonic buffered solution for flushing or irrigating the eyes. Also available in cases of 12.

24-201 32 oz bottles - \$11.99



100 \$16⁹⁹

PROFLEX ECONOMY BACK SUPPORT

Economical spandex body, non-conductive polypropylene stays, 280D spandex body material, adjustable/detachable suspenders, rubber track webbing, additional sizes available.

- 11382 S (25-30") - \$16.99
- 11383 M (30-34") - \$16.99
- 11384 L (34-38") - \$16.99
- 11385 XL (38-42") - \$16.99



1100SF \$22⁹⁹

PROFLEX STANDARD BACK SUPPORT

Non-conductive Sticky Fingers stays, innovative Power Panel Positioners, durable 280D spandex body material, adjustable/detachable suspenders, stretchable bias binding, additional sizes available.

- 11602 S (25-30") - \$22.99
- 11603 M (30-34") - \$22.99
- 11604 L (34-38") - \$22.99
- 11605 XL (38-42") - \$22.99



2000SF \$30⁴⁹

PROFLEX PERFORMANCE BACK SUPPORT

Non-conductive Sticky Fingers stays, innovative Power Panel Positioners, unique V-shaped design, 840D spandex body material, adjustable/detachable suspenders, stretchable bias binding, additional sizes available.

- 11282 S (25-30") - \$30.49
- 11283 M (30-34") - \$30.49
- 11284 L (34-38") - \$30.49
- 11285 XL (38-42") - \$30.49

342 \$73⁹⁹

PROFLEX EXTRA LONG CAP INJECTED GEL KNEE PAD

Patented suspension design redirects pressure away from the patella, 100% Injected Gel and PU foam for long lasting comfort, wide/breathable lycra strap with hook and loop closure, unique fastening system uses calf muscle to eliminate straps behind knee, extended shin protection optimizes stability and comfort, adjusts to any calf size, silicone-free.



291-110

\$8⁹⁵

PIP NON-MARRING KNEE PADS

Protect your knees against injuries sustained as a result of constant kneeling, ideal for delicate surfaces, extended rubber-like PVC cap won't mar, scratch, or scuff surfaces, ergonomically designed to flex with knee movement, slip-resistant ridges prevent sliding, adjustable hook and loop closure straps ensure secure fit.



367 \$32⁵⁹

PROFLEX LOW-PROFILE CAP GEL KNEE PAD

Gel and EVA foam for lightweight comfort, grooved cap design for added grip, low profile cap prevents rollover, upper and lower elastic straps with hook and loop closure, short cap design for lightweight and mobile protection, silicone-free.



620 \$22²⁹

PROFLEX KNEE SLEEVE

Knee sleeve with Open Patella/ Spiral Stays, contoured design conforms to the body's natural shape, neoprene four-way stretch fabric provides uniform support and warmth, ambidextrous.

- 16542 S (13-14") - \$22.29
- 16543 M (14-15") - \$22.29
- 16544 L (15-16") - \$22.29
- 16545 XL (16-18") - \$22.29
- 16546 2XL (18-20") - \$22.29

4000 \$9⁸⁹

PROFLEX SINGLE STRAP WRIST SUPPORT

Limits downward (flexion) wrist movements, patented Open-Center Stay, elastic two-stage hook & loop closure, anti-odor treatment. Available in black or tan, sizes S-XL, left or right handed.





* Price varies based on color and size.

SEASONAL ITEM WITH LIMITED AVAILABILITY. BLACK JACKET IS A STOCK ITEM.



2395/2391/2393 starting at \$199^{99*}

MILWAUKEE M12 CORDLESS HEATED JACKET KIT

(5) carbon fiber heating elements distribute heat to core body area and pockets, (3) heat settings adjustable by zone to provide the right amount of heat to the hands, core and upper back; water/wind resistant polyester with an interior storm flap and thermal knit fleece inner lining, powered by M12 REDLITHIUM battery with up to (6) hours of continuous heat on a single charge, battery fuel gauge and built-in USB port to charge phones and other portable electronics, includes battery and charger. Available in red, black, and camouflage; sizes S-3XL.

2347 starting at \$199^{99*}

MILWAUKEE M12 CORDLESS HI-VIZ HEATED JACKET KIT

(3) carbon fiber heating elements distribute heat to core body area and pockets, (3) heat settings adjustable by zone to provide the right amount of heat to the hands, core and upper back; 3M Scotchlite reflective material meets ANSI/ISEA 107-2010 class 3 standards, zip-in removable hood, powered by M12 REDLITHIUM battery with up to (6) hours of continuous heat on a single charge, external pockets to hold portable electronics and pens, hidden inside pocket allows for easy custom embroidery, sizes M-4XL;



6490 \$214^{99*}

CORE PERFORMANCE WORK WEAR HEATED JACKET WITH REMOVABLE SLEEVES

(2) heat zones: front chest and back, (3) heat settings: high, medium, low; preheat mode option for decreased warm up time, adapter extension wire allows user to heat jacket from alternative power source, up to (9) hours of continuous heat, water and wind resistant outer shell, fleece lining; (3) external pockets, rechargeable battery: 7.4V, 5200 MAH lithium ion battery, wall charger. Available in sizes M-3XL.

6490J Jacket only - \$139.95



2322-21 \$99⁰⁰

MILWAUKEE HEATED HAND WARMER KIT

A thermal-knit fleece inner liner and upgraded carbon fiber heating elements take cold out of the equation on the jobsite and during outdoor activities; (3) heat settings; multi-layered fabric technology; actively warms hands and stimulates blood circulation to fingers; powered by the M12 REDLITHIUM battery; up to (6) hours of continuous heat on a single charge; convenient external pocket; adjustable buckle strap. Available in black or camo.



6821 \$5⁹⁹
N-FERNO FLEECE BALACLAVA

Stretch fleece keeps head and neck comfortable, 320g Polyester fleece for warmth in extreme conditions, long length, reflective accent for higher visibility.



6824 \$11⁹⁹
N-FERNO WOOL BLEND BALACLAVA

Polyester/Wool blend for the ultimate in warmth and moisture wicking, easily fits underneath a hard hat, long length, lightweight and stretchable, reflective accents help keep workers safe and seen.



6952 \$12⁹⁵
N-FERNO WINTER LINER SHOULDER LENGTH

3-Layer nylon/foam/sherpa, 100% quilted nylon shell, foam mid-layer, 100% Poly Sherpa lining, shoulder length, elastic gather at forehead, warming pack pockets.



6802 \$28⁹⁵
N-FERNO CLASSIC TRAPPER HAT

Trimmed with faux fur, quilted satin crown lining, weather resistant nylon shell, 60 grams of Thinsulate insulation from 3M, YKK buckle with strap, button flaps with side holes for hearing. Available in sizes S/M and L/XL.



6826 \$8⁹⁸
N-FERNO 2-PIECE FLEECE BALACLAVA

Stretchable fleece to cover neck, head, and face or detach for a separate cap or neck gaiter; unique hook and loop suspensions to attach cap to a hard hat for better stability, long length, reflective accents help keep workers safe and seen.



6950 \$10⁹⁵
N-FERNO WINTER LINER NORMAL LENGTH

3-Layer nylon/foam/sherpa, 100% quilted nylon shell, foam mid-layer, 100% Poly Sherpa lining, normal length, elastic gather at forehead, warming pack pockets.



6823 \$14⁹⁵
N-FERNO WIND-PROOF HINGED BALACLAVA

Stretchable fleece with wind-resistant fabric covering the nose and neck, unique hinged design, 3-panel construction with flat lock stitching for a comfortable fit, reflective accents, long length.



6970 \$41⁹⁹
N-FERNO EXTREME BALACLAVA WITH HOT ROX

2-piece, 320g fleece design envelopes the face, neck and head, built-in heat exchanger, form-fitting design prevents eyewear from fogging, adjustable mask with hook and loop attachments, removable face mask.



6827 \$11⁹⁹
N-FERNO 2-PC FLEECE/NEOPRENE BALACLAVA

Stretchable fleece to cover neck, head, and face or detach for a cap or neoprene mask neck gaiter, long length, reflective accents, hook and loop suspensions to attach cap to a hard hat for better stability.



6825 \$43⁹⁹
N-FERNO NOMEX BALACLAVA

Stretchable Nomex fleece keeps head and neck comfortable while providing FR protection with an ATPV value of 9.7 (HRC 2), long length.

1150 \$21⁵⁵

TINGLEY TUFF ICE AND SNOW TRACTION OVERSHOES

UHigh stretch rubber stays strong and flexible in cold temperatuere; carbon steel studs grip ice and snow surfaces; fits a variety of footwear styles; easy to take on and off; fits either foot, no need to distinguish left from right; rust and corrosion resistant. M (8-9.5), L (9.5-11), XL (11-12.5), 2XL (12.5-14).



6304 \$14⁹⁹

TREX ICE TRACTION DEVICE

(12) rugged, heat-treated carbon steel studs for tenacious grip and stability, stretchable rubber construction, contoured "step in" 3D design that easily wraps boots and shoes for a superior fit, flexible to -40°F, S (5-7), M (7-9), L (9-11), XL (11-14).



6320 \$37⁹⁹

TREX AGGRESSIVE SPIKE ICE TRACTION DEVICE

Durable stainless steel aggressive chain and spike system offers tenacious grip and stability on ice and snow, heel spike plate provides enhanced traction on uneven surfaces, stretchable rubber ring ensures a secure fit and maintains flexibility to -40°F, S (5-7), M (7-9), L (9-11), XL (11-14).



06065 \$19⁹⁵

ICETREKKERS SPIKES TRACTION CLEATS

Can be used with a variety of footwear, easy to put on and to take off, stays on the footwear without the need for buckles or straps, 7-point contact on the ball and heel of the foot, providing grip even in glare ice conditions, made with tungsten carbide encased in an alloy steel housing, S/M (3.5-7.5), L/XL (8-12).



6300 \$12⁹⁹

TREX ICE TRACTION DEVICE

(8) rugged, heat-treated carbon steel studs for tenacious grip and stability, stretchable rubber for fit and easy on/off, flexible to -40°F, M (5-8), L (8-11), XL (11-14), 2XL (14-16).



6310 \$21⁹⁹

TREX ADJUSTABLE ICE TRACTION DEVICE

Adjustable one-piece traction device for shoes or boots, delivers tenacious grip and stability; (10) heat-treated carbon steel studs, adjustable cord cinches tight for a secure fit, stretchable rubber for easy on/off, aggressive tread connects mid-foot and heel stud zones; M (5-8), L (8-11), XL (11-13).



06004 \$41⁹⁵

ICETREKKERS DIAMOND GRIP TRACTION CLEATS

Patented Diamond Bead design provides hundreds of biting edges for superior traction in ALL snow and ice conditions, comfortable for prolonged use, durable rubber sling remains elastic in sub-zero temperatures, easy on and off, self-clearing so there is no snow or ice buildup.



08161 \$39⁹⁵

YAKTRAX RUN TRACTION CLEATS

Durable and lightweight, custom fit most footwear, anatomic right/left design, high-strength natural rubber, replaceable 3mm carbide steel spikes, abrasion-resistant 1.4mm steel coils, reflective heel tab, formed toe for secure fit, reflective performance strap, removable forefoot strap, provides the user with a more natural footing by using a combination of removable spikes and steel coils with 360 degrees of unbeatable traction and stability, can be worn as low as -41 degrees Fahrenheit; S (5-8.5), M (9-11), L (11.5-13.5), XL (14+).



08609 \$29⁹⁵

YAKTRAX PRO TRACTION CLEATS

Spikeless, ultra-lightweight design, 360 degrees of traction with patented skid lock coil system, durable natural rubber blend for flexible fit, abrasion resistant 1.4MM steel coils, removable performance strap ensures fit, heel tab allows for easy installation and removal, walk, run, or work on slick surfaces with the same stability you're accustomed to on dry surfaces; S (5-8.5), M (9-11), L (11.5-13.5), XL (14+).





6465 \$139⁹⁹

CORE PERFORMANCE WORK WEAR THERMAL JACKET

Keeps your fire lit in the deep freeze and allows remarkable range of motion. Rugged 300D Polyester shell with PU coating, soft, warm fleece lining, Armortex reinforcement zones in heavy wear areas, storm flap front, YKK zippers, drawstring waist and adjustable cuffs. Available in sizes S-3XL. ambidextrous.

6463 - Vest Style - \$86.99

6480 \$39⁹⁹

CORE PERFORMANCE WORK WEAR BOTTOMS

Lower body temperature and moisture management. Wicking fabrics and venting for multi-climate comfort, anti-stink treatments help workers remain unscented, tagless waistband, soil release treatments make cleaning easy, 50+ UPF for protection against harmful UV. Available in sizes M-3XL.

6470 \$149⁹⁹

CORE PERFORMANCE THERMAL BIB

Rugged 500D nylon outer shell provides protection from the elements, Armortex reinforcement zones in heavy wear areas, full-length YKK zippers on each leg to easily put on and take off without removing work boots, removable PE foam knee/shin pads.



6445 \$44⁸⁹

CORE PERFORMANCE WORK WEAR FLEECE

Mid layer, soft fleece zip-up for warm comfort in cool conditions, wicking fabrics and venting for multi-climate comfort, soil release treatments make cleaning easy, long tail design, 50+ UPF for protection against harmful UV. Available in black and gray, sizes M-3XL.



6435 \$49⁹⁹

CORE PERFORMANCE LONG SLEEVE

Base layer, thermal, ripped fit, medium weight stretch fabric for warm comfort, wicking fabrics and venting for multi-climate comfort, soil release treatments make cleaning easy, long tail design. 50+ UPF for protection against harmful UV. Available in black, and gray; sizes M-3XL.



6425 \$36²⁹

CORE PERFORMANCE LONG SLEEVE

Mid layer, all season, relaxed fit, soft "cottony" feel, advanced performance, wicking fabrics and venting for multi-climate comfort, soil release treatments make cleaning easy, long tail design, 50+ UPF for protection against harmful UV. Available in black, and gray; sizes M-3XL.

6420 - Short Sleeve - \$37.89



J131 starting at \$69⁹⁹

CARHARTT THERMAL ACTIVE JAC

12 oz, firm-hand, 100% ring-spun cotton duck; 100% polyester thermal lining; quilted flannel lining in body, quilted nylon lining in sleeves, attached quilted flannel-lined hood with drawstring closure, (2) inside pockets, (2) large front pockets, Rib-knit cuffs and waist work to keep out the cold; triple-stitched main seams. Available in sizes S-6XL.



R38 \$99⁹⁹

CARHARTT ZIP-TO-WAIST BIBERALL

12 oz, rugged 100% cotton duck; lined in a midweight nylon-quilted polyester, features zip-to-hip leg openings with wind flaps and snap closures, double knees with cleanout bottoms to accommodate knee pads, main seams are triple-stitched for durability, for the best fit, order one size larger in waist and one size shorter for inseam length; if wearing heavy layers, order two sizes larger in waist.



F15-0003 \$169⁰⁰

TRUEWERK DOUBLE STITCH T3 PANT

Truewerk's Double Stitch T3 Pants are made from 4-way stretch fabric with a bonded fleece lining, waterproof breathable membrane, and stain resistant coating. The grey "crete" color functions to conceal concrete dust and stains. T3 pants feature a no-snap pocket, and a zippered thigh pocket. Available in gray, and tan; sizes S-XL.



F15-0005 \$279⁰⁰

TRUEWERK BRICKHOUSE PARKA

Truewerk's Brickhouse Parka keeps you warm while you work in cold conditions. The Brickhouse Parka features a dorsal D-ring vent so that you can wear your harness underneath. Made with 150g Ultra High Loft synthetic insulation, this parka also includes tapered sleeves with gasketed cuffs and adjustable velcro closure. Available in gray; sizes S-2XL.



F15-0004 \$189⁰⁰

TRUEWERK DOUBLE STITCH JACKET

Truewerk's Double Stitch Jacket features heavy duty stitching on all of its critical seams. Extremely durable, this jacket is made from 4-way stretch fabric that includes a water-proof, breathable membrane and a stain-resistant coating. With its tailored fit and 8 pockets, this jacket will keep you looking and feeling good while you work. Available in black, and gray; sizes S-2XL.



F15-0002 \$129⁰⁰

TRUEWERK WELTERWEIGHT WINDSHIRT

Truewerk's Welterweight Windshirt is light and compact so that it can be worn under your harness. Made from breathable material, wear it over a t-shirt or under a coat. Unlike cotton or fleece mid-layers, the smooth outer fabric of the windshirt is wind proof with a water repellent finish. Available in gray; sizes S-XL.



NEW

10060 \$14⁹⁹

GME SUPPLY "CLIMB HIGHER" SHORT SLEEVE T-SHIRT

Exclusive GME Supply "Climb Higher" design; quarter-turned to eliminate center crease; double-needle stitching throughout for increased durability; seamless rib at neck; taped shoulder-to-shoulder; preshunk short sleeve T-shirt; 50% cotton/50% polyester; gray; available in sizes S-2XL.



NEW

10040 \$12⁹⁹

GME SUPPLY "CLIMB HIGHER" SHORT SLEEVE T-SHIRT

Exclusive GME Supply "Climb Higher" design; quarter-turned to eliminate center crease; double-needle stitching throughout for increased durability; seamless rib at neck; taped shoulder-to-shoulder; preshunk short sleeve T-shirt; 100% cotton; red; available in sizes S-2XL.



NEW



10050 \$19⁹⁹

GME SUPPLY "CLIMB HIGHER" BLACK LONG SLEEVE T-SHIRT

Show your tower climbing pride with this custom designed "Climb Higher" T-shirt! Quarter-turned to eliminate center crease; double-needle stitching throughout for increased durability; seamless rib at neck; taped shoulder-to-shoulder; preshunk long sleeve T-shirt; 100% cotton; available in sizes S-2XL.





TY122S WH \$8⁴⁹

DUPONT TYVEK COVERALL

Comfort fit design, attached respirator-fit hood with elastic around face opening, designed to fit around respirator face mask; longer zipper extends to chin for complete coverage of neck area, elastic opening for tighter fit at wrist, attached skid-resistant boots.

TY127S WH Without boots - \$7.39

TY120S WH \$6³⁹

DUPONT TYVEK COVERALL

Comfort fit design enables a greater range of movement while stretching and bending; provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment, laydown collar, open wrists, open ankles.

TY657S WH

\$5⁹⁹

DUPONT TYVEK HOOD

Pullover hood design features elastic face opening for good fit around PAPR, extends over shoulders to provide full head protection, serged seams, one size fits most.

Case pack (100) - \$89.99



FC450S GY \$1³⁹

DUPONT TYVEK FC SHOE COVER WITH SKID-RESISTANT SOLE

5" shoe cover with elastic top, sole material composed of Tyvek FC, a special coating to provide added slip-resistance; serged seams, one size fits most.

Case pack (200) - \$99.99



63-532 \$6⁴⁹

AMBI-DEX FOOD GRADE DISPOSABLE NITRILE GLOVE, 4 MIL

Economical puncture resistance, textured grip, no natural rubber latex proteins, ambidextrous and powdered, 21CFR, 170-199.

63-532PF Powder free - \$6.99



62-322 \$6⁰⁹

AMBI-DEX INDUSTRIAL GRADE DISPOSABLE LATEX GLOVE, 5 MIL

Fully textured, beaded cuff adds strength and prevents liquid run off, ambidextrous and powdered, 21CFR, 170-199, ASTM A-3578.

62-322PF Powder free - \$6.49



64-346 \$4⁹⁹

AMBI-DEX FOOD GRADE DISPOSABLE NON-LATEX GLOVE, 4 MIL

Look, fit, and feel of latex without concern of natural rubber; form-fitting textured grip, ambidextrous and powdered, 21CFR, 170-199.

64-346PF Powder free - \$5.49



FRB100 starting at \$60^{00*}
CARHARTT FR RELAXED DENIM JEAN
 11.75 oz, 100% cotton flame-resistant denim; sits slightly below the waist, relaxed-fitting seat and thigh, arc-resistant button closure at waist, brass zipper fly with Nomex zipper tape, reinforced back pockets, double-stitched main seams and leg openings that fit over boots, NFPA 70E and NFPA 2112 compliant.



FRB13 starting at \$68^{00*}
CARHARTT FR DENIM DUNGAREE
 11.75 oz, midweight, 100% cotton flame-resistant denim, sits below the waist and has a full seat and thigh, arc-resistant high-tension snap closure at the waist, brass zipper fly with Nomex zipper tape, 19" leg openings to fit over work boots, built to last, NFPA 70E and NFPA 2112 compliant.



101017 starting at \$69^{00*}
CARHARTT FR TWILL COVERALL
 9 oz, flame-resistant 100% cotton twill; (2) chest pockets with flaps, (2) pass-through pockets, left-leg utility band, spread collar, multiple tool and utility pockets, pleated elbows and bi-swing back for comfort, brass front zipper with Nomex FR zipper tape and inside and outside flaps, leg opening fits over boots for easy on and off, NFPA 70 E and NFPA 2112 compliant.



100237 starting at \$59^{00*}
CARHARTT FR LONG SLEEVE HENLEY
 6.75 oz, 100% cotton FR jersey knit, wicks away sweat and fights odors, rib-knit Henley collar and rib-knit cuffs, 3-button front, left-chest pocket, side-seamed construction that minimizes twisting, visible Carhartt FR and HRC 2 labels, meets the requirements of NFPA 70E, UL classified to NFPA 2112. Available in sizes S-2XL.



FRS003 starting at \$59^{00*}
CARHARTT FR WORK-DRY TWILL SHIRT
 Lightweight 6 oz, 88% cotton/12% high-tenacity nylon, Work-Dry material wicks away moisture for comfort and features an anti-odor fabric treatment, (2) chest pockets with flaps and button closures add utility, two-button adjustable cuffs enhance fit, FR melamine buttons, meets NFPA 70E standards. Available in sizes S-2XL.



FRC066 starting at \$200^{00*}
CARHARTT FR QUILT LINED COAT
 Quilt-lined 13 oz flame-resistant, 100% cotton duck; (2) inside patch pockets with flame-resistant hook-and-loop closures, Nomex inside-waist drawcord for an adjustable fit, rib-knit storm cuffs to seal out cold air, two-way brass zipper and snaps under the collar for an optional hood (FRA265), NFPA 70E compliant. Available in sizes S-2XL.

7445 \$164⁹⁹

CORE PERFORMANCE WORK WEAR FR ZIP-FRONT HOODED FLEECE SWEATSHIRT

12.4 oz, 100% FR cotton knit (Pyrosafe by Antex), arc-rated; ATPV rating of 18.0 cal/cm2m, moisture wicking material, anti-stink treatment, hidden zip-up arm pocket, multiple front pockets for extra storage, visible FR tags, meets requirements of ASTM F1506; classified HRC 2 according to NFPA 70E and is a certified NFPA 2112 garment, CSA-Z462 compliant. Available in gray or navy, sizes S-3XL.



7440 \$145⁹⁹

CORE PERFORMANCE WORK WEAR FR PULLOVER HOODED FLEECE SWEATSHIRT

12.4 oz, 100% FR cotton knit (Pyrosafe by Antex), arc-rated; ATPV rating of 18.0 cal/cm2m, moisture wicking material, anti-stink treatment, hidden zip-up arm pocket visible FR tags, meets requirements of ASTM F1506; classified HRC 2 according to NFPA 70E and is a certified NFPA 2112 garment, CSA-Z462 compliant. Available in gray or navy, sizes S-3XL.



7490 \$157⁹⁹

CORE PERFORMANCE WORK WEAR FR UNLINED COVERALL

7 oz blend 48% modacrylic/37% lyocell/15% aramid (Khaki & Gray); 7 oz. blend 45% modacrylic/35% lyocell/20% aramid (Dark Navy) – (Tecasafe Plus), arc-rated; ATPV rating of 9.0 cal/cm2 (Khaki & Gray) & ATPV rating of 10.1 cal/cm2 (Dark Navy), moisture wicking material, anti-stink treatment, visible FR tags, meets requirements of ASTM F1506; classified HRC 2 according to NFPA 70E and is a certified NFPA 2112 garment, CSA-Z462 & CGSB 155.20 compliant. Available in gray, khaki, or navy; sizes 38 short-50 tall.



7425 \$79⁹⁹

CORE PERFORMANCE WORK WEAR FR CREW NECK LONG SLEEVE SHIRT

6.7 oz FR knit, Protex/Lyocell/Aramid (Tecasafe Plus), arc-rated; ATPV rating of 8.2 cal/cm2, moisture wicking, anti-stink treatment, visible FR tags, meets requirements of ASTM F1506; classified HRC 2 according to NFPA 70E and is a certified NFPA 2112 garment, CSA-Z462 compliant. Available in gray and navy, sizes S-3XL.



7430 \$83⁹⁹

CORE PERFORMANCE WORK WEAR FR LONG SLEEVE HENLEY SHIRT

6.7 oz FR knit, Protex/Lyocell/Aramid (Tecasafe Plus), arc-rated; ATPV rating of 8.2 cal/cm2, moisture wicking, anti-stink treatment, visible FR tags, meets requirements of ASTM F1506; classified HRC2 according to NFPA 70E and is a certified NFPA 2112 garment, CSA-Z462 compliant. Available in navy and gray, sizes S-3XL.



7415 \$54⁹⁹

CORE PERFORMANCE WORK WEAR FR LONG SLEEVE SHIRT

5.8 oz, 90% Cotton 10% Spandex (body); arc-rated; ATPV rating of 7.4 cal/cm2 (body) & ATPV rating of 6.0 cal/cm2, moisture wicking, anti-stink treatment, visible FR tags, meets requirements of Performance Specification ASTM F1506; classified HRC1 according to NFPA 70E, CSA-Z462 compliant. Available in sizes S-3XL.



KEXT06 \$59⁹⁹

KING'S SAFETY INDUSTRIAL HIKER BOOT MID-HEIGHT

Steel toe impact protection, brown synthetic leather, long lasting rubber lug outsole, abrasion-resistant toe and heel guards, padded collar and removable EVA insole, slip-resistant, stylish design, padded collar adds comfort, meets ASTM F2413-11 M I/75 C/75. Recommended industries/use: agriculture, construction, manufacturing, transportation. Hazards: abrasion, impact, slip. Available in men's whole sizes 7-13 and half sizes 7.5-11.5.



KEXT07 \$49⁹⁹

KING'S SAFETY INDUSTRIAL HIKER BOOT LOW-HEIGHT

Steel toe impact protection, gray and black leather and mesh upper, long lasting rubber lug outsole, abrasion-resistant toe and heel guards, padded collar and removable EVA insole, slip-resistant, stylish design, padded collar adds comfort, meets ASTM F2413-11 M I/75 C/75. Recommended industries/use: agriculture, construction, food services, manufacturing, transportation. Hazards: abrasion, impact, slip. Available in men's whole sizes 7-13 and half sizes 7.5-11.5.



KCWB03 \$64⁹⁹

KING'S SAFETY CLASSIC LEATHER BROWN BOOT

Classic leather, 6" lace up, brown oiled leather, steel toe impact protection, long lasting lugged outsoles, EVA cushion insole and padded collar for added comfort, full grain leathers for the classic work boots, slip-resistant, stylish design, meets ASTM F2413-11 M I/75 C/75. Recommended industries/use: agriculture, construction, manufacturing, steel and metals. Hazards: impact, slip. Available in men's whole sizes 7-14 and half sizes 7.5-12.5.



SPT-16 \$11⁹⁹

2W ECONOMY PVC 16" HIGH KNEE BOOTS

Two-stage injection molded construction, superior fit and comfort, regular toe, reinforced at critical stress points, removable cushion insoles, anti-skid soles, designed to withstand the elements and provide 100% waterproof protection, wicks perspiration and provides superior comfort and dryness for the entire work day, cleated outsole provides enhanced traction and spits out debris, chemical resistance for certain acids, fats, caustics, hydrocarbons, and other chemicals. Available in men's whole sizes 8-13.



KCWB04 \$69⁹⁹

KING'S SAFETY CLASSIC LEATHER WHEAT BOOT

Classic leather, 6" lace up, wheat nubuck leather, steel toe impact protection, long lasting lugged outsoles, EVA cushion insole and padded collar for added comfort, full grain leathers for the classic work boots, slip-resistant, stylish design, meets ASTM F2413-11 M I/75 C/75. Recommended industries/use: construction, forestry, government, manufacturing, transportation, wind energy. Hazards: impact, slip. Available in men's whole sizes 7-14 and half sizes 7.5-12.5.





Try a pair of correctly fitted Oliver Boots for 30 days and, if you are not completely satisfied, return them for exchange or refund.



by Honeywell



55-246 \$139⁹⁹

OLIVER 6" LACE UP BOOT

Black water resistant full grain leather, COMFORTcushion system with PORON, heavy duty dual density PU/Rubber sole, heat resistant to 572° F, resists exposure to most acids and chemicals, NANOLite footbed massages your feet as you walk to promote bloodflow and reduce fatigue, PORON XRD flexible internal metatarsal guard, Qflex Zero non-metallic penetration protection insole, TECtuff toe bumper and heel protection, Kevlar thread on critical seams, electrical hazard (EH) protection sole, NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection, lace locking device, ASTM F2413-11 M I/75 C/75 MT/75 PR and EH, sizes 6-15.

65-392 \$164⁹⁵

OLIVER 8" LACE UP BOOT

Heavy duty all terrain dual density PU / rubber sole, heat resistant to 572° F, resists exposure to most acids and chemicals, NATUREform wide profile safety toecap, latex comfort liner to eliminate toe discomfort, NANOLite footbed massages your feet as you walk to promote bloodflow and reduce fatigue, COMFORTcushion impact absorption system with PORON caustic and water resistant leather, PORON XRD flexible internal metatarsal guard kevlar thread on critical seams, TPU SAFETYcell for maximum protection and durability, anti-static sole, lace-in quick release zipper attachment, ASTM F2413-05 I/75 C/75 MT/75, sizes 6-15.

65-394 \$139⁹⁹

OLIVER 6" LACE UP BOOT

Heavy duty all terrain dual density PU / rubber sole, heat resistant to 572° F and resists exposure to most acids and chemicals, NATUREform wide profile safety toecap, latex comfort liner under the cap to eliminate toe discomfort, caustic and water resistant leather, Kevlar thread on critical wear seams for maximum abrasion and chemical resistance, COMFORTcushion, NANOLite footbed massages your feet as you walk to promote bloodflow and reduce fatigue, superior slip resistance, exceeds SATRA Standards, integrated TPU SAFETYcell, padded comfort collar, ASTM F2413-05 I/75 C/75, sizes 6-15.

55-232 \$129⁹⁹

OLIVER 6" LACE UP BOOT

Dual density Nitrile rubber outsole with Polyurethane midsole, COMFORTcushion uses cellular urethane and PORON to protect the heel and ball of the foot, NANOLite footbed massages your feet as you walk, water-resistant nubuck leather, outsole heat resistant to 572° F surface contact, heavy duty Kevlar stitching across all critical seams, TECtuff toe bumper and heel protection, lace locking device, excellent slip resistant sole, anti-static sole, superior cut, padded comfort collar and fully lined tongue, AS/NZS 2210.3 EN ISO 20345:2004, ASTM F2413-05, sizes 6-15.



45-675C \$188⁴⁹

OLIVER 8" LACE UP BOOT

All terrain TPU soling technology, lightweight, shock absorbing, low-density polyurethane midsole and a high-density, hard wearing thermoplastic urethane outsole; COMFORTcushion, impact absorption for reduced foot, leg and lower back fatigue; NATUREform hi-impact composite, non-metallic toe cap offers a wide profile shape to accommodate the natural toe-spread when walking; water-resistant, full grain leather; fully lined with SYMPATEX waterproof liner and membrane, outsole is heat-resistant to 266° F surface contact, PORON XRD extreme impact protection, ASTM F2413-11 M I/75 C/75, MT/75 and EH, sizes 6-15.

45-680C With Thinsulate thermal lining - \$218.95



by Honeywell



22-205 \$89⁹⁹

OLIVER SAFETY GUMBOOT

Heavy duty PVC / Nitrile hard wearing sole, extra deep tread, open cleat sole for greater stability; gently raised surface of sole massages your feet as you walk to promote bloodflow and reduce fatigue, outsole heat resistant to 266° F, STEELflex steel midsole penetration protection, patented METprotect metatarsal protection, reinforced PVC design for greater ankle support and protection, sole resistant to solvents, mild acids, alkalis, some chemicals, oils and fats; superior cut, split and crack resistant sole; internal trouser grips, heel kick off spur, AS/NZS 2210.3, sizes 6-14.





302-MVGZ4P

\$8⁹⁹

SAFETYGEAR CLASS 2 FOUR POCKET VALUE MESH VEST

Breathable polyester mesh, 2" silver reflective tape, zipper closure, (2) lower internal pockets, (2) upper chest pockets including (4) pen pockets, ANSI compliant. Available in lime and orange, sizes M-5XL.



312-1200

\$13⁴⁹

SAFETYGEAR CLASS 2 SHORT SLEEVE T-SHIRT

100% polyester micro mesh, lightweight performance wicking material, left upper chest pocket, 2" silver reflective tape, grey collar, ANSI compliant. Available in lime and orange, sizes S-5XL.

313-1300 - Class 3 Long Sleeve \$16.79



303-5PMTT

\$14⁹⁹

SAFETYGEAR CLASS 3 BREAKAWAY VEST

Breathable polyester mesh; 5 point breakaway; 2" two tone reflective tape; hook and loop closure; ANSI compliant; 2 upper chest pockets; hi-vis lime yellow and hi-vis orange; sizes M-5XL.



303-MVGZ4P

\$8⁹⁹

SAFETYGEAR CLASS 3 FOUR POCKET VALUE MESH VEST

Breathable polyester mesh, 2" silver reflective tape, zipper closure, (2) lower internal pockets, (2) upper chest pockets including (4) pen pockets, ANSI compliant. Available in lime and orange, sizes M-5XL.



303-5PMTT

\$14⁹⁹

SAFETYGEAR CLASS 3 BREAKAWAY VEST

Breathable polyester mesh; 5 point breakaway; 2" two tone reflective tape; hook and loop closure; ANSI compliant; 2 upper chest pockets; hi-vis lime yellow and hi-vis orange; sizes M-5XL.



302-0500

\$13⁹⁹

SAFETYGEAR TWO TONE CLASS 2 SURVEYORS VEST

Durable solid polyester front and breathable mesh back, (6) pockets, zipper closure, 2" two tone tape for optimum visibility, ANSI compliant. Available in lime and orange, sizes M-5XL.



313-CNTSP

\$14⁹⁹

SAFETYGEAR CLASS 3 TWO-TONE T-SHIRT

100% polyester micro mesh, lightweight performance wicking material, left upper chest pocket, 2" silver reflective tape, ANSI compliant. Available in lime and orange, sizes S-5XL.



313-CNTSE

\$13⁴⁹

SAFETYGEAR CLASS 3 SHORT SLEEVE T-SHIRT

100% polyester micro mesh, lightweight performance wicking material, left upper chest pocket, 2" silver reflective tape, ANSI compliant. Available in lime and orange, sizes S-5XL.

333-1766

\$46⁹⁹

**PIP CLASS 3
VALUE
BOMBER
JACKET**

Durable waterproof polyester outer shell with taped seams, black trim helps conceal dirt, removable black fleece liner, black knit waist band and cuff, 2" silver reflective tape, adjustable hideaway hood, black collar, (2) mic tabs, (5) pockets with radio and pen pockets. Available in sizes M-5XL.



323-1370B

\$33⁹⁹

**PIP CLASS 3
FULL ZIP HOODED
SWEATSHIRT
WITH BLACK
BOTTOM**

ANSI/ISEA 107 Class 3; 10 oz polyester fleece; zipper closure; water repellent shell treatment; 2" silver reflective tape; black bottom and cuffs to help hide dirt; front hand warmer pockets; left zippered chest pocket. Available in sizes M-5XL.

323-1350B Pullover - \$33.99



333-1770

\$69⁹⁹

**PIP CLASS 3
PREMIUM RIP STOP
BOMBER JACKET**

Rip stop polyester 300D coated waterproof outer shell with taped seams, double front storm flap zipper closure, removable black 280g fleece liner, water tight "D" ring access, I.D. pocket and radio/cell pocket, mic tabs with reinforced stitching, adjustable hideaway hood, adjustable elastic cuffs and elastic waist, inner liner pockets for keeping items out of the elements, ANSI class 3 compliant, hi-vis lime yellow/black, available in sizes M-5XL.



323-1330B

\$33⁹⁹

**PIP CLASS 3
1/4 ZIP PULLOVER
SWEATSHIRT WITH
BLACK BOTTOM**

ANSI/ISEA 107 Class 3; 10 oz polyester fleece; pullover with quarter zip stand up collar; water repellent shell treatment; 2" silver reflective tape; black bottom and cuffs to help hide dirt; front hand warmer pockets; left zippered chest pocket. Available in sizes S-5XL.



353-2001

\$34⁹⁹

**PIP ANSI CLASS
E HEAVY DUTY
WATERPROOF
BREATHABLE BIB**

Waterproof breathable heavy duty 300 D 100% polyester shell, 3M Scotchlite reflective material, high-backed design, front fly opening with snap, front chest security pocket, adjustable cuffs. Available in sizes M-5XL.



353-1000

\$35⁵⁰

**PIP ANSI CLASS
3 TWO-PIECE
VALUE RAINSUIT
SET**

Class 3 apparel intended for workers requiring the highest level of visibility, lightweight polyester with waterproof PU coating and taped seams, 2" silver tape, zipper closure with storm flap, elastic waist pant with snap adjustable cuff, concealable hood for extra protection, ideal for rainy conditions in construction, municipalities, shipyards and anywhere hi-visibility is required and weather is a potential threat. Available in sizes S/M, L/XL, 2X/3X, 4X/5X.



03-402 \$8⁷⁹

CORTINA VINYL PENNANTS

60 pennants, 12" height, 9" width, 100' overall length, orange.

03-401 Red/white - \$7.79



RUF-6 \$88⁰⁰

OMEGA ROLL UP SAFETY FENCE RUF PORTABLE BARRIER

First of its kind pedestrian safety barrier, innovative solution to protect dangerous work sites and pedestrian traffic zones. Saves time and money for contractors, public works projects, and event coordinators. Stores in a fraction of the space of alternative products, constructed from high strength, lightweight aluminum, takes one person to install, sets up in 30 seconds or less, highly portable, can be moved quickly for emergency access, low wind resistance, more effective than caution tape or a single bar, bright international safety orange, saves time, saves space, saves money. 42" x 6'6"

RUF-3 Roll up Fence 3'3" - \$62.00

RUF-DT42-12 42" Delineator Post w/ 12 lb. Base - \$36.00

RUF-DT42-18 42" Delineator Post w/ 18 lb. Base - \$42.00



CT-03-824CB \$28⁰⁰

CORTINA RETRACTABLE CONE BAR

Lightweight at approximately 2 lbs., Exterior grade PVC with UV withstands temperature extremes and sunlight, Traffic cone orange with 3, 4" hi-intensity collars, extremely reflective at night, easily extends from 5' to 8', unique push pin locking mechanism, can create instant square barrier system from 5' x 5' or up to 8' x 8' in seconds.



CITYPOST-SM

\$124⁹⁹

CITY POST HIGH PERFORMANCE DELINEATOR

Remains flexible even at extremely high and low temps, returns to full upright position even after 100 impacts at 60 mph, easy "Spin-In" installation, installs in concrete or asphalt, 360° reflectivity, meets MUTCD and NCHRP 350 requirements, EN 13422 Certified, EM 12767 Certified.



FG336 \$49⁹⁹

SURFACE MOUNT CHANNELIZER POST

Highly visible posts with bright colors and reflective sheeting, clover-leaf design provides better rebound than round tubes, changes the inertia resulting in a quick and sharp rebound. Multiple material grades available with varying durability, compatible with all six different bases. Bases and bolts sold separately; 36".

FG348 48" - \$69.99



TYPE3BAR

\$255⁹⁹

TYPE 3 PLASTIC AND STEEL BARRICADE

Durable, high density polyethylene plastic panels; can take a high-speed impact with minimal damage; easily interchangeable parts speed repair of damaged units and shortens turnaround time; (3) 8' high density polyethylene plastic panels, (2) 1.75" square plastic uprights, (2) 2" 14 gauge powder coated angle iron barricade feet with 6" welded uprights and hardware.



03-229-3405 \$3³⁹

CORTINA VINYL FLAT

Handheld warning flag, 18" flag with 36" wooden dowel, reinforced heavy duty warning flag, fluorescent red-orange, ideal for directing traffic or warning motorists of upcoming construction.



03-901

\$74⁹⁹

CORTINA WARNING DIAMOND MESH FENCING

4'x100', orange polyethylene, highly visible, UV stabilized, rugged and reusable, 23 lbs per roll, made in the USA.

Qty 10+ - \$59.95



CC42 4-4HIP \$44⁹⁹
WORK AREA 42\"/>

High-Impact, low density polyethylene with reinforced loop handle, (4) Hi-Intensity reflective stripes, includes CB16 16 lb base.



03-734RBC \$39⁹⁹
CORTINA 42\"/>

10 lb rubber base, (2) 3" reflective collars, EZ-Grab handle, 100% impact-resistant low-density polyethylene construction.

03-732 Post - \$28.99

03-730 Base - \$12.99



97-03-002-01 \$74⁹⁹
CORTINA STEELCADE TYPE II BARRICADE

12 guage painted, steel legs and M-Cade plastic panels, recessed holes for panel mounting, 45" high x 24" wide.

BR3-AC-D3-YA Barricade Light - \$21.99



13-01-010SC \$61⁹⁹
CORTINA PLASTX TYPE I SIDEWALK CLOSED BARRICADE

Replaceable panel, recessed panel area provides sheeting protection from scratching, made of high-strength resin.



BC3.AC.D3 \$21⁹⁹
CHECKERS 3-VOLT, TYPE A/C TWO SIDED BARRICADE LIGHT

3-way operation: steady on, flashing, off; only operates at night, automatically turns off during daylight; powered by 4 D-Cell batteries (not included), 3-volt light w/ 2 LEDs, Meets ITE specs, NCHRP-350 approved. Available in: amber, red, clear or blue lens.



3321 \$6⁹⁵
JOHNSON \"/>

High-visibility colors, bold, easy reading black ink print; durable plastic, yellow \"CAUTION\" 300'x3\".

3324 Yellow \"CAUTION\" 1,000'x3\" - \$12.95

3322 Red \"DANGER DO NOT ENTER\" 300'x3\" - \$6.95



95-03-009 \$39⁹⁹
CORTINA TRIANGLE WARNING KIT

Highway triangle warning kit, meets FMVSS 125, SAE-W4-74DOT, acrylic plastic strip reflectors, effective even for daytime use, impervious to dust and moisture, easy to unfold and mount on base, exceeds 40 mph wind test, custom hard plastic storage case included, fits under most vehicle seats.



P18HIA \$48⁴⁹

DICKIE SAFETY 18" STOP/SLOW PADDLE

High intensity reflective plastic, ABS orange 12" handle, meets all MUTCD specifications, unique snap together handle.

P51A 5' Handle extension - \$14.99

P61A 6' Handle extension - \$15.99

P52AT Telescoping handle - \$24.99



28PVCTLS-6CC4CC

\$24⁹⁹

WORK AREA 28" TRAFFIC SAFETY CONE

6" and 4" reflective collars, 7lb overall weight, all vinyl construction, ultraviolet stabilized color, high density base, low center of gravity for maximum stability, stackable.



2850-07-MM-LIME

\$39⁹⁹

LAKESIDE 28" LIME GREEN TRAFFIC SAFETY CONE

6" and 4" reflective collars, 7lb overall weight, all vinyl construction, ultraviolet stabilized color, high density base, low center of gravity for maximum stability, stackable, high visibility lime green color.



1191 \$32⁹⁹

AERVOE 28" COLLAPSIBLE TRAFFIC SAFETY CONE

2.5 lb. weighted base, 2 reflective stripes, blinking red LED beacon, includes storage case.



1164 \$47⁹⁹

AERVOE YELLOW RECHARGABLE SUPER LED ROAD FLAIR

Double the light output of standard LED Flair, does not produce flame, or smoke, 24 LEDs are visible for more than 7 miles, intrinsically safe design, 7 flashing patterns, submersible up to 50 feet, includes 120V wall charger, 12V car charger, storage bag.

1165 Safety Orange - \$47.99



FBC756 \$39⁹⁹

NO PARKING CONE SIGN

Firmly mounts to top of cone, two sided, fits in any flexible traffic cone, rugged plastic sign, weather and fade resistant, safety orange with black text. 10" x 14".

FBC737 'Sidewalk Closed' - \$12.95



AV-222 \$4⁹⁹

AERVOE SURVEY MARKING PAINT

Flourescent orange marking paint will last up to 6 months, non-freezing, exceptional quality in terms of initial color brightness, color retention, adhesion, durability, and color consistency, formulated with superior quality raw materials, container size 17 oz. aerosol, non-clogging, lead free, APWA/OSHA Colors, Toluene Free.

AV-207 White - \$4.99

AV-226 Fl. Yellow - \$4.99

AV-229 Fl. Pink - \$4.99

Q625HM-X

\$139⁹⁹

NORTH AMERICAN SIGNAL 625 SERIES ST2005LIGHT

Bright, powerful, economical line of multi-voltage quad flash and double flash strobe lights, comes standard with a black ABS plastic base and fresnel lens, includes 75 lb pull magnet and 15' coiled cord and cigarette lighter plug with a built in ON/OFF switch. Lens color: amber, operating voltage: 12/24, rated current: 3 amperes, flashes per minute (FPM): 75 QF, joule rating - output energy: 10 joules, mounting: magnetic mount, diameter: 5.5", height: 6.25".



LED400-A

\$110⁹⁹

NORTH AMERICAN SIGNAL LED400 SERIES HIGH POWER LED LIGHT

High impact LED warning light with a complete 360 degree display, flash pattern can be changed with button on base of light, (4) user-selectable patterns, universal mount aluminum flange base. Operating voltage: 12/24, rated current: 0.8 amperes, LED color: amber, lens color: amber, height: 5", diameter: 6.5", warranty: 5 years.



LEDQ375-A

\$119⁹⁹

NORTH AMERICAN SIGNAL SAE CLASS 1 QUAD-FLASH MICROBURST LED WARNING LIGHT

Designed for vehicle applications where a small very bright light is required, features a conspicuous quad-flash pattern for a more attention-getting warning light. Operating voltage: 12/24, maximum current draw: 1.2 amperes, diameter: 4.6", flash pattern: 72 quad-flashes/min, warranty: 5 years, features: sonic-welded, polycarbonate housing; mounting: permanent mount, flange base; LED color: amber.



TA36L-A2 \$699⁹⁹

NORTH AMERICAN SIGNAL LED TRAFFIC ASSIST

Designed to direct traffic around slow moving or stopped vehicles, features (16) LED lamp assemblies with (8) lamps in the body and (4) lamps each forming the arrows, (16) individual modes sequence from side to side in (3) different modes at (2) different speeds, (2) warning patterns for advance warning for oncoming traffic.



MMBLEDLPR3-C/A \$479⁹⁹

NORTH AMERICAN SIGNAL LOW PROFILE LED MICRO-MINI BAR

Super low-profile all LED mini-bar with multiple patterns to choose from, including simulated revolving and random flash; polycarbonate dome, painted steel base, standard unit comes in 12V, or 24V unit, magnetic mount available on request, features "TRL" and "AGP" technology, maximizes LED light output.



MMBSLEDLFL-C/A \$208⁹⁹

NORTH AMERICAN SIGNAL ECONOMY LOW-PROFILE LED MINI-BAR

Cycles thru (3) pre-programmed flash patterns, permanent mount. Operating voltage: 12/24v, LED color: amber, dome color: clear, maximum current draw: 1.4 amperes, length of unit: 17.25", height: 2.75", depth: 9.4".



LED4001-X \$64⁹⁹

NORTH AMERICAN SIGNAL 4-LED SURFACE MOUNT LIGHT

Combines a small package with (4) high-impact 1-watt LEDs, chrome flange housing, weatherproof for indoor or outdoor use, (18) flash patterns to choose from. Also available in clear, blue, and red LEDs.



BONE SAFETY HI-INTENSITY REFLECTIVE SIGNS
 3M Roll-Up Hi-Intensity Sign Sheeting Series RS30 consists of retro-reflective microprisms formed on a flexible glossy and UV-stabilized polymeric film, provides higher nighttime sign brightness, protective film on the facing side, backed with a heavy duty vinyl coated fabric, bone corner pockets, anti-kiting devices, storage strap, reversible snaps and heavy duty fiberglass rib with anti-blooming.
 36" x 36" - \$97.99
 48" x 48" - \$145.99

BONE SAFETY NON-REFLECTIVE SIGNS
 Constructed of a fabric reinforced UV stable vinyl, will not delaminate, provides excellent durability and fluorescence stability, suitable for maintenance and moving operations, intended for daytime use only, bone corner pockets, anti-kiting devices, storage strap, reversible snaps and heavy duty fiberglass rib with anti-blooming.
 36" x 36" - \$45.99
 48" x 48" - \$69.99

BONE SAFETY PREMIUM MESH SIGNS
 Bone Safety Signs' true fluorescent Orange Mesh is flexible, breathable, and mildew resistant; great strength and durability, along with high color visibility, make it an ideal fabric for safety applications; intended for daytime use only, bone corner pockets, anti-kiting devices, storage strap, reversible snaps and heavy duty fiberglass rib with anti-blooming.
 36" x 36" - \$43.99
 48" x 48" - \$62.99



MANY MORE
OPTIONS
 AVAILABLE



RBS \$96⁹⁹
BONE SAFETY RUBBER BASE SIGN STAND
 100% recycled rubber, tough and lightweight, stackable, double grab handles, quick disconnect mast attachment, changing accessories takes less than 10 seconds; 38 lbs.

412-2S \$138⁹⁹
BONE SAFETY DUAL COIL SPRING SIGN STAND
 Easy storage, pull pin and kick release of legs, (3) separate height adjustments for uneven terrain, bright orange legs for extra visibility on curbs and sidewalks, outdoor UV powder-coated and zinc plated for maximum corrosion resistance; 31 lbs.

412-S \$101⁹⁹
BONE SAFETY SINGLE SPRING SIGN STAND
 Lightweight, pull pin and kick release of legs, (3) separate height adjustments for uneven terrain, bright orange colored legs for extra visibility on curbs and sidewalks, powder-coated and zinc plated for maximum corrosion resistance; 23 lbs.

412 \$96⁹⁹
BONE SAFETY SPRINGLESS SIGN STAND
 Lightweight, oversized pull pins and kick release of legs, (3) separate height adjustments for uneven terrain, bright orange colored legs for extra visibility on curbs and sidewalks, powder-coated and zinc plated for maximum corrosion resistance; 20 lbs.




RADIO FREQUENCY NOTICE SIGN

Available in aluminum or adhesive vinyl, features black lettering on a white background, 'Notice' at top in white lettering with blue background, post sign to warn workers to use caution where radio frequency could exceed the FCC rules for human exposure; 18" H x 12" W.

GM1218 Aluminum - \$19.99

GM1218 Adhesive Vinyl - \$9.99



RADIO FREQUENCY CAUTION SIGN

Available in aluminum or adhesive vinyl, features black lettering on a white and yellow background, post sign to warn workers to use caution where radio frequency could exceed the FCC rules for human exposure; 18" H x 12" W.

GCA121 Aluminum - \$19.99

GMC121 Adhesive Vinyl - \$9.99



RADIO FREQUENCY WARNING SIGN

Available in aluminum or adhesive vinyl, features black lettering on a white and orange background, post sign to warn workers to use caution where radio frequency could exceed the FCC rules for human exposure; 18" H x 12" W.

GMW121 Aluminum - \$19.99

GWA121 Adhesive Vinyl - \$9.99

NOTICE SIGN FOR RADIO FREQUENCY ENVIRONMENTS

Available in aluminum or adhesive vinyl, features black lettering on yellow background, sign serves to notify those working in an area where radio frequency is or could be present; 8" H x 12" W.

GMA812 Aluminum - \$9.99

GMV812 Adhesive Vinyl - \$5.49



CUSTOMIZABLE JOB SITE INFO SIGN

Customizable adhesive vinyl sign, Display company or carrier information, site ID, and phone number, features black lettering on white background with green top, sign notifies workers who operates the site and provides contact information; 8" H x 12" W.

GMN81 Adhesive Vinyl - \$5.49



GMN142

\$85⁹⁹

DANGER NO SMOKING STAINLESS STEEL SIGN

Made from durable stainless steel, four corner holes for easy mounting, hang sign to notify of a no smoking area; 14" H x 20" W.



GMS142

\$85⁹⁹

DANGER FLAMMABLE LIQUIDS STAINLESS STEEL SIGN

Made from stainless steel for durability, four corner holes for easy mounting, hang sign to warn where flammable liquids are present; 14" H x 20" W.



QUANTITY DISCOUNTS AVAILABLE FOR ALL SIGNS! CALL (800) 940-6762.

THICKER MATERIAL
LOWER PRICES

**SAFETY
IS NO
ACCIDENT**



MOTIVATIONAL WORKPLACE BANNER

4' x 2' vinyl banner, designed to remind and encourage safety in any workplace, high contrast signs are easy to read and visible from a distance, made of premium extra-heavy duty UltraFlex 15 oz PVC material, capable of withstanding harsh outdoor environments, fade and tear resistant, outstanding scratch resistance, stable down to -20°F, treated for fungus resistance, grommets allow for convenient hanging, many designs available or customize your own!

2074 "Safety Is No Accident" - \$29.99

2083 "American Tower Climbers" - \$29.99

2082 "#Real Tower Climber" - \$29.99

2070C Custom design, submit your print ready artwork - \$49.99



2005 \$49.99

CUSTOMIZABLE JOB SITE SAFETY BANNER

4' x 2' vinyl safety sign banner, quickly and easily display OSHA required safety signs, made of premium extra-heavy duty UltraFlex 15 oz PVC material, capable of withstanding harsh outdoor environments, fade and tear resistant, outstanding scratch resistance, stable down to -20°F, treated for fungus resistance, grommets allow for convenient hanging

2000 4'x2' no logo - \$29.99

2010 6'x3' no logo - \$49.99

2015 6'x3' with custom logo - \$99.99



2025 \$149.99

CUSTOMIZABLE JOB SITE SAFETY BANNER WITH POCKETS

5' x 3.5' vinyl safety sign banner, quickly and easily display OSHA required safety signs, (3) heavy duty pockets for convenient display of documents, made of premium extra-heavy duty UltraFlex 15 oz PVC material, capable of withstanding harsh outdoor environments, fade and tear resistant, outstanding scratch resistance, stable down to -20°F, treated for fungus resistance, grommets allow for convenient hanging.

2020 No logo - \$129.99

NYLON CABLE TIES

PART	LENGTH	TENSILE STRENGTH	PACKAGE QTY	PRICE
14033	8.1"	40 lbs	100	\$3.70
14061	8"	50 lbs	100	\$4.50
14063	11.8"	50 lbs	100	\$7.90
14065	14.6"	50 lbs	100	\$9.30
14155	14.5"	120 lbs	100	\$17.90
14157	18"	120 lbs	50	\$15.90
14173	24.9"	175 lbs	25	\$11.00



ER-8051 \$999⁹⁹

CADWELD EXOTHERMIC WELDING STARTER KIT

L160 standard handle with flint igniter, B160V chain handle with flint igniter, #45 case weld metal (20 shots), (2) #65 cases weld metal (40 shots), #90 case weld metal (10 shots), PTC-1T1T 2 solid parallel splice mold, TAC-1T1T solid "T" mold, LJC-EG1T 2 solid bus bar mold, GTC-161T 2 solid through 5/8" ground rod mold, VSC-1T-V3C 2 solid vertical down from pipe mold, VFC-1T-V3C 2 solid vertical up from pipe mold, HAA-1T solid horizontal to flat steel mold, T394 mold cleaning brush, T403 mold sealer.



ER-8075 \$1,168⁹⁹

CADWELD PLUS ELECTRONIC EXOTHERMIC WELDING STARTER KIT

PLUSCU Cadweld electronic control unit, L160 standard handle with flint igniter, B160V chain handle with flint igniter, #45 case weld metal (20 shots), (2) #65 cases weld metal (40 shots), #90 case weld metal (10 shots), PTC-1T1T 2 solid parallel splice mold, TAC-1T1T solid "T" mold, LJC-EG1T 2 solid bus bar mold, GTC-161T 2 solid through 5/8" ground rod mold, VSC-1T-V3C 2 solid vertical down from pipe mold, VFC-1T-V3C 2 solid vertical up from pipe mold, HAA-1T solid horizontal to flat steel mold, T394 mold cleaning brush, T403 mold sealer.



GROUND WIRE TO FLAT PLATE

PART	WIRE SIZE	WELD METAL	PRICE
HSC-2G	2/0	#90	\$103.00



CABLE TO STEEL SURFACE HORIZONTAL

PART	WIRE SIZE	WELD METAL	PRICE
HSC-2G	2/0	#90	\$103.00



HORIZONTAL CABLE TO HORIZONTAL BUS BAR

PART	WIRE SIZE	WELD METAL	PRICE
LJC-EG1V	2 Strand	#65	\$103.00
LJC-EG1T	2 Solid	#65	\$103.00
LJC-EG2G	2/0	#90	\$103.00
LJC-EG2Q	4/0	#65	\$103.00



PARALLEL TAP

PART	RUN WIRE	TAP WIRE	WELD METAL	PRICE
PCC-1T1T	2 Solid	2 Solid	#65	\$103.00
PCC-2G1T	2/0	2 Solid	#90	\$103.00
PCC-2Q1T	4/0	2 Solid	#115	\$103.00



WIRE TO VERTICAL PIPE STRAIGHT DOWN

PART	WIRE SIZE	PIPE SIZE	WELD METAL	PRICE
VBC-1V-V3C	2 Strand	1-1/4"-4"	#65	\$103.00
VBC-1T-V3C	2 Solid	1-1/4"-4"	#65	\$103.00
VBC-2G-009	2/0	1-1/4"-3-1/2"	#90	\$103.00
VBC-2Q-003	4/0	1-1/4"-3-1/2"	#115	\$103.00



HORIZONTAL WIRE TO HORIZONTAL PIPE

PART	WIRE SIZE	PIPE SIZE	WELD METAL	PRICE
HAA-1T-162C	2 Solid	1-1/4"-2"	#45	\$103.00
HAA-1T-350C	2 Solid	3"- 4"	#45	\$103.00

T403 \$19⁹⁹

MOLD SEALER

Ideal for sealing hot or cold molds to retard leakage.



PLUSCU \$133⁹⁹

ELECTRONIC IGNITER

Initiates the reaction of the metal crucible, includes a 6' lead that attaches to the ignition strip and 8 AA batteries.




PLUS WELD METAL

Cadweld Plus weld metal consists of disposable, moisture resistant weld metal cup. Weld metal, disk, and ignition source are located inside package. No need for disks, starting materials, igniters etc. Reduce installation time by 20%. Use ordinary Cadweld molds and get perfect results every time. Using the electronic ignitor, welds are made with the installer 6 feet away.

PART	WELD METAL	CASE QTY	PRICE
#32PLUS-CASE	#32	20	\$53.99
#45PLUS-CASE	#45	20	\$82.25
#65PLUS-CASE	#65	20	\$102.35
#90PLUS-CASE	#90	10	\$71.25
#115PLUS-CASE	#115	10	\$89.25
#150PLUS-CASE	#150	10	\$111.75
#200PLUS-CASE	#200	10	\$138.65




ERICO is the pioneer of the CADWELD Exothermic Welding Process for permanent Cathodic Protection connections. Specifying the CADWELD process in your construction plans will dramatically extend the lifespan of infrastructure systems. CADWELD connections are made with a semi-permanent graphite mold, which holds the conductors to be welded. Weld metal (a mixture of copper oxide and aluminum) is dumped into the top of the mold. The mold is covered and the weld metal ignited. The exothermic reaction produces molten copper, which results in a permanent, high conductivity connection. A CADWELD Connection has current carrying capacity equal to that of the conductor, is permanent with a low resistance connection that cannot loosen or corrode, uses lightweight, inexpensive equipment, requires no external source of power or heat, and can be easily checked for quality.



TELECOM ONE HOLE UPTURN LUG

PART	THICKNESS (A)	WIDTH (B)	LENGTH (C)	CENTERS (D)	E	BOLT SIZE (F)	PRICE
B921CC14	.125	.63	.875	N/A	.375	1/4"	\$4.50
B921CC38	.125	.63	.875	N/A	.375	3/8"	\$4.50



TELECOM TWO HOLE UPTURN LUG

PART	THICKNESS (A)	WIDTH (B)	LENGTH (C)	CENTERS (D)	E	BOLT SIZE (F)	PRICE
B922CC14A	.125	.63	1.88	.625	.375	1/4"	\$5.25
B922CC14B	.125	.63	1.88	.75	.375	1/4"	\$5.25
B922CC14C	.125	.63	1.88	1	.375	1/4"	\$5.25
B922CC38B	.125	.63	1.88	.75	.375	3/8"	\$5.25
B922CC38C	.125	.63	1.88	1	.375	3/8"	\$5.25

GROUND RODS AND COUPLERS



PART	DESCRIPTION	PRICE
613852	Copper-bonded ground rod 3/8" x 5', 3 mils of copper	\$7.00
6138529	Copper-bonded ground rod 3/8" x 5', 3 mils of copper, 18" #10 AWG pigtail	\$16.00
611350	Copper-bonded ground rod 1/2" x 5', 10 mils of copper	\$10.00
611360	Copper-bonded ground rod 1/2" x 6', 10 mils of copper	\$11.00
611380	Copper-bonded ground rod 1/2" x 8', 10 mils of copper	\$15.00
615880	Copper-bonded ground rod 5/8" x 8', 10 mils of copper	\$15.00
615800	Copper-bonded ground rod 5/8" x 10', 10 mils of copper	\$19.50
615883	Copper-bonded ground rod 5/8" x 8', 13 mils of copper	\$18.00
613400	Copper-bonded ground rod 3/4" x 10', 10 mils of copper	\$27.50
CC12F	Compression coupler for 1/2" ground rod	\$6.00
CC58	Compression coupler for 5/8" ground rod	\$5.00



GROUND ROD CLAMPS

PART	DESCRIPTION	PRICE
CP58	Silican bronze ground rod clamp, 1/2" – 5/8" ground rods, #10 solid – #2 stranded wire	\$1.60
CP34	Silican Bronze Ground Rod Clamp, 1/2" – 3/4" ground rods, #10 Solid – #1/0 Stranded Wire	\$2.00
SP58	Stainless Steel Ground Rod Clamp, 1/2" – 5/8" ground rods, #10 solid – #2 stranded wire	\$1.40



GROUND BUS ASSEMBLIES

PART	DESCRIPTION	PRICE
TDSGAU14	Bar Assembly, Ground Bus, Universal Mount	\$145.00
TDSGAPA14	Bar Assembly, Ground Bus, Through Pole/Post Mount	\$150.00
TDSGAWB17	Bar Assembly, Ground Bus, Wall Bracket Mount	\$180.00
TDSGABC14	Bar Assembly, Ground Bus, Beam Clamp Mount	\$220.00
TDSGAPC14	Bar Assembly, Ground Bus, Pole/Post Clamp Mount	\$205.00

GLPCC001TC \$109⁹⁹

CADWELD TELECOM MOLD


Includes B399B Mini EZ change handle clamp and T320 flint ignitor. CADWELD weld metal size #25 works for all 7 lug sizes. See chart below for sleeve requirements.

CONCENTRIC CONDUCTOR SIZE	SOLID CONDUCTOR SIZE	SLEEVE NO	PACKAGE QTY	PRICE
#6	N/A	B112	25	\$9.75
#4	#4	B1331V	25	\$9.75
N/A	#2	S429F1N12	25	\$21.25
#2	N/A	No Sleeve Required	N/A	N/A




BARE COPPER GROUND BAR ASSEMBLIES

PART	DESCRIPTION	MATERIAL	PRICE
EGBA1426SS	Ground Bar Assembly 1/4" x 2" x 6" SS Hole Pattern	Bare Copper	\$47.00
EGBA14412QQ	Ground Bar Assembly 1/4" x 4" x 12" QQ Hole Pattern	Bare Copper	\$102.99
EGBA14420QQ	Ground Bar Assembly 1/4" x 4" x 20" QQ Hole Pattern	Bare Copper	\$132.00
EGBA14424QQ	Ground Bar Assembly 1/4" x 4" x 24" QQ Hole Pattern	Bare Copper	\$155.00
EGBA14412QQT	Ground Bar Assembly 1/4" x 4" x 12" QQ Hole Pattern	Tinned Copper	\$105.00
EGBA14420QQT	Ground Bar Assembly 1/4" x 4" x 20" QQ Hole Pattern	Tinned Copper	\$158.00
EGBA14424QQT	Ground Bar Assembly 1/4" x 4" x 24" QQ Hole Pattern	Tinned Copper	\$184.00




THEFT DETERRENT COMPOSITE CABLE

PART	STRANDING	RESISTANCE	DIAMETER	FUSING CAPACITY EQUIVALENCY	PACKAGE QTY	WEIGHT	PRICE
CC5A04	(1) tinned copper, (6) galvanized	0.485 Ω/1,000 ft	.330"	112% of 4 AWG	250'	57 lbs	\$208.00
CC5A05	(3) tinned copper, (16) galvanized	0.457 Ω/1,000 ft	.334"	113% of 4 AWG	250'	58 lbs	\$250.00
CC5A20	(133) tinned copper, (21) galvanized	0.098 Ω/1,000 ft	.526"	100% of 2/0 AWG	200'	109 lbs	\$1,255.99



JUMPERS

PART	DESCRIPTION	PRICE
FJ1T24	#2 Solid Wire, 24"	\$25.00
FJ2G24	2/0 Stranded Wire, 24"	\$23.00



NYLON CABLE TIES

PART	LENGTH	TENSILE STRENGTH	PACKAGE QTY	PRICE
14033	8.1"	40 lbs	100	\$3.70
14061	8"	50 lbs	100	\$4.50
14063	11.8"	50 lbs	100	\$7.90
14065	14.6"	50 lbs	100	\$9.30
14155	14.5"	120 lbs	100	\$17.90
14157	18"	120 lbs	50	\$15.90
14173	24.9"	175 lbs	25	\$11.00



L160 \$57⁹⁹
HANDLE CLAMP



Used for most molds, includes flint igniter. Offset handle reduces labor time and can fit in a smaller hole.

B160V \$114⁹⁹
CHAIN HANDLE CLAMP



Secure molds to vertical pipe, 20" chain for pipes up to 4", includes flint igniter, can be used with or without chain.

B-158 20" extension chain - \$16.35

T320 \$6⁹⁹
FLINT IGNITER



Available separately, but included with each handle clamp.

T320A Replacement flints (10pk) - \$5.95

B112 \$6⁹⁹
ADAPTER SLEEVES




Changes 2 stranded molds to 6 stranded, 25pk.

B140A Wrap sleeves (50pk) - \$17.95

T394 \$7⁷⁹
MOLD CLEANING BRUSH



Useful in removing slag from molds, especially vertically split.



WELD METAL

Cadweld weld metal is a mixture of copper oxide and aluminum, packaged by size in plastic tubes. Each tube contains the starting powder at the bottom of the plastic tube, with the weld metal on top. These containers are packaged, with metal disks, in polyethylene boxes. The welding metal cannot ignite spontaneously. They can be handled and stored without danger and can be shipped with no special packaging or marking.

PART	WELD METAL	CASE QTY	PRICE
#32-CASE	#32	20	\$55.00
#45-CASE	#45	20	\$79.00
#65-CASE	#65	20	\$90.00
#90-CASE	#90	10	\$65.00
#115-CASE	#115	10	\$85.00
#150-CASE	#150	10	\$110.00
#200-CASE	#200	10	\$135.00

BOTTOM FEED CABLE TO VERTICAL PIPE DOWN

PART	WIRE SIZE	PIPE SIZE	WELD METAL	PRICE
VSC-1V-V3C	2 Strand	1-1/4"-4"	#45	\$103.00
VSC-1T-V3C	2 Solid	1-1/4"-4"	#45	\$103.00
VSC-1T-V5C	2 Solid	4"-6"	#45	\$103.00
VSC-2G-V3C	2/0	2"-4"	#90	\$103.00
VSC-2Q-V3C	4/0	2"-4"	#115	\$103.00

TOP FEED CABLE TO VERTICAL PIPE UP

PART	WIRE SIZE	PIPE SIZE	WELD METAL	PRICE
VFC-1V-V3C	2 Strand	1-1/2"-4"	#65	\$103.00
VFC-1T-V3C	2 Solid	1-1/2"-4"	#65	\$103.00
VFC-1T002-V3C	2 Solid 45°	1-1/2"-4"	#65	\$103.00

ANGULAR CABLE DROP TO VERTICAL STEEL SURFACE

PART	WIRE SIZE	WELD METAL	PRICE
VSC-1T	2 Solid	#65	\$103.00

OVERHEAD VERTICAL TAP TO VERTICAL STEEL SURFACE

PART	WIRE SIZE	WELD METAL	PRICE
VFC-1T	2 Solid	#45	\$103.00

VERTICAL CABLE DROP TO VERTICAL STEEL SURFACE

PART	WIRE SIZE	WELD METAL	PRICE
VBC-1T	2 Solid	#65	\$103.00

FENCE POST AND GATE JUMPERS

PART	WIRE SIZE	MOLD	PRICE
38-5532-24	2 Strand	VBC-1V-V3C	\$21.00
38-5533-24	2/0	VBC-2G-009	\$25.95
38-5534-24	4/0	VBC-2Q-003	\$39.95

CABLE TO TOP OF GROUND ROD

PART	WIRE SIZE	ROD	WELD METAL	PRICE
GRC-161T	2 Solid	5/8"	#65	\$103.00

THROUGH CABLE TO TOP OF GROUND ROD

PART	WIRE SIZE	ROD	WELD METAL	PRICE
GTC-161T	2 Solid	5/8"	#90	\$103.00
GTC-181T	2 Solid	3/4"	#90	\$103.00
GTC-162G	2/0	5/8"	#115	\$103.00
GTC-162Q	4/0	5/8"	#115	\$103.00

CABLE TO CABLE PARALLEL SPLICE

PART	WIRE SIZE	WELD METAL	PRICE
PTC-1T1V	2 Solid to 2 Strand	#65	\$103.00
PTC-1T1T	2 Solid to 2 Solid	#65	\$103.00
PTC-2G1T	2/0 to 2 Solid	#90	\$103.00
PTC-2G2G	2/0 to 2/0	#115	\$103.00
PTC-2Q1T	4/0 to 2 Solid	#150	\$103.00
PTC-2Q2Q	4/0 to 4/0	#200	\$103.00

HORIZONTAL END TO END

PART	WIRE SIZE	WELD METAL	PRICE
SSC-1T	2 Solid	#32	\$103.00
SSC-2G	2/0	#65	\$103.00

RUN AND TAP OR 3-WAY

PART	RUN WIRE	TAP WIRE	WELD METAL	PRICE
TAC-1T1T	2 Solid	2 Solid	#45	\$103.00
TAC-2G2G	2/0	2/0	#90	\$103.00



CC2919 \$38⁹⁹

TOWERPLEX AVIATION WHITE TOWER PAINT

100% acrylic emulsion coating formulated for use on galvanized antenna towers, dries quickly and has excellent weathering properties, meets Federal Standard 595 color #17875 White and complies with National Bureau of Standards report NBS1R75-663 and F.A.A. A/C70/7460-1H, (1) gallon.

(5) gallons - \$177.99

CC2925 \$61⁹⁹

TOWERPLEX ACRYLIC BONDING PRIMER

100% pure acrylic emulsion maintenance/shop primer that develops barrier corrosion resistance, normally associated only with solvent-borne primers. This primer offers excellent adhesion to various substrates such as structural steel, aluminum, galvanized, concrete, masonry, and wood, (1) gallon.

(5) gallons - \$287.99

CC2920 \$48⁹⁹

TOWERPLEX AVIATION ORANGE TOWER PAINT

100% acrylic emulsion coating formulated for use on galvanized antenna towers, dries quickly and has excellent weathering properties, meets Federal Standard Color #12197 Orange and complies with National Bureau of Standards report NBS1R75-663 and F.A.A. A/C70/7460-1H, (1) gallon.

(5) gallons - \$227.99



AA-4200 \$59⁹⁹

FAA IN-SERVICE ORANGE COLOR RANGE CHART

By visually comparing the chart to the tower by way of the window on each page, one can determine whether it is necessary to repaint the tower or obstruction to bring the markings back into compliance. The chart is comprised of 18 technically matched and certified color blocks (nine per page) which represent the minimum and maximum color saturation, as well as limits for lightness, darkness, redness and yellowness compliances.

R044 \$4⁹⁹

WOOSTER PAINTER'S HAND MITT

This lined glove is ideal for painting cellular communication towers, cell monopoles, angle steel, pipes, ornamental iron, hand railing, and more both quickly and efficiently. For use with all paints. Can also be used for cleaning, polishing, dusting.



TY127S \$73⁹⁹

DUPONT TYVECK COVERALL PAINT SUIT

Offers an inherent barrier to particles down to 1 micron in size, attached hood with elastic around face opening, designed to cover neck and chin and fit around respirator face mask, available in sizes XL and 2XL.



COLD GALV 101

WHAT IS COLD GALVANIZING COMPOUND?

Cold galvanizing compound is a single-component zinc coating used to protect bare steel from rust and corrosion. Although it is applied like paint, it is not. It gives the same protection as hot dip galvanizing.

HOW DOES COLD GALVANIZING WORK?

Cold galvanizing compound acts as an active coupling to the steel parent metal to form an electrolytic bond. In the presence of an electrolyte (moisture), zinc dust in cold galv will sacrifice itself to protect the steel.

WHAT SURFACE PREPERATION IS REQUIRED BEFORE APPLYING COLD GALV COMPOUND?

The surface must be clean, dry steel. Use a steel brush to remove any existing rust on the surface for the entire area that will be covered in cold galvanizing compound. Also, remove any chemicals, dirt, grease, oil, silicon, etc. from the surface before applying cold galv.

HOW DO I APPLY COLD GALVANIZING COMPOUND?

Cold galv can be painted on using traditional brushes, rolled, and even sprayed using a thinner. Aerosol coatings are also available. We recommend a disposable brush like the 3" chip brush.

WHAT DO THE DIFFERENT PERCENTAGES OF ZINC CONTENT OFFER?

The higher the zinc content, the higher protection against the elements from rust and corrosion. The zinc bonds to the steel to form the protective layer, and the higher the zinc content, the better the coverage and protection.

IF IT'S VERY COLD OR VERY HUMID, CAN I STILL APPLY COLD GALV?

Most likely. Be sure to review the conditions for your particular brand of cold galv, but most of the compounds can be applied in a wide variety of weather conditions. Humidity can even intensify the anodic action and acceleration of the protective formation.

CAN COLD GALVANIZING COMPOUND BE SHIPPED NEXT DAY AIR?

Unfortunately not. Cold galvanizing compound can only be sent via ground or LTL. It is not allowed in the air system due to its category 3 classification for flammable liquids.



7008G \$111.99
CROWN BRITE COLD GALVANIZING COMPOUND

Bright, glistening finish with 65% pure zinc in a dry film, can be easily sprayed, brushed, or dipped onto any metal surface, meets performance requirements of ASTM A-780-93A, good film integrity after 336 hours salt spray, designed for permanent protection, stops rust and corrosion on any iron or steel surface for protection equal to or better than hot-dipped galvanizing with the bright look of hot-dipped surfaces, (1) gallon.

- 7008VG Low VOC gallon - \$206.99
- 7008Q Quart - \$29.99
- 7008 12 pack aerosol - \$84.99

7007G \$111.99
CROWN COLD GALVANIZING COMPOUND

Light gray, matte finish with 93% pure zinc in a dry film, can be easily sprayed, brushed, or dipped onto any metal surface, meets performance requirements of MIL-P-46105(MR), MIL-P-21035B, and DOD-P-21035A, withstands 2000 hours of 5% salt spray testing, designed for permanent protection, provides protection equal to or better than hot-dipped galvanizing, outstanding weld-through primer, (1) gallon.

- 7007VG Low VOC gallon - \$189.99
- 7007Q Quart - \$29.99
- 7007 12 pack aerosol - \$74.99

20013 \$159.99
ZRC GALVILITE GALVANIZING REPAIR COMPOUND

Shiny finish with 95% pure zinc in dry film, low VOC, withstands 3,000 hours salt spray testing, designed specifically for field and shop repair of hot dip galvanizing, silver finish closely blends with the color of new hot dip galvanizing, meets or exceeds galvanizing repair specifications, single-component, apply by brush, roller, or spray; passes 9-year subtropical testing, resists intermittent dry-heat temperatures of up to 750°F, also available in clog-free aerosol form. (1) gallon.

- 20010 24 pack aerosol - \$259.99
- 20012 Quart - \$41.99

387SS \$279
ANCHOR STAINLESS STEEL SHOE HANDLE WIRE BRUSH

Heavy-duty industrial brush, unsurpassed wire fill and length, designed to outwork and outlast so called "economy" brushes.



1117 \$979
3" WOOSTER CHIP BRUSH, 12 PACK

Chip brush head features white Chinese bristle; natural wood handle is lightweight for comfortable use; tin-plated steel ferrule; brush is disposable, and easy to use, sold in packs of 12.



ZSOL1 \$18.00
ZINGASOLV
 Zingasolv is the recommended thinner to be used with Zinga for spray application, can also be used for cleaning equipment, it's recommended to dilute by 0 to 5% for conventional spraying and 0 to 25% for airless spraying. (1) Liter.
 ZSOL5 5 Liter - \$80.00



Z10 \$340.00
ZINGA ZINC FILM COLD GALVANIZING COATING
 96% zinc in the dry film - the highest zinc purity in the world, provides cathodic protection to steel, dry to touch in 10 minutes, (1) gallon.
 ZC (12) pack aerosol - \$298.00
 Z5 1/2 gallon - \$183.00
 Z1 12.5 ounces - \$44.99



10003 \$149.99
ZRC COLD GALVANIZING COMPOUND
 Flat finish with 95% pure zinc in dry film, low VOC, withstands 3,000 hours salt spray testing, (1) gallon.
 10000 24 pack aerosol - \$257.99
 10002 Quart - \$41.99



466142 \$28⁹⁹
KIDDE ABC HOME FIRE EXTINGUISHER

Designed to fight basic fires common to the home, including those involving fabrics, plastics, wood, flammable liquids, and electrical equipment; U.S.C.G. DOT approved, UL rated 1-A-10-B-C, unit weight 2.5 lbs, diameter 3.25", height 13.75", discharge time 8-12 seconds, discharge range 6-8', operating pressure 100 psi.

466206 \$119⁹⁹
KIDDE PRO 20 MP FIRE EXTINGUISHER

Multipurpose dry chemical, UL listed, UL rated 6-A-80-B-C, supplied with wall hanger, monoammonium phosphate, 6 year limited warranty, suitable for use on most common fires, unit weight 30 lbs, diameter 7", height 21.6", discharge time 19-22 seconds, discharge range 20', operating pressure 195 psi.

466204 \$69⁹⁹
KIDDE PRO 10 MP FIRE EXTINGUISHER

Multipurpose dry chemical, UL listed, UL rated 4-A, 60-B-C, supplied with wall hanger, monoammonium phosphate, 6 year limited warranty, suitable for use on most common fires, unit weight 16 lbs, diameter 5.21", height 19.52", discharge time 19-21 seconds, discharge range 20', operating pressure 195 psi.

466112 \$49⁹⁹
KIDDE PRO 5 MP FIRE EXTINGUISHER

Multipurpose dry chemical, UL listed, UL rated 3-A, 40-B-C, supplied with wall hanger, monoammonium phosphate, 6 year limited warranty, suitable for use on most common fires, unit weight 9 lbs, diameter 4.5", height 16.31", discharge time 13-15 seconds, discharge range 12-18', operating pressure 195 psi.



408-466401
 \$7⁹⁹

KIDDE FIRE EXTINGUISHER BRACKET

Durable steel construction, metal retention strap to hold extinguisher, wall bracket for dry chemical fire extinguisher, fits variety of Kidde extinguisher models.



408-292474
 \$56⁶⁰

KIDDE FIRE EXTINGUISHER BRACKET

Manufactured with the highest quality, durable, high strength metal; mounts on wall or work truck; versatile, fits many Kidde Fire Extinguishers; secure fire extinguisher so it's ready at a moment's notice in an emergency.



MFxG543VS
 \$5⁸⁶

ACCIFORM ADHESIVE VINYL FIRE EXTINGUISHER SIGN

Fire extinguisher signs identify the location and sometimes the type of fire extinguisher to aid with deployment in case of emergency. 4"x12".



5930 \$2,038⁹⁹

GENERAC XP SERIES 6500E PORTABLE GENERATOR

Full panel GFCI protection, idle control, integrated lifting eye, 120/240V, electric start, Generac's OHV™ engine, durable construction with hardened 1.25" steel tube cradle and cast metal corners, TruePower technology, low oil pressure shutdown, on/off switch, fuel shut-off and choke controls, covered outlets, locking, folding handles and never-flat wheels are included; maintenance kit included, **6,500 watt**.

5931 8,000 watt - \$2,449.00



5929 \$1,639⁰⁰

GENERAC XP SERIES 4000 PORTABLE GENERATOR

Full panel GFCI protection, idle control, integrated lifting eye, 120/240V selector, Generac's OHV™ engine, durable construction with hardened 1.25" steel tube cradle and cast metal corners, TruePower technology, low oil pressure shutdown, on/off switch and fuel shut-off, covered outlets, handle and wheel kit, maintenance kit included. **4,000 watt**.

5943

\$999⁰⁰

GENERAC GP SERIES 7500E PORTABLE GENERATOR

Electric start, Generac's OHV engine, large-capacity steel fuel tank, low-oil level shutdown, hardened steel tube cradle, fold-down handle, never-flat wheels; CSA and CARB certified, **7,500 watt**.



5940 \$799⁰⁰

GENERAC GP SERIES 6500 PORTABLE GENERATOR

Generac's OHV engine, large-capacity steel fuel tank, low-oil level shutdown, hardened steel tube cradle, fold-down handle, never-flat wheels; CSA and CARB certified, **6,500 watt**.

5941 Electric start - \$1,126.99



5982

\$439⁰⁰

GENERAC GP SERIES 3250 PORTABLE GENERATOR

Generac's OHV engine, large-capacity steel fuel tank, low-oil level shutdown, hardened steel tube cradle, fold-down handle, never-flat wheels; CSA and CARB certified, **3,250 watt**.



5981 \$359⁰⁰

GENERAC GP SERIES 1800 PORTABLE GENERATOR

Generac's OHV engine, large-capacity steel fuel tank, low-oil level shutdown, hardened steel tube cradle, fold-down handle, CSA certified, **1,800 watt**.





FS1506

FS1508

FS1510

FE3224

LOUISVILLE LADDERS

PART	LADDER SIZE	DUTY RATING	LOAD CAPACITY	APPROX. WEIGHT	PRICE
FS1506	6'	IA	300 lbs	20 lbs	\$102.99
FS1508	8'	IA	300 lbs	26 lbs	\$134.99
FS1510	10'	IA	300 lbs	34 lbs	\$198.99
FE3224	24'	IA	300 lbs	52 lbs	\$249.99



10800

\$164⁹⁹

GUARDIAN SAFE-T LADDER EXTENSION

Designed to attach over the top of the ladder and provide a safe and easy transition from the ladder to a second surface, requires no tools.



2420

\$61⁹⁹

GUARDIAN 2-RUNG LADDER JACK

Tough riveted and welded ladder jacks, can be used on either side of ladder, accommodates planking up to 18" wide.



2480

\$21⁹⁵

GUARDIAN LADDER HOOK

Adjusts to fit between top (2) ladder rungs, fits single or extension, wood, fiberglass, and aluminum ladders with round or "D" rung styles.



LADDER LOCK

\$36⁹⁵

LADDER LOCK

Helps prevent accidents and property damage, easy to use, constructed of steel with a strong spring for holding power, clamps onto gutters, metal roofs, piping, plywood and much more.



46403N

\$179⁹⁵

U.S. WIRE AND CABLE EXTREME DUAL 38 WATT LED WORK LIGHT

Equipped with (2) LEDs (7000 lumens of light and (4) hours of run time); extremely low heat output; rugged, die-cast aluminum housing and frame; neutral white Kelvin rating; extendable tripod with extension leg; 5 ft. 18/3 cord with 5-15 plug; low heat output; extremely bright for illuminating large jobsites;



46003N

\$34⁹⁹

U.S. WIRE AND CABLE HALOGEN QUARTZ PORTABLE LIGHT WITH TRIPOD

(2) 500 watt quartz light bulbs, 33% brighter than incandescent bulbs, each bulb cage has an instant on/off switch, directional pivot base and 8' grounded cord and plug, telescoping tripod will extend up to 7', collapsible for easy storage.



DIY2D-B \$35⁹⁹

RAYOVAC INDUSTRIAL GRADE FLASHLIGHT

250 lumen high performance LED, 2 light modes: high & energy saver, ipx4 water resistant, includes batteries, 30-hour battery runtime, 282 meter beam distance, lifetime warranty.



DIY3AAA-B \$21⁵⁹

RAYOVAC VIRTUALLY INDESTRUCTIBLE FLASHLIGHT

High performance LED, (2) modes: 120 lumens, 19 lumens, beam distance: 160 meters, 70 meters, battery run time: up to 40 hours, 30' drop test performance, lifetime warranty.



50020 \$24⁹⁶

IN-LINE GFCI TO POW-R BLOCK

2' length, 12 guage, 125V rating, 15 amp, SJTW wire type, Reset and manual test buttons, NEMA 5-15P to NEMA 5-15R.



RAYOVAC BATTERIES

PART	BATTERY TYPE	QUANTITY	PRICE
ALAA-24	AA	24	\$11.99
ALAAA-24	AAA	24	\$11.99
ALC-12	C	12	\$10.99
ALD-12	D	12	\$14.99
AL9V-12	9V	12	\$23.99



U.S. WIRE AND CABLE EXTENTION CORDS

PART	GA/COND	LENGTH	125V RATING	PRICE
74025	12/3	25'	15A	\$20.99
74050	12/3	50'	15A	\$49.99
74100	12/3	100'	15A	\$69.99
68050	10/3	50'	15A	\$99.99
68075	10/3	100'	15A	\$129.99

GASOLINE	DIESEL	KEROSENE	OIL
----------	--------	----------	-----

10301 \$39⁹⁹

JUSTRITE TYPE I STEEL SAFETY CAN WITH TRIGGER HANDLE

Single spout for filling and pouring, sealed lid features automatic positive-pressure relief that vents between 3 and 5 psig to guard against rupture or explosion, made from high-grade coated steel, 100% leakproof construction, tough powder-coat finish resists chemicals and stands up to demands of rigorous use, equipped with a stainless steel flame arrester which dissipates heat to stop flashback ignition, swinging handle to greatly ease carrying of heavier loads, certified by FM, UL/ULC, and TÜV, meets OSHA and NFPA requirements, 10 year warranty, **1 gallon, red.**



7150100 \$47⁹⁹

JUSTRITE TYPE I STEEL SAFETY CAN

Single spout for filling and pouring, sealed lid features automatic positive-pressure relief that vents between 3 and 5 psig, made from high-grade coated steel, 100% leakproof construction, tough powder-coat finish resists chemicals and stands up to demands of rigorous use, equipped with a stainless steel flame arrester which dissipates heat to stop flashback ignition, swinging handle to greatly ease carrying of heavier loads, certified by FM, UL/ULC, and TÜV, meets OSHA and NFPA requirements, 10 year warranty, **5 gallon, red.** Also available in blue, yellow, and green.



- 7125100 2.5 gallon, red - \$41.99
- 7120100 2 gallon, red - \$40.99
- 7110100 1 gallon, red - \$39.99



893000 \$619⁹⁹

JUSTRITE SURE-GRIP EX FLAMMABLE SAFETY CABINET

Designed to meet OSHA and NFPA standards, constructed of sturdy 18-gauge thick double-wall, welded steel with 1-1/2" of insulating air space for fire resistance, High-performance, self-latching doors close easily and securely; fail-safe closing mechanism, 43" W x 44" H x 18" D, 30 gallon capacity, **yellow.**



- 893001 Red - \$619.99
- 893003 Gray - \$619.99
- 893005 White - \$619.99

7250120 \$78⁹⁹

JUSTRITE TYPE II ACCUFLOW STEEL SAFETY CAN WITH 5/8" METAL HOSE

Safe-Squeeze trigger for safe and controlled pouring, made from high-grade coated steel, pressure tested to ensure quality, tough powder-coat finish resists chemicals and stands up to demands of rigorous use, sealed lid features automatic positive-pressure relief that vents between 3 and 5 psig to protect against explosion, ergonomic lift lever opens the self-closing spout wide for easy filling, 10 year warranty, **5 gallon, red.** Also available in blue, yellow, and green.



- 7225130 2.5 gallon, red - \$79.99
- 7220120 2 gallon, red - \$74.99
- 7210120 1 gallon, red - \$69.99



09100 \$57⁹⁹

JUSTRITE OILY WASTE CAN

Lid opens to no more than 60 degrees and stays closed when not in use, round construction and elevated base allow circulation of air around can to disperse heat and reduce moisture build-up, durable steel construction with a powder-coat finish, 10 year warranty, **6 gallon, red.**

- 09101 Yellow - \$57.99



11202Y \$10²⁵

JUSTRITE POLYPROPYLENE FUNNEL FOR TYPE I STEEL SAFETY CANS

For use with steel Type I Justrite safety cans 1 gallon (4L) and above.



MDT251LTM \$12.49

ACCUFORM GROUP LOCKOUT JOB TAGS

5-Pack of nearly indestructible laminate lockout job tags; withstands tough, abusive conditions; hard-sealed by thick laminate on both sides; tear-proof, weather proof; chemical-resistant; withstands dirt, grease, liquid splashes, etc; 3/8" hole w/ reinforced pull-proof metal grommet; 5-3/4" x 3-1/4".

MDT251LTP 25 Pack - \$54.99



1483BP410 \$269.99

MASTER LOCK ZENEX 10 LOCK PADLOCK STATION

Covered padlock station with (10) of the 410RED Zenex padlocks, keyed differently; (2) 420 hasps and (2) bags (12/pack) of 497A Danger Do Not Operate lockout tags, lockable translucent cover, 15-1/2" high, 22" wide, 1-3/4" deep.



410RED \$12.99

MASTER RED ZENEX THERMOPLASTIC SAFETY PADLOCK

1-1/2" wide, 1-3/4" tall Thermo-plastic black body, shackle with 1-1/2" clearance, key retaining - ensures that padlock is not left unlocked.



491B \$8.19

MASTER LOCK GRIP TIGHT CIRCUIT BREAKER LOCKOUT

Fits wide or tall breaker toggles typically found on hi-voltage/hi-amperage breakers, great strength with universal fit.

493B Standard Toggle - \$6.98



420 \$5.19

MASTER LOCK 1" STEEL LOCKOUT HASP

Lockout by multiple workers at each lockout point, control cannot be turned on until last worker's safety padlock is removed from hasp, heavy gauge steel jaw with red vinyl coated handle, 1-3/4" x 4-1/2" with 1" inside jaw diameter, holds up to (6) safety padlocks.



1457E410KA \$132.99

MASTER LOCK ELECTRICAL LOCKOUT/TAGOUT KIT

(3) Zenex padlocks, keyed alike, (1) circuit breaker padlock, (1) lockout hasp, (1) labeled snap-on red lockout hasp, (2) Grip Tight circuit breaker lockout devices, (3) Grip Tight circuit breaker lockout devices, (1) universal wall switch lockout device, and (1) Bag (12/Pack) of lockout tags.



KDD630 \$35.99

STOPOUT CINCH CABLE LOCKOUT

Lockout contains internal cable spooling feature to quickly, simply and neatly extend and loop the 6-ft. nylon-coated, steel cable through several devices to lock them out; insert the cable end back into cinch lock device for it to "cinch" tight and unmovable.



TLS202 \$26.99

STOPOUT DISPOSABLE PADLOCK SEAL

Cost-saving, single-use lock device for operation-wide plant and facility lockout shut-down and turnaround; eliminates the hassle of misplaced locks and keys; band can only be broken or cut for removal; 10 pack.



TRS307 from \$3.26

EQUIPMENT STATUS TAGS

Identify clearly and alert staff to cautions with durable safety tags that work effectively in extreme environments. Available in three materials (5 pack or 25 pack).



HMD150 \$949⁹⁹

HOUGEN LOW PROFILE PORTABLE MAGNETIC DRILL

Lightweight at only 22.7 lbs and 7-3/16" tall, patented quill feed arbor for smooth cuts and minimal maintenance, uses RotaLoc and RotaLoc Plus cutters which requires no tools for installation or removal, positive slug ejection, high torque gearing, lift detector safety system, feed handle switches easily from side to side, ratchet or wrench can be used in place of feed handle, rear mounted controls, ergonomic carrying handle, carrying case included, one year warranty

HMD115 Ultra low profile (6-11/16" height, 21.3 lbs) - \$874.99

HMD150 SPECIFICATIONS	HMD115 SPECIFICATIONS
Electrical System: 120V, 50/60 Hz - 9A, 1035W 230V, 50/60 Hz - 4.5A, 1035W	115V, 50/60 Hz - 8A, 960W 230V, 50/60 Hz - 4A, 960W
Motor: 8A (120V), 4A (230V) 450 RPM	7A (115V), 3.5A (230V) 450 RPM
Diameter: 7/16" - 1-3/8" (12mm - 35mm)	1/2"-1-1/16" (12mm - 27mm)
Depth: 1" (25mm)	3/4" (19mm)
Cutter/Mount: RotaLoc and RotaLoc Plus with push & turn style shank	RotaLoc with push & turn style shank
Dimensions: 7-13/16" H x 6-1/2" W x 11-11/16" L	6-11/16" H x 8-1/2" W x 11-5/8" L



BEST ALL-AROUND

HMD904 SPECIFICATIONS
Electrical System: 115V, 50/60 Hz - 9A, 1035W , 230V, 50/60 Hz - 4.5A, 1035W
Motor: 8A (115V), 4A (230V) 450 RPM
Diameter: 7/16" - 1-1/2" (12mm - 38mm)
Depth: 2" (50mm)
Cutter/Mount: Rotabroach, Copperhead and Fusion cutters, 3/4" (19mm) shank
Dimensions: 7-13/16" H x 6-1/2" W x 11-11/16" L

HMD904 \$994⁹⁹

HOUGEN VERSATILE PORTABLE MAGNETIC DRILL

Large 1-1/2" x 2" capacity, positive slug ejection, more durable and powerful magnet, many accessories are available for a portable machine shop including: drill chucks, tapping, countersink, and more; feed handles quickly change from side to side, lift detector safety system, gravity fed coolant system, carrying case included, one year warranty, precisely line up your pilot with the holes center location, one stroke lock and unlock handle, great for horizontal, overhead, tight areas, and getting out over another piece of steel

HMD904S With swivel base - \$1,094.99



11741 \$3²⁵

HOUGEN ROTAMAGIC SUPER CONCENTRATED CUTTING FLUID

Water soluble, biodegrade cutting lubricant that yields a 10:1 ratio when mixed with water; extends tool life and improves cutter performance, (1) pint bottle.

11742 (1) gallon bottle - \$47.25



HOUGEN 1" ROTALOC PLUS ANNULAR CUTTERS (FOR HMD150)

1" depth of cut; more sizes available; use with pilot 17470.

- 17218 9/16" / .5625" - \$36.50
- 17222 11/16" / .6875" - \$39.75
- 17226 13/16" / .8125" - \$44.80
- 17801 Rotaloc Plus Kit including 9/16", 11/16", 13/16" diameter plus (3) pilots and case - \$126.99



HOUGEN 2" 12,000 SERIES ANNULAR CUTTERS (FOR HMD904)

2" depth of cut; copperhead carbide tips and more sizes available.

- 12214 7/16" / .4375" - \$36.19
- 12216 1/2" / .5000" - \$39.85
- 12218 9/16" / .5625" - \$45.19
- 12220 5/8" / .6250" - \$48.75
- 12222 11/16" / .6875" - \$54.05
- 12224 3/4" / .7500" - \$59.39
- 12226 13/16" / .8125" - \$62.95
- 12228 7/8" / .8750" - \$66.75



HOUGEN D.O.C. PILOT BITS

For 12,000 series annular cutters.

- 10532 2" D.O.C. for use with 7/16" - 9/16" - \$6.89
- 10528 2" D.O.C. for use with 5/8" and above - \$7.95

For Rotaloc Plus annular cutters.

- 17470 1" D.O.C. for use with 7/16" and above - \$5.95



11745 \$10⁵⁹

HOUGEN SLICK STICK LUBE

Softer than other stick lubricants for easy application, superior adhesion to the tool assuring thorough coverage.



HOUGEN-OGURA ROUND PUNCH AND DIES

PUNCH SIZE	PART	PRICE	MATERIAL THICKNESS	DIE PART	PRICE
5/32"	76200	\$52.00	5/64"	76204	\$50.75
3/16"	76201	\$52.00	5/64" to .118"	76205	\$50.75
7/32"	76202	\$52.00	5/64" to .118"	76206	\$50.75
15/64"	76203	\$52.00	5/64" to 1/8"	76207	\$50.75
			>1/8" to 5/32"	76216	\$50.75
1/4"	75421	\$41.85	5/64" to 1/8"	76208	\$50.75
			>1/8" to 1/4"	76217	\$50.75
5/16"	75422	\$41.85	5/64" to 1/8"	76209	\$50.75
			>1/8" to 1/4"	76218	\$50.75
11/32"	75423	\$41.85	5/64" to 1/8"	76210	\$50.75
			>1/8" to 1/4"	76219	\$50.75
3/8"	75424	\$41.85	5/64" to 1/8"	76211	\$50.75
			>1/8" to 1/4"	76220	\$50.75
			19/64" max	76245	\$54.90
7/16"	75425	\$41.85	5/64" to 1/8"	76212	\$50.75
			>1/8" to 1/4"	76221	\$50.75
			19/64" max	76246	\$54.90
1/2"	75426	\$41.85	5/64" to 1/8"	76213	\$50.75
			>1/8" to 1/4"	76222	\$50.75
9/16"	75427	\$41.85	5/64" to 1/8"	76214	\$50.75
			>1/8" to 1/4"	76223	\$50.75



76000 \$2,498⁰⁰

HOUGEN-OGURA 18V CORDLESS HOLE PUNCHER

Small and compact, at only 16.5 lbs, Jog down punch for easy hole alignment, 4 second punching speed, 1.02" throat depth with adjustable guide, 18V Lithium-Ion battery for long life and 22 minute charging time, 360° swivel handle, produces 8.5 tons of pressure, maximum hole size: 19/32" round, 7/16" x 5/8" oblong; maximum thickness: 1/4", includes carrying case, 7/16" punch and die, and charger; optional stand, replacement batteries, and additional punches and dies available.

HOUGEN-OGURA OBLONG PUNCH AND DIES

PUNCH SIZE	PART	PRICE	MATERIAL THICKNESS	OBLONG DIE	PART	PRICE
1/4" x 3/8"	76225	\$89.95	5/64" to 1/8"	1/4" x 3/8"	76229	\$69.95
			>1/8" to 1/4"	1/4" x 3/8"	76236	\$69.95
1/4" x 1/2"	75638	\$61.86	5/64" to 1/8"	1/4" x 1/2"	76230	\$69.95
			>1/8" to 1/4"	1/4" x 1/2"	76237	\$69.95
11/32" x 1/2"	75639	\$61.86	5/64" to 1/8"	11/32" x 1/2"	76231	\$69.95
			>1/8" to 1/4"	11/32" x 1/2"	76238	\$69.95
7/16" x 5/8"	75640	\$61.86	5/64" to 1/8"	7/16" x 5/8"	76235	\$69.95
			>1/8" to 1/4"	7/16" x 5/8"	76242	\$69.95



HOUGEN ROTACUT SHEET METAL HOLE CUTTER KITS

PART NO.	DESCRIPTION	PRICE
11075C	11088 Arbor Assembly, Center Punch, Extra Pilot And 7 Cutters: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"	\$87.50
11077	11088 Arbor Assembly, Center Punch, Extra Pilot And 7 Metric Cutters: 8, 10, 12, 14, 16, 18, 20mm	\$87.50
11078	11005 Arbor Assembly, Center Punch, Extra Pilot And 6 Cutters: 7/8, 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2"	\$218.80
11085	Master Kit Of 16 Sizes Of Cutters From 1/4" To 3/4", Extra Pilots, Arbor & Center Punch	\$229.95
11086	Master Metric Kit, 16 Sizes Of Cutters From 6mm To 20mm, Extra Pilots, Arbor & Center Punch	\$229.95
11087	Combo Kit Combines The 11075 And 11078 Into One Complete Package	\$275.00



HOUGEN DRILL CHUCKS

PART NO.	DESCRIPTION	PRICE
10731	1/2" Hougan Chuck With Key (HMD904, HMD914, HMD925)	\$60.50
10737	5/8" Hougan Chuck With Key (HMD914)	\$87.50
10732	1/2" Jacobs Chuck With Key (HMD904, HMD914 & HMD925)	\$97.50
10738	5/8" Jacobs Chuck With Key (HMD914)	\$150.00
07930	Replacement Key For 1/2" Chucks	\$5.25
07931	Replacement Key For 5/8" Chucks	\$6.95



2897-22 \$399⁰⁰

MILWAUKEE M18 FUEL LITHIUM-ION 2-TOOL COMBO KIT

Includes M18 FUEL 1/2" hammer drill/driver, M18 FUEL 1/4" hex impact driver, (2) M18 REDLITHIUM XC 5.0 extended capacity battery packs, M18 & M12 multi-voltage charger, belt clip, carrying case, side handle. M18 FUEL features a POWERSTATE brushless motor, REDLINK PLUS electronic intelligence and REDLITHIUM battery technology, this results in longer motor life, more run time and more power. The POWERSTATE brushless motor works harder and lives longer than all leading competitors, while reducing noise and cooling more rapidly.



2696-26 \$649⁰⁰

MILWAUKEE M18 CORDLESS LITHIUM-ION 6-TOOL COMBO KIT

Includes M18 cordless lithium-ion 1/2" hammer drill/driver, Sawzall M18 cordless LITHIUM-ION recip saw, M18 cordless LITHIUM-ION 6-1/2" circular saw, M18 1/4" hex compact impact driver, M18 cordless LITHIUM-ION 4-1/2" cut-off / grinder, (2) M18 XC high capacity REDLITHIUM batteries, M18 & M12 multi-voltage charger, M18 work light, contractor bag. Also available with FUEL option with Part # 2796-26.

2696-24 4-piece kit includes M18 cordless lithium-ion 1/2" hammer drill/driver, Sawzall M18 cordless LITHIUM-ION recip saw, M18 1/4" hex compact impact driver, batteries, charger, M18 work light, contractor bag. - \$429.00



48-32-4403 \$20²⁹

MILWAUKEE 18 PIECE SHOCKWAVE DRIVER BIT SET

Includes phillips bit 1" P1, phillips bit 1" P2, phillips bit 1" P3, slotted bit 1" SL 1/4", slotted bit 1" SL 3/16", square bit 1" SQ1, square bit 1" SQ2, (2) phillips bits 2" P2, phillips bit 2" P3, (2) square bits 2" SQ2, square bit 2" SQ3, TORX 2" T15, TORX bit 2" T20, 3-1/2" phillips #2, 3-1/2" square drive #2, case with bulk storage container, SHOCKWAVE magnetic bit holder.



48-89-2802 \$59⁹⁹

MILWAUKEE 29 PIECE THUNDERBOLT BLACK OXIDE DRILL BIT SET

Includes 11/32", 1/16", 11/64", 1/2", 13/32", 13/64", 1/4", 15/32", 15/64", 17/64", 1/8", 19/64", 21/64", 23/64", 25/64", 27/64", 29/64", 3/16", 31/64", 3/32", 3/8", 5/16", 5/32", 5/64", 7/16", 7/32", 7/64", 9/32", 9/64".



2703-22 \$279⁰⁰

MILWAUKEE M18 FUEL 1/2" DRILL/DRIVER KIT

Includes M18 FUEL 1/2" drill/driver, (2) M18 XC high capacity REDLITHIUM batteries, M18 & M12 multi-voltage charger, carrying case.

2704-22 Hammer drill - \$299.00



2606-22CT \$179⁰⁰

MILWAUKEE M18 COMPACT 1/2" COMPACT DRILL/DRIVER KIT

Includes M18 compact 1/2" compact drill/driver, (2) M18 REDLITHIUM compact batteries, M18 & M12 multi-voltage charger, carrying case.



2753-22 \$299⁰⁰

MILWAUKEE M18 FUEL 1/4" HEX IMPACT DRIVER KIT

Includes M18 FUEL 1/4" hex impact driver, (2) M18 XC high capacity REDLITHIUM Batteries, M18 & M12 multi-voltage charger, belt clip, carrying case.



2755-22 \$329⁰⁰

MILWAUKEE M18 FUEL 1/2" IMPACT WRENCH KIT WITH PIN DETENT


Includes M18 FUEL 1/2" impact wrench with pin detent, (2) M18 REDLITHIUM XC 5.0 extended capacity battery packs, M18 & M12 multi-voltage charger, belt clip, and carrying case.



4270-21 \$958⁰⁰

MILWAUKEE COMPACT ELECTROMAGNETIC DRILL PRESS KIT

Power and precision in a lightweight, portable drill press with the biggest capacity in its class; just 26.5 lbs, comfortable carrying handle that's well positioned for balance, ideal for remote drilling in metal, handles your toughest drilling applications with a powerful 1.1-maximum horsepower, 9.0-amp motor; up to 1-1/2" diameter holes through 2" thick steel with annular cutters or 1/2" diameter holes 4-1/4" deep with twist drill bits; strong two-coil magnet provides 2,300 lbs. of dead-lift force on 1-in. thick steel. Includes drill press, carrying case, lubricant spray bottle, nylon safety strap, (2) hex wrenches.



2729-21 \$479⁰⁰

MILWAUKEE M18 FUEL DEEP CUT BAND SAW KIT

Cuts faster than its corded counterparts, provides the same legendary durability of a Milwaukee corded band saw, and delivers up to 2X more run time than other cordless options, POWERSTATE Brushless Motor, CPT constant power technology, over 90% same parts as Milwaukee's Corded Deep Cut Band Saw, Jobsite Armor Technology, REDLINK PLUS, all metal direct drive, tool-free locking adjustable shoe, industry's largest cutting capacity, LED light. Includes M18 FUEL deep cut band saw kit, M18 REDLITHIUM XC 5.0 extended capacity battery pack, M18 & M12 multi-voltage charger, blade, and carrying case.

2787-22 \$2,299⁰⁰

MILWAUKEE M18 FUEL 1-1/2" CORDLESS MAGNETIC DRILL PRESS KIT

Drills faster than corded competitor, delivers strongest magnetic hold for safer drilling, REDLITHIUM XC5.0 Battery; self-powered magnetic base delivers 2,000+ lbs of holding force and operates without electricity, ensuring the magnet does not deactivate if the battery is drained; equipped with auto-stop lift-off detection; POWERSTATE Brushless Motor delivers maximum power and provides up to 2x longer motor life; 2 speed gear box, 5-3/4" stroke length; 1-1/2" annular cutter capacity; 1/2" twist bit capacity.



49-32-0081

\$9⁴⁹

MILWAUKEE HAWG WASH CUTTING LUBRICANT

For use with Milwaukee cutting bits, (1) bottle makes (1) gallon of solution, mix into a container that has been filled with (7) pints of water.



2429-21XC \$199⁰⁰

MILWAUKEE M12 CORDLESS SUB-COMPACT BAND SAW KIT

Includes M12 cordless sub-compact band saw, M12 XC high capacity REDLITHIUM battery, 18 TPI sub-compact portable band saw blade (3 PK), M12 lithium-ion battery charger, carrying case.



2629-22 \$399⁰⁰

MILWAUKEE M18 CORDLESS LITHIUM-ION BAND SAW KIT

Includes M18 cordless LITHIUM-ION band saw, (2) M18 XC high capacity REDLITHIUM batteries, M18 & M12 multi-voltage charger, carrying case.



48-22-1902 \$17⁹⁹

MILWAUKEE FASTBACK II FLIP UTILITY KNIFE WITH STORAGE

Includes FASTBACK II flip utility knife with storage, (2) utility knife blades.

48-22-1901 Without storage - \$12.99



2620-22 \$349⁰⁰

MILWAUKEE SAWZALL M18 CORDLESS LITHIUM-ION RECIP SAW TOOL KIT

Includes Sawzall M18 cordless LITHIUM-ION recip saw, M18 XC high capacity REDLITHIUM battery, M18 & M12 multi-voltage charger, carrying case.



48-22-3069 \$33⁹⁹

MILWAUKEE 6IN1 COMBINATION PLIERS

Revolutionary dual head design for wire stripping and needle nose functionality, reaming head to smooth out rough edges of metal pipe.



2605-22

\$449⁰⁰

MILWAUKEE M18 CORDLESS LITHIUM-ION 7/8" SDS-PLUS ROTARY HAMMER KIT

Includes M18 Cordless lithium-ion 7/8" SDS-plus rotary hammer, M18 XC high capacity REDLITHIUM battery, M18 & M12 multi-voltage charger, carrying case, depth rod, side handle.



48-22-2006 \$34⁹⁹

MILWAUKEE 6 PIECE SCREWDRIVER SET

Includes 3" cabinet 3/16" screwdriver, 3" phillips #1 screwdriver, 4" phillips #2 screwdriver, 4" slotted 1/4" steel cap screwdriver, 6" cabinet 3/16" screwdriver, 6" slotted 5/16" steel cap screwdriver.




48-22-2301

\$21⁹⁹

MILWAUKEE 10IN1 ECX RATCHETING MULTI BIT DRIVER

Includes 10IN1 ratchet handle, 3-1/2" ECX #1, 3-1/2" ECX #2, 3-1/2" phillips #1, 3-1/2" phillips #2, 3-1/2" slotted 1/4", 3-1/2" slotted 3/16", 3-1/2" square drive #2.



48-00-5788 \$19⁹⁹

MILWAUKEE 9" 18 TPI "THE TORCH" SAWZALL BLADES (5 PK)

Grid Iron honeycomb pattern increases blade rigidity to resist blade buckling, Tough Neck ribs strengthen the blade tang and minimize breakage.



48-00-5021 \$17⁹⁹

MILWAUKEE 6" 5 TPI "THE AX" SAWZALL BLADE (5 PK)

5 TPI pattern for faster cuts and a unique design that protects against tooth fracture, FANG TIP bites into the wood on first contact.



49-66-4419 \$49⁹⁵

MILWAUKEE 8 PIECE SHOCKWAVE IMPACT DUTY DEEP WELL SOCKET SET

Includes 11/16", 1/2", 3/4", 3/8", 5/16", 5/8", 7/16", 9/16".



2790-20 \$119⁰⁰

MILWAUKEE JOBSITE RADIO

Exclusive AM/FM tuner with digital processor; premium speakers and 40 watt amplifier; weather sealed auxiliary compartment; shock absorbing ABS polymer and steel construction - protection against weather and abusive job site conditions; customizable equalizer and 10-station preset; AC/DC versatility - powered by milwaukee M12, M18, V18, V28, NiCd 12V to 28V, and AC outlet; built-in bottle opener; USB output; durable cord wrap to store the 6' AC cord.



2792-20 \$229⁰⁰

MILWAUKEE M18 JOBSITE RADIO/CHARGER

Built-in charger for quick and convenient charging of all M18 batteries; exclusive digital bluetooth receiver streams audio wirelessly from over 100' away, USB power port; premium speakers and 40-Watt amplifier produce a rich and full sound; customizable equalizer and 10-station preset delivers personalized and enhanced sound; reinforced roll cage and metal handles, weather-sealed compartment offers on-board protection for small belongings and a smart phone, on-board bottle opener. Includes M18 Jobsite Radio/Charger, 16" auxiliary input cord, and (2) AAA Batteries.



2453-22 \$169⁰⁰

MILWAUKEE M12 FUEL 1/4" HEX IMPACT DRIVER KIT

Includes M12 FUEL 1/4" hex impact driver, M12 REDLITHIUM 2.0 compact battery pack, M12 lithium-ion battery charger, belt clip, carrying case.



2403-22 \$169⁰⁰

MILWAUKEE M12 FUEL 1/2" DRILL/DRIVER KIT

Includes M12 FUEL 1/2" drill/driver, M12 REDLITHIUM 2.0 compact battery pack, M12 REDLITHIUM XC 4.0 extended capacity battery pack, M12 lithium-ion battery charger, belt clip, carrying case.



2762-22 \$429⁰⁰

MILWAUKEE M18 FUEL 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT KIT

Includes M18 FUEL 1/2" high torque impact wrench with pin detent, (2) M18 REDLITHIUM XC 5.0 extended capacity battery packs, M18 & M12 multi-voltage charger, carrying case.



2361-20 \$99⁰⁰

MILWAUKEE M18 CORDLESS FLOOD LIGHT

Up To 30% brighter than corded 250 halogen lights, up to 8 hours of run-time, octagonal shape allows light to be used at multiple angles, integrated EMT hanger, key hole hanger, cross bar hanger, handle hanger for hands-free use.



49-66-4484 \$75⁴⁹

MILWAUKEE 9PC SHOCKWAVE 1/2" DRIVE THIN WALL DEEP IMPACT SOCKET SET

Chromoly steel and custom heat treatment for maximum durability, drives on flats to reduce stripping and breakage, thin wall construction for impact strength in tight clearance applications; SHOCKWAVE impact sockets included: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8"; also includes 1/4" hex to 1/2" square adapter.



2697-22 \$299⁰⁰

MILWAUKEE M18 LITHIUM-ION 2-TOOL COMBO KIT

Includes M1 cordless lithium-ion 1/2" hammer drill/driver, M18 1/4" hex compact impact driver, (2) M18 REDLITHIUM XC extended capacity batteries, M18 & M12 multi-voltage charger, and contractor bag. The M18 Cordless System's patented technologies and electronics, innovative motor design, and superior ergonomics provide the most efficient blend of power, weight and performance in the industry. Powered by REDLITHIUM the M18 cordless system delivers more torque, more power, and longer run-time than the competition.



2662-22 \$379⁰⁰

MILWAUKEE M18 1/2" HIGH-TORQUE IMPACT WRENCH WITH PIN DETENT KIT

Includes M18 1/2" high-torque impact wrench with pin detent, (2) M18 XC high capacity REDLITHIUM batteries, M18 & M12 multi-voltage charger, carrying case.

2664-22 3/4" with friction ring - \$449.00



2754-22 \$329⁰⁰

MILWAUKEE M18 FUEL 3/8" IMPACT WRENCH KIT WITH FRICTION RING

Includes M18 FUEL 3/8" impact wrench with friction ring, (2) M18 REDLITHIUM XC 5.0 extended capacity battery packs, M18 & M12 multi-voltage charger, belt clip, and carrying case.



2735-20 \$49⁰⁰

MILWAUKEE M18 LED WORK LIGHT

Powered by the M18 REDLITHIUM battery (not included), has over 600X the life of conventional incandescent bulbs and runs up to 4X as long, sealed aluminum head to provide impact and weather resistance, limited lifetime LED warranty.



2680-22 \$349⁰⁰

MILWAUKEE M18 CORDLESS LITHIUM-ION 4-1/2" CUT-OFF / GRINDER KIT

Includes M18 Cordless LITHIUM-ION 4-1/2" cut-off / grinder, M18 XC high capacity REDLITHIUM battery, M18 & M12 multi-voltage charger, contractor bag, side handle.



CLP5SET \$34⁹⁹

CRESCENT TOOLS 5-PIECE LOCKING JAW PLIER SET

Crescent locking pliers are made to a standard that results in long-term performance and durability; this set includes (3) curved jaw locking pliers (5", 7", and 10"), and (2) long nose locking pliers (6" and 9"); each plier features a patented angled tooth pattern for a better grip and an integrated wire cutter, nickel plated to resist rust and corrosion, non-slip locking grip.



AC2812VS

\$40⁹⁹

CRESCENT TOOLS 2-PIECE ADJUSTABLE WRENCH SET

Includes an 8" and 12" adjustable wrench, each wrench has a hex jaw design with an extra wide grip for comfort, made of alloy steel and topped off with a chrome finish, opening sizes of 1-1/8" and 1-1/2", laser etched scale, wider knurl, handle is 70% and jaws open 25% wider than conventional wrenches.



M300 \$18⁹⁹

WISS HI-VIS MULTIMASTER LONG CUT AVIATION SNIPS

Blade design for straight cuts, non-slip grips, great for making long, fast cuts in several types of material including paper, plastic, sheet metal, aluminum, vinyl siding, screening, and much more; hi-visibility, non-slip, rubber grips on handle and serrated jaws, 10-1/2" long with 3" cut, twice as long as standard snips.



20238 \$22⁹⁹

RIDGID 12" PROHACK HACK SAW

Superior strength and maximum control in a lightweight professional hack saw, casting provides both greater strength and improved access, blade replacement is easy with the large tensioning knob and the rubberized hand grips fore and aft ensure a controlled and speedy cut, provides (2) positions for mounting the blade: 45 or 90 degree.



707475 \$19⁹⁹

GENERAL TOOLS AND INSTRUMENTS 12-PIECE SWISS PATTERN NEEDLE FILE SET

Set of (12) files - warding (flat), round, three square, equaling (mill), square, half round, crossing, oval, knife, barrette, slitting, and joint edge round; files are 5-1/2" long with 1/8" diameter shanks, exclusive Versa-Grip handle with a locking screw chuck, knurled file shanks can be used without the included handle, packaged in a vinyl pouch for storage.



357030 \$24⁹⁹

IRWIN INDUSTRIAL TOOLS 30-PIECE FASTENER DRIVE TOOL SET

Includes most popular insert bits, double ended bits, and nut setters; (4) magnetic nut setters in most popular sizes, (21) contractor grade insert bits and (4) double-end power bits, powerful magnetic bit case with rubberized grip and sliding latch, (30) piece driving set for secure hardware attachments.



14110501

\$205⁹⁹

CLETOP VERSION S CLEANER WITH BLUE TAPE

Use on SC, FC, ST, SMA, D4, DIN, Diamond, LC, and MU connectors; tape can be replaced very easily by a "drop-in" cartridge, has excellent anti-static properties for static sensitive applications and can avoid reattachment of dust to the ferrule after cleaning.

KLEIN TOOLS

3210 \$30⁹⁹

KLEIN ERECTION WRENCH

Forged from select alloy steel to withstand high-leverage and heavy loads, extra-heavy duty head area gives maximum strength and durability, continuous taper of handle makes lining-up bolt holes easy and works on a range of bolt and/or hole sizes without binding, extra-large hub area works on larger diameter holes than other wrenches.

3219 1/2" regular nut - \$29.99

3221 5/8" regular nut - \$31.99

3222 3/4" regular nut - \$35.99

3223 7/8" regular nut - \$45.99

3224 1" regular nut - \$50.99

3210 1/2" heavy nut - \$30.79

3211 5/8" heavy nut - \$31.99

3212 3/4" heavy nut - \$35.99

3213 7/8" heavy nut - \$49.99

3214 1" heavy nut - \$50.99



3239 \$68⁴⁹

KLEIN TOOLS ADJUSTABLE SPUD WRENCH

Eliminates the need for carrying several fixed-size wrenches; tether hole for tool tether connection; corrosion resistant, 16" length, fits all nuts and bolts to 1-1/2".

3227 10", fits up to 1-5/16" - \$42.69

3238 \$71⁹⁹

KLEIN TOOLS 1/2" DRIVE RATCHETING CONSTRUCTION WRENCH

Accepts 1/2" square-drive hex socket, reversible ratchet, industrial black finish for corrosion resistance.

3261 \$6⁹⁹

KLEIN TOOLS BARREL-TYPE DRIFT PIN

Machined from quality alloy steel, tapers are uniform and blend into body diameter, 8" length, 13/16" max diameter.

3262 15/16" max diameter - \$7.49

3255 \$19⁹⁹

KLEIN TOOLS BROAD-HEAD BULL PIN

1-1/4" top diameter, 13-3/4" length.

3256 1-1/16" top diameter, 10" length - \$18.99

3255TT 1-1/4" top diameter, 13-3/4" length with tether - \$27.99

3256TT 1-1/16" top diameter, 10" length with tether hole - \$25.99



35 \$4⁶⁹

SCOTCH 35 VINYL COLOR CODING ELECTRICAL TAPE

7-mil thick polyvinyl chloride (PVC) color-coding tape, outstanding electrical and mechanical properties make this tape excellent for use in phase identification, color coding of motor leads and piping systems. Available in white, red, blue, green, yellow, orange, brown, gray, and violet; 66'.



1700 99¢

TEMFLEX GENERAL USE VINYL 1700 ELECTRICAL TAPE

Good quality, economical general purpose vinyl insulating tape; has excellent resistance to abrasion, moisture, alkalis, acid, copper corrosion and varying weather conditions, 60'.



33+ \$4⁹⁵

SCOTCH SUPER 33+ VINYL ELECTRICAL TAPE

Quality, general-purpose vinyl insulating tape with excellent resistance to: abrasion, moisture, alkalis, acid, copper corrosion and varying weather conditions, 66'.



3252 \$16¹⁵
**KLEIN TOOLS
 STANDARD BULL PIN**
 1-3/16" top diameter, 15" length.

3259 1-5/16" top diameter, 12" length - \$20.99
 3259TT 1-5/16" top diameter, 12" length with tether - \$32.99
 3259TTS 1-5/16" top diameter, 12" length, stainless steel with tether hole - \$88.99



J2000-28 \$36⁹⁹
**KLEIN TOOLS
 HIGH-LEVERAGE
 PLIERS**

Diagonal-cutting, cuts ACSR, screws, nails and most hardened wire; high-leverage design, 36% greater cutting and gripping than other plier designs, short jaws and beveled cutting edges.

J2000-48 Angled head - \$39.99



J203-8 \$34⁹⁹
**KLEIN TOOLS
 HEAVY-DUTY
 LONG-NOSE
 PLIERS**

Side-cutting, induction-hardened cutting knives for long life, knurled jaws for sure wrapping and looping, slim head design for working in confined areas, hot-riveted joint ensures smooth action.

J203-8N + Stripping - \$35.99



J2000-9NE \$45⁹⁹
**KLEIN TOOLS
 HIGH-LEVERAGE
 PLIERS**

Side-cutting, cuts ACSR, screws, nails and most hardened wire; high-leverage design, rivet is closer to the cutting edge for 46% greater cutting and gripping power.

J2000-9NETP Fish tape pulling - \$50.99

J2000-9NECR Connector crimping - \$53.99



63041 \$125⁹⁹
**KLEIN TOOLS CABLE
 CUTTER**

Lightweight, replaceable hook-jaw blades grab and hold cable while shear-cutting action makes clean cuts, heavy-duty pins in head serve as blade-stops, jaws are forged tool steel with black-oxide finish for long life, 25.5".

63045 32" - \$144.99

818-16
 \$26⁹⁹

**KLEIN TOOLS
 HEAVY-DUTY
 HAMMER**

Durable plastic-alloy jacketing helps to protect neck from fraying and splintering if incorrectly struck or overstruck, high-strength fiberglass shaft absorbs shock and keeps head tight, comfortable, perforated neoprene grip bonded to handle; curved claw.

818-20 20 oz head - \$30.99



027-1196600
 \$16⁹⁹

**JACKSON
 PROFESSIONAL
 TOOLS 3 LB
 CROSS PEIN
 HAMMER**

Striking face is designed for general blacksmith work in striking unhardened metal, peins are used for shaping and bending unhardened metal, eye size: 3/4"x 1", handle length: 16", handle material: fiberglass.



069-69-406
 \$32⁹⁹

**ARMSTRONG
 TOOLS 12 OZ
 BALL PEIN
 HAMMER**

Hammer head drop forged from selected steel and black finished, face, cheeks and peins are highly polished; hollow core fiberglass handle provides better balance, absorbs shock better than solid fiberglass, comfortable non-slip handle grips, 13" length.



680-55-136
 \$8⁹⁹

**STANLEY 36"
 FORGED
 HEXAGONAL
 STEEL RIPPING
 BAR**

Wrecking bar designed for easier demolition jobs, designed to withstand wear, forged high-carbon steel construction for extra strength and durability, beveled chisel end and slotted claw for better performance.





1401-0900 \$9⁹⁹

JOHNSON MAGNETIC ALUMINUM REINFORCED TORPEDO LEVEL

Aluminum reinforced frame, rubber magnetic working edge allows for hands-free use on ferrous metal surfaces, V-groove frame fits on pipe and conduit, tapered ends assure an easy fit into tool belts, tool pouches or work pant pockets, SurroundView vials reflect ambient light for easy-read, oversized frame, Multi-Pitch vial reads slope in 1/8" increments, **9" length.**

1401-1200 12" length - \$11.99



1880-2400 \$164⁹⁹

JOHNSON DIGITAL BOX LEVEL WITH ROTATING DISPLAY AND GLO VIEW REG TECHNOLOGY

SurroundView vials reflect ambient light for easy-read, Quick horizontal and vertical calibration, automatic digit inversion for overhead measurements, hold function locks measurement on LCD, extremely accurate with 0.05° at 0° and 90°, angle inclination in 5 construction languages - units of measure (degrees, percent, in/ft (fractional), in/ft (decimal, mm/m), working range on angle measurement 4 x 90°, IP 65 dust and waterproof, **24" length.**

1880-4800 48" length - \$194.99



40-0915 \$19⁹⁹

JOHNSON MAGNETIC TORPEDO LASER LEVEL

(3) vials read plumb, level, and cross check; projects laser dot, horizontal and vertical lines for versatile use; interior range up to 100', accurate to +/- 3/8" at 50' for great precision, durable molded housing is impact resistant, magnetic edge holds the tool securely to non-ferrous metals, includes (2) "AAA" batteries.



680-42-076 \$13⁹⁹

STANLEY 48" TOP READ ALUMINUM LEVEL

An ideal lightweight, professional grade aluminum level for construction use; top-read center vial designed for easy readability, yellow vial covers for high visibility and easier reading vials, shock-absorbing end caps hold up to heavy use and prevent denting, hang hole simplifies storage, limited lifetime warranty.



1807-0025

\$14⁹⁹

JOHNSON BIG J STAINLESS STEEL CASE POWER TAPE

Extra wide 1-3/16" Big J blade for maximum extension, Blade-Gard nylon coated blade resists abrasion, double duty 2-sided printed 2-color blade, impact resistant ergonomic co-molded rubberized and stainless steel case, (4) rivet self-adjusting blade plate and extra wide flared tip with 2-sided hook.



1808-0300

\$40⁹⁹

JOHNSON JOB SITE OPEN REEL FIBERGLASS TAPE MEASURE

Durable steel end hook with loop, 2-color blade: white inch scale, yellow engineer's scale, comfortable non-slip rubberized hand grip, rugged, high impact ABS Case; **300' length.**

1808-0100 100' - \$14.99



56002 \$32⁹⁹

KLEIN TOOLS FISH TAPE

Permanent, laser etched 1" increments, polypropylene case/handle, raised finger grips, 1/8" 65'.

56003 125' - \$50.99

56004 240' - \$70.99



93116 \$14⁹⁹

KLEIN TOOLS MAGNETIC TAPE MEASURE

Nylon-coated hardened steel blade resists abrasion and wear for long life, built-in shock absorber to protect blade tip, durable steel belt clip, **16'.**

93125 25' - \$19.99

CT-400/300

\$119⁹⁹

TIMES MICROWAVE LMR300 & 400 CRIMP TOOL .324" & .429"

Ratcheting crimper for LMR300 and LMR400 cables with corresponding crimp-style connectors has a fixed die set, the die set has 2-cavities, crimping to 0.324 and 0.429 inch hex; rated at 50,000 cycles, yellow handles make this cable crimping tool easy to locate.



902-360

\$14⁹⁹

ECLIPSE RATCHETED MODULAR PLUG CRIMPER

Ratcheted modular plug crimper for crimping RJ11, RJ12, RJ45 modular plugs; cuts and strips silver satin flat telecom cable, cuts and strips CAT5/6 UTP cable.



TBM45S

\$265⁹⁹

THOMAS AND BETTS COLOR-KEYED MANUAL CRIMP TOOL

Color-Keyed compression tool, comfort crimp ergonomic design, shure-stake ratchet, rotating die wheel, color-coded die nests, die code embossment, works on #8-#2 copper and #10-#6 aluminum lugs and splices, also for green 54705-54727 C-taps and MD2.



K111

\$304⁹⁹

GREENLEE CRIMPING TOOL 8-1 AWG

Small size and light weight make this an ideal tool for crimping small lugs and splices, easily fits in tool pouches, full-cycle mechanism assures that crimps are complete, jaws can be opened in mid-cycle if necessary to adjust connector, wide grips make crimping easy on the hands.



WFANO-01A-MC

\$39⁹⁹

WEATHERFLOW WIND METER

WeatherFlow's Wind Meter is small enough to fit in your pocket, and works with your smartphone to collect real time wind, temperature, humidity, and pressure readings. This handheld anemometer is compatible with your iPhone, iPad, iPod and Android devices. With corresponding app, plug the wind meter into your device's audio jack and measure wind speed, direction, and location. Measures wind speed (avg., gust., apparent., true), wind direction (magnetic and true), crosswind and headwind/tailwind; operating range: 2 mph - 125 mph; accuracy: +/- 0.5%; Plugs into 3.5mm smartphone audio jack.



0820

\$109⁹⁹

KESTREL 2000 WIND METER

Rugged anemometer, measures air/water/snow temperature, wind chill, current/average/maximum wind speeds, impeller-mounted in a high-performance polyamide for strength and durability, low startup speed and precise wind readings, protective overmolded case, replaceable impeller, large backlit LCD, waterproof, drop tested, accurate NIST-Traceable measurements, includes replaceable CR2032 coin cell battery, lanyard; made in USA, includes 5 year warranty.



244377 \$83²⁵

COMMSCOPE 1-1/4" TORQUE WRENCH FOR 7/16 DIN CONNECTOR HEX COUPLING NUT

ANDREW 1-1/4" torque wrench for 7-16 DIN coupling nut, designed with a mechanism to audibly notify the installer that proper torque has been reached.



TW-78-EZFC

\$83²⁵

COMMSCOPE TORQUE WRENCH FOR 7/8" EZFIT CONNECTORS 1" OPENING

ANDREW torque wrench for 7/8" 780 EZfit connectors, for use with FXL-780 and AVA5 cable, audible click when torque has been reached.



244379 \$83²⁵

COMMSCOPE TORQUE WRENCH FOR COUPLING TORQUE OF TYPE-N CONNECTORS 13/16" OPENING

ANDREW 13/16" torque wrench for Type-N coupling nut for Andrew Cable, audible click when the proper torque has been reached.



315460

\$220⁰⁰

JMA TORQUE WRENCH 7/8" 8FT LB, DIN CONNECTOR

PPC click-style torque wrench for Andrew 7-18 DIN coupling nut, pre-set to 8ft lb. OAL is 11-1/4" blue handle.





ATSBT-BOTTOM-FM-4G \$462⁹⁹

COMMSCOPE TELETILT BOTTOM SMART BIAS TEE

Injects AISG power and control signals onto a coaxial cable line, reduces cable and site lease costs by eliminating the need for AISG home run cables, AISG 1.1 and 2.0 compliant, operates at 10-30 Vdc.



EWFTK-63 \$1,132⁰⁰

COMMSCOPE WAVEGUIDE FLARING TOOL KIT

Made for use with HELIAX EWP63S, EWP63, and EW63 elliptical waveguide cable, produces consistently accurate waveguide flares for connector and splice attachments, includes major-axis flaring tool, minor-axis flaring tool, and a rugged carrying case.



PET-ADPKIT-DN \$499⁹⁹

PETRILLA 8 PIECE LOW PIM ADAPTER KIT

This kit includes the following adapters, which can also be purchased individually: DIN Female to N Female; DIN Male to N Female; DIN Male to N Male; DIN Female to N Male; DIN Female to DIN Female; DIN Male to DIN Male; N Female to N Female; N Male to N Male.



780-EZPT \$356⁹⁹

COMMSCOPE 7/8" EZFIT CABLE PREPARATION CORING TOOL FOR FXL-780 COAXIAL CABLE

Automated cable preparation tool, prepares cable for connector attachment, includes (2) cutting blades, cutting tool body, FXL-780 cutting bit, and hex wrench.



CPT-158U \$248⁹⁹

COMMSCOPE EASIAx PLUS CABLE PREPARATION TOOL FOR 1-5/8" COAXIAL CABLE

Automated cable preparation tool, prepares cable for connector attachment, includes (2) cutting blades and jacket blades, cutting blade life of (150) cable preparations.

CPT-78U For 7/8" coaxial cable - \$235.99

CPT-12U For 1/2" coaxial cable - \$210.99



CPT-F4B \$123⁹⁹

COMMSCOPE 1/2" EASIAx PLUS CABLE PREPARATION TOOL FOR FSJ4-50B CONNECTORS

Automated cable preparation tool, prepares cable for connector attachment, includes (2) combination blades, cutting blade life of (150) cable preparations.



1480-PT \$364⁹⁹

COMMSCOPE 1-1/4" EZFIT CABLE PREPARATION CORING TOOL FOR FXL-1480 COAXIAL CABLE

Automated cable preparation tool, prepares cable for connector attachment, includes cutting tool body, FXL-1480 cutting bit, FXL-1480 flaring bit, and hex wrench, for 1-1/4" cellreach and extreme flex FXL coaxial cable using B-series connectors.



CST-195-200

\$99⁹⁵

TIMES MICROWAVE LMR-195 AND LMR-200 CABLE PREP TOOL

All-in-one strip tool, combination allows for prep of crimp or clamp connectors, built-in deburr tool.



CST-240A

\$99⁹⁵

TIMES MICROWAVE LMR-240 PREP TOOL FOR VIRTUALLY ALL CONNECTORS

All-in-one combination prep tool for prep of LMR240 cables for crimp or clamp connectors.



CST-400

\$98⁹⁹

TIMES MICROWAVE LMR-400 PREP TOOL FOR VIRTUALLY ALL CONNECTORS

Made for use with 3/8 inch LMR-400 coaxial cable using crimp and clamp-style connectors; this cable hand prep tool joins a cable stripper tool and a cable trimming tool into one easy-to-use device.



WILTON BASH SLEDGE HAMMER

Unbreakable technology steel core eliminates breaking during overstrikes, hi-vis drop forged 46 HRC steel head endures the most demanding applications, safety plate secures head to handle preventing head dislodging, ergonomic handle shaped and thickened for improved comfort and less vibration, no-slip grip, lanyard hole.

PART	HEAD	HANDLE	PRICE
20212	2-1/2 lbs	12"	\$42.99
20412	4 lbs	12"	\$48.99
20416	4 lbs	16"	\$57.99
20424	4 lbs	24"	\$69.99
20616	6 lbs	16"	\$70.99
20624	6 lbs	24"	\$77.99
20630	6 lbs	30"	\$81.99
20636	6 lbs	36"	\$87.99
20816	8 lbs	16"	\$83.99
20824	8 lbs	24"	\$90.99
20830	8 lbs	30"	\$96.99
20836	8 lbs	36"	\$102.99
21016	10 lbs	16"	\$99.99
21024	10 lbs	24"	\$106.99
21030	10 lbs	30"	\$111.99
21230	12 lbs	30"	\$126.99
21236	12 lbs	36"	\$132.99
21436	14 lbs	36"	\$143.99

WILTON BASH BALL PEIN HAMMER

Safety plate prevents head from dislodging, anti-vibe neck with tapered design eliminates vibration from striking, no-slip grip made from vulcanized rubber ensures a secure hold, patented unbreakable technology made from spring steel rods throughout allows hammer to take maximum abuse with minimal wear and tear.

PART	HEAD	HANDLE	PRICE
32414	24 oz	14"	\$38.99
33214	32 oz	14"	\$44.99
34014	40 oz	14"	\$50.99

WILTON BASH CROSS PEIN HAMMER

Safety plate prevents head from dislodging, anti-vibe neck with tapered design eliminates vibration from striking, no-slip grip made from vulcanized rubber ensures a secure hold, patented unbreakable technology made from spring steel rods throughout allows hammer to take maximum abuse with minimal wear and tear.

PART	HEAD	HANDLE	PRICE
30216	2 lb	16"	\$44.99
30316	3 lb	16"	\$54.99



10015 \$249⁹⁹

WILTON ALL-TERRAIN VISE

Fits standard 2" hitch and includes hitch pin, can be mounted on a bench or trailer for greater versatility, mounting bracket included, patented 360° locking handle secures the handle while driving or repositions it while working, large striking anvil, case included.

1195100 \$29⁹⁹

AMES TRUE TEMPER PICK MATTOCKS

36" fiberglass handle with guard, 5 lb; forged steel head for added strength; handle guard ensures that shaft is secured from coming loose.

1303900 \$29⁹⁹

AMES TRUE TEMPER KODIAK WOOD SHOVELS

11-1/2" X 8-3/4" round point blade, 47" in white ash straight handle; extended blade socket for stronger connection between handle and blade.

1558300 \$32⁹⁹

AMES TRUE TEMPER KODIAK WOOD SHOVEL

11.75" X 8.75" round point serrated blade, 48" fiberglass straight handle; serrated blade for easy soil penetration.



KIT-CC-FULL \$7,886⁰⁰

JMA WIRELESS COMPLETE TOOL KIT

The JMA Wireless Complete Compression Tool Kit is for 1/2", 7/8", and 1-5/8" CC connectors. Kit Includes: (3) Frame sets, (2) Inserts, (2) Batteries, Battery Charger, Gator Crimp frames, cable cutters, cable prep tools (SP-1/2-LDF4D, SP-125, SP-78, SP-158), case, TQ-114-F18 DIN torque wrench.



KIT-CC-FULL \$4,090⁰⁰

JMA WIRELESS 1/2 TOOL KIT

The JMA Wireless Complete Compression Tool Kit is for 1/2" CC connectors. Kit Includes: 1/2" Frame set, (2) Inserts, (2) Batteries, Battery Charger, Gator Crimp frames, cable cutters, cable prep tools (SP-1/2-LDF4D, SP-125), case, TQ-114-F18 DIN torque wrench.



860-10046 \$550⁰⁰

KATHREIN USA INC. PORTABLE CONTROL ADAPTER

SCALA Portable Control adapter, (1) 8 pin connector according to IEC 60130-9, female, conforms to AISG; includes PCA, external power supply, USB cable, AC power cable, CD-ROM (with PCA software, drivers, and manual), installation guide, and carrying case.



8251983 \$2,895⁰⁰

COMMSCOPE RET-MASTER

Portable battery operated controller, wireless interface between a smartphone or tablet and remote electrical dowlit devices for setup, optimization, and troubleshooting; control via Wi-Fi connection between RET master and portable devices; predefined diagnostic tests for easy and quick trouble shooting; equipped with USB connector for charging and handheld devices.



302977 \$139⁴⁶

COMMSCOPE ALUMINUM PREP TOOL FOR FSJ4-50B COAX

Grounding kit preparation tool prepares cable for grounding kit attachment, 150 cable preparations cutting blade life, (1) cutting blade included, 8.7" x 2.5" x 2.2", 1.08 lb.



372829 \$70³⁵

COMMSCOPE 1/2" AND 7/8" COMBO TOOL FOR EZFIT CONNECTORS

Combination tool aids in field installation of connectors, rugged steel construction, for use with 1/2 inch and 7/8 inch connectors, wrench opening: 20mm, 17mm, 34mm; 2.6" x 9.4", 1.03 lb.

683 \$264⁹⁹

GREENLEE JACKSTAND REEL STAND ASSEMBLY

Wide, welded steel base for added stability with 5/8" holes, roller bearings fit in the spindle groove to keep the spindle in place and turning freely, (2) stands and a spindle are required for a complete setup, 2,500 lb capacity, base 24"x23", height 21"x54".



687 \$179⁹⁹

GREENLEE TELESCOPING REEL STAND ASSEMBLY

Wide, welded steel base for added stability with 5/8" holes, roller bearings fit in the spindle groove to keep the spindle in place and turning freely, (2) stands and a spindle are required for a complete setup, base 14.5"x20", height 13"x28".



780942

\$244⁹⁹

SUMNER NO. 70 SCREW-TYPE REEL MAC REEL JACK

Screw-type telescoping, for 46" to 96" diameter reels, height: 21"-54", capacity: 2,500 lbs, use with No. 71 spindle, self-lubricating bearings, built-in handle storage, patent pending safety head.



780941 \$174⁹⁹

SUMNER NO. 60 SCREW-TYPE REEL MAC REEL JACK

Screw-type telescoping, for 26" to 56" diameter reels, height: 13"-27", capacity: 2,500 lbs, use with No. 61 spindle, self-lubricating bearings, built-in handle storage, patent pending safety head.



684 \$232⁹⁹

GREENLEE REEL STAND SPINDLE

Steel spindle with grooves to fit reel stand rollers, for 683 reel stand, 2-3/8"x76" 5,000 lb capacity.

647 For 687 reel stand 2-3/8"x62" - \$173.99



780230 \$159⁹⁹

SUMNER NO. 71 SPINDLE FOR REEL MAC

Screw-type, diameter: 2-3/8", length: 76", capacity: 5,000 lbs, use with No. 70 Reel Mac Reel Jack, all steel construction, rugged design for job site use.

780229 For No. 61 reel stand 2-3/8"x62" - \$124.99



780935 \$218⁹⁹

SUMNER NO. 75 ECONO MAC REEL JACK

Lighter design that does not require any loose pins, Self-lubricating roller bearings, no grease required, one-bolt disassembly, no welding required for service, double pronged pins, 23.75" to 52.75" range, 2,500 lbs. capacity.



10-00837-046

\$20⁹⁹

STANLEY 80Z FLASK

8 oz / 236 mL, 18/8 stainless steel won't rust, naturally BPA free, wide mouth for easy filling and pouring, integrated lanyard so you'll never lose your cap, leak proof and fully packable, red.

10-00837-045 Hammertone Green - \$20.99

10-01359-001 eCycle Recycled Plastic Flask Green - \$14.99

10-01359-002 eCycle Recycled Plastic Flask Blue - \$14.99



10-01883-001 \$34⁹⁹

STANLEY STAINLESS STEEL SHOT GLASS SET

A party to go, the Adventure Steel Shots and Flask set has everything to have a good time outdoors, toast with your friends in a timeless 2oz shot glass, with 8 oz. adventure flask and portable carrying case with screw on lid, 18/8 stainless steel won't rust, naturally BPA-free, integrated lanyard to never lose flask cap, dishwasher safe.



10-01612-002

\$29⁹⁹

STANLEY 250Z CLASSIC VACUUM BOTTLE

Vacuum insulation keeps drinks hot or cold for 15 hours, 25 oz / 750 mL, 18/8 stainless steel won't rust, naturally BPA free, insulated lid doubles as 8oz / 236mL cup, leak proof and fully packable.



10-01032-025

\$44⁹⁹

STANLEY 1.4QT CLASSIC VACUUM BOTTLE

The Classic 1.4Qt is the same size as the iconic 1.1Qt thermos but holds an extra cup, vacuum insulation keeps drinks hot 24 hours or cold 32 hours, 1.4 Qt / 1.3L, 18/8 stainless steel won't rust, naturally BPA free, locking handle, insulated lid doubles as 8oz / 236mL cup, leak proof and fully packable.



10-01394-007

\$24⁹⁹

STANLEY 160Z ONE HAND VACUUM MUG

Vacuum insulated body - thermal lid keep drinks hot 6 hours, cold 24 hours; 6 oz / 473 mL, 18/8 stainless steel won't rust, naturally BPA free, push button lid lets you open, drink, close with one hand; leak proof and fully packable, dishwasher safe lid disassembles for deep cleaning., green.

10-01394-008 Navy - \$24.99

10-01394-059 Red - \$24.99



10-01688-001 \$64⁹⁹

STANLEY ADVENTURE COOLER PLUS VACUUM BOTTLE COMBO

Perfect lunch solution for work or recreation, cooler: 7 Qt / 6.6L, leak resistant gasket, locks in cold for up to 27 hours, foamed lid and body, 3x the foam of typical cooler, keeps cold 38% longer, sturdy latches and hinges for added durability, keeps lunch fresh, vacuum bottle: 25oz / 750mL, vacuum insulation keeps drinks hot or cold 15 hours, 18/8 stainless steel won't rust; naturally BPA-free, insulated lid doubles as cup, leak proof and fully packable.

10-01622-001 Cooler only - \$39.99



3703 \$9⁹⁹

SQUIDS ELASTIC LOOP TOOL TAILS

Retrofit attachment points, can also be used on belt or harness, pack of (3), 15 lb max, 11".

3703EXT 15 lb max, 18" - \$11.49

3713 10 lb max, 11" - \$12.49



3790 \$8⁴⁸

SQUIDS TOOL SHACKLE

Stainless steel shackles connect to tools with tapered mid sections or tools with captive holes, creating clean, secure attachment points for tethering. 15 lb capacity. 2 Pack.

Small - \$8.48

Medium - \$9.48

Large - \$10.49

X-Large - \$12.49



3723 \$8⁶⁵

SQUIDS COLD SHRINK TRAP

Requires no heat source, no additional tools needed for attachment, uses no adhesives, can be removed and replaced without a mess, EPDM rubber material resists acids, alkalies, and extreme temps, for tools ranging from .75" to 2.5" in diameter; 3" length, 5 lb capacity.

3724 4" Length, 10 lb capacity - \$10.35

3726 6" Length, 15 lb capacity - \$14.95



3700 \$7¹⁵

SQUIDS WEB TOOL TAILS 6-PACK

Web tool tails provide retrofit attachment points to a variety of tools and equipment up to 2 lbs using Squids Tool Traps.

3.5" Black - \$7.15

4.5" Orange - \$7.15

5.5" Black - \$7.15

6.5" Orange - \$7.15

8.5" Black - \$7.15

Variety 5-Pack Orange/Black - \$7.15



3770 \$14⁹⁵

SQUIDS TAPE MEASURE TRAP

Tape measure trap securely wraps around most popular standard tape measures, D-ring connection point attaches to lanyard to prevent drops, 1200D and 600D polyester main material, iron belt clip. Maximum capacity: 2 lbs.



3025 \$21⁶⁵

SQUIDS RETRACTABLE ACCESSORY 3-PACK

Includes 3 stainless steel carabiners that attach to retractable lanyards for quick exchange of multiple tools, modular quick connecting buckle. Maximum capacity: 1 lb.

3026 Elastic Loops - \$9.99



3000 \$26⁹⁹

SQUIDS RETRACTABLE LANYARD

Stainless steel carabiners, lanyard will lock into place at a desired length of up to 48" to secure your tools and prevent tangling, technora cord, modular quick connecting buckle. Maximum capacity: 1 lb.

3001 Elastic Loop style - \$26.99



3750 \$16⁶⁵

SQUIDS HEAT TAPE TRAP

Captures Squids Tool Tails securing a safe connection to tools like no other tool attachment tape, quickly wraps on a variety of hand tools, power tools, and other equipment, leaves no residue. 15 lb capacity - 12ft roll.

30ft roll - \$38.35

10 LBS Signifies tool lanyard capacity



OTRG-241 \$24⁹⁹

T-REIGN 902 SERIES HEAVY DUTY RETRACTABLE TETHER LANYARD

Rugged 48" Kevlar cord; includes a lock that takes tension off the tether, allowing the cord to remain extended; rugged polycarbonate case, weather-proof materials safe to use in any environment, **carabiner connector**.

OTRG-243 Hook and loop velcro strap - \$24.99



15 LBS

1150914 \$15⁹⁹

DBI SALA SINGLE LEG TOOL LANYARD

Stretch design extends and automatically retracts, choker and carabiner connector, fast and easy installation, compact and lightweight design, holds up to 15 lbs, 34" - 50".



30 LBS

1150916 \$30⁹⁹

DBI SALA SINGLE LEG TOOL LANYARD

Stretch design extends and automatically retracts, carabiner connectors at both ends, fast and easy installation, compact and lightweight design, holds up to 30 lbs, 34" - 50".

1150915 15 lbs capacity - \$15.99



908471 \$29⁹⁹

T-REIGN PROHOLSTER POUCH

Open-top protective case with a retractable tether, designed for two-way radios, GPS devices or small cameras that need some protection, but are ruggedly built and need to be within easy reach; rugged, 36" Kevlar tether is strong and durable, preventing drops or loss of gear; patent-pending hook and latch closure system allows quiet, one-handed access to gear; constructed with rugged 600 denier nylon, tether cord can stretch to accommodate up to a 6" tall device, 2" wide x 1.1" deep.



10 LBS

1500047 \$14⁹⁹

PYTHON SAFETY HOOK2LOOP BUNGEE TETHER

Versatile extension for use with any tool under 10 lbs., locking carabiner and choker loop, 5/8" tubular webbing, 32" to 47".



6 LBS

3780 \$13³⁵

SQUIDS POWER TOOL TRAP

Wraps around the battery portion of drills, impact drivers, and other cordless power tools, D-ring connection points attaches to a lanyard to prevent drops, two hook and loop straps secure trap to power tool battery, 1000D nylon construction. Max capacity: 6 lbs

S fits batteries up to 3.5"L x 2.75"W x 2.5"H - \$13.35

L fits batteries up to 5"L x 3.5"W x 3.5"H - \$14.95



15 LBS

3109 \$28⁹⁹

SQUIDS TRIPLE-LOCKING CARABINER

Stretch cord surrounded by tubular nylon webbing, lock stitching at both ends, heavy-duty (8KN) triple-locking carabiner, 360° swivel captive-eye, adjustable barrel lock for tool attachment, holds up to 15 lbs, 35" - 42".

3109EXT 42" to 54" - \$33.29



10 LBS

3108 \$19⁹⁹

SQUIDS LOCKING CARABINER

Stretch cord surrounded by tubular nylon webbing, lock stitching at both ends, heavy-duty (500kgf) self-locking carabiner, adjustable barrel lock for tool attachment, holds up to 10 lbs, 28" to 35".



15 LBS

3101 \$13²⁹

SQUIDS STAINLESS STEEL CARABINER

Stretch cord surrounded by tubular nylon webbing, lock stitching at both ends, stainless steel carabiners for corrosion resistance, screwgate on carabiner for locking connection, holds up to 15 lbs, 35" - 42".

3101EXT 42" to 54" - \$19.99



5 LBS

3115 \$2¹⁹

SQUIDS WRIST TOOL LANYARD

Holds up to 5 lbs, polyester webbing cuff secures to wrist, ribbed pull cord.

S/M 5-7" wrist - \$2.19

L/XL 7-9" wrist - \$2.19



10 LBS

3100 \$8⁹⁹

SQUIDS TOOL LANYARD

Holds up to 10 lbs, aluminum carabiner, adjustable barrel lock, 35" to 42", lime or black.

3100EXT 42" to 54" - \$9.59



10 LBS

3110 \$9⁴⁹

SQUIDS DUAL CARABINER TOOL LANYARD

Holds up to 10 lbs, aluminum carabiner on each end, 35" to 42", lime or black.

3110EXT 42" to 54" - \$10.49



5 LBS

3102 \$8⁴⁹

SQUIDS DETACHABLE WITH CARABINER

Holds up to 5 lbs, aluminum carabiner, quick-connect buckle, 35" to 42".



5 LBS

3103 \$4¹⁹

SQUIDS DETACHABLE LOOPS

Includes (3) elastic loops that attach to the 3102 for quick exchanges of multiple tools.

TK-3400U4P \$219⁰⁰
**KENWOOD PROTALK 2 WATT
 4 CHANNEL RADIO**

Ergonomically contoured and engineered for superb ease of use and audio clarity, even in noisy environments, ProTalk boasts rugged reliability for dependable communications in all weather conditions.



**ASK ABOUT
 KENWOOD
 REBATES**

KLH-187 \$15⁰⁰
**KENWOOD NYLON
 CARRYING CASE**

Black nylon case that allows access to the radio's controls in the case, allowing use of the radio without taking the case off; compatible with Kenwood TK-2400, 3400, 2402 and 3402 radio series; protects radio, snapping belt loop, superior quality, 1-year warranty.



KSC-35SK \$31⁴⁹
**KENWOOD RAPID
 CHARGER**

Kenwood's KSC-35SK rapid-rate desktop charger replenishes the charge on a single Kenwood KNB-45L 2000mAh Li-Ion battery for TK (ProTalk) Series two-way radios, 1-year warranty.



KMB-28 \$199⁹⁹
**KENWOOD SIX UNIT
 CHARGING RACK**

Provides power to (6) KSC-35K chargers, allowing you to charge up to (6) radios simultaneously, compatible with Kenwood TK-2400, 3400, 2402 and 3402 radio series, charging cups included with radios, 1-year warranty.



KENWOOD
 BEST IN CLASS TWO-WAY RADIOS

TK-3400U4P SPECIFICATIONS
4 Channel UHF 2 Watt
Wireless Cloning
90 UHF Programmed Banked Frequencies
39 QT / 168 DQT Privacy Codes
Diecast Chassis
Weather Sealed Construction
1 Watt Audio Output
Removable Antenna
2,000 mAh Li-ion Battery with up to 22 Hours of Talk Time
Advanced Ergonomic Controls
Fast 2.5-3 Hour Charge Time
Weights Only 9.9 oz with Battery
Meets Military Spec 810 Standards
Compatible with Other Business Radios Operating on the Same Frequency and Code
Up to 6 Mile Range in Opens Areas
Includes Radio, Antenna, Battery, Fast Charger, Belt Clip, and Owner's Manual
2 Year Warranty



PKT-23 \$144⁰⁰
**KENWOOD 1.5
 WATT PROTALK LT
 POCKET-SIZED RADIO**

Weighing just 3.9 oz, this small but powerful two-way radio provides 1.5 watts transmit power, (4) channels, enhanced Kenwood audio, 3.5mm audio jack for hands free operation, LED battery status indicator, battery saver, time out function, wireless clone, 2-year warranty. Connect to a standard micro USB port to charge or use included charging cup, meets 8 Mil-Spec standards. Includes 1,430mAh Li-Ion battery, 3-hour fast charger, and belt clip.



KHS-33 Earbud headset - \$28.00
KHS-34 C-Ring headset - \$35.00



KMB-44 \$167⁰⁰
**KENWOOD SIX UNIT
 CHARGING RACK**

Provides power to (6) KSC-44CR chargers, allowing you to charge up to (6) radios simultaneously, compatible with Kenwood PKT-23, charging cups included with radios, 1-year warranty.

KSC-44CR Rapid charger for PKT-23 - \$166.99

TK-2402V16P
 \$279⁰⁰

**KENWOOD 5 WATT
 COMPACT VHF
 PORTABLE RADIO**

Designed for local area industrial job site communications, 5 watt (136-174 MHz) VHF, 1 watt of audio output, (16) channels, single priority / normal scan, 4-Color LED (blue/red/green/orange), (2) PF keys, enhanced Kenwood audio, companded audio (per CH), VOX ready, voice inversion scrambler built-in, (16) Scrambler Codes (per CH), lone worker alert (per CH), Q/T/DQT, wireless cloning, password protection, FleetSync, MIL-SPEC 810 C/D/E/F/G, 2-year warranty.



KENWOOD
BEST IN CLASS TWO-WAY RADIOS

**DEMO UNITS
AVAILABLE**
CALL FOR DETAILS

TK-3230K SPECIFICATIONS
6 Channel UHF 1.5 Watt
Wireless Cloning
64 Pre-Set Frequencies
39 QT / 168 DQT Privacy Codes
Enhanced Kenwood Audio
10 Call Alert Tones
Wireless Cloning
4-Digit 7-Segment LCD with Backlight
2,000 mAh Li-ion Battery Offering up to 18 Hours of Operation
VOX Ready
Fast 2.5 Hour Charge Time
Weighs Only 5.5 oz with Battery
Meets Military Spec 810 Standards
Compatible with Other Business Radios Operating on the Same Frequency and Code
Up to 5 Mile Range in Opens Areas
Includes Radio, Battery, Fast Charger, Belt Clip, and Owner's Manual
2 Year Warranty



KNB-46L \$48⁹⁹

KENWOOD LI-ION REPLACEMENT BATTERY

High quality lithium ion DC 3.7V, 2000mAh cell that is designed to work with the Kenwood TK-3230 series radios, 1-year warranty.

KNB-45L For TK-3400U4P - \$62.99



KSC-37 \$31⁴⁹

KENWOOD RAPID CHARGER

Rapid rate desktop charger that is designed to work with the Kenwood TK-3230 series radios, compatible with KNB-46L Lithium Ion Battery Pack, great as a replacement or spare, 1-year warranty.



KMB-27 \$199⁹⁹

KENWOOD SIX UNIT CHARGING RACK

Provides power to (6) KSC-28 or KSC-37 chargers, allowing you to charge up to (6) radios simultaneously, compatible with Kenwood TK-3230 radio series, charging cups included with radios, 1-year warranty.



TK-3230K \$164⁰⁰
KENWOOD 1.5 WATT PROTALK UHF BUSINESS RADIO

Two-way radio specially designed for demanding use with clear communications in a small compact size (5.5 oz with battery). You can't beat this combination of power, size, and battery life!

KHS-22 \$40⁰⁰

KENWOOD BEHIND-THE-HEAD HEADSET

Omni-directional microphone with foam wind screen, sliding clothing clip, adjustable boom mic for ease of use, in-line push-to-talk (PTT) with hands-free VOX, single ear receiver, combines functionality and style, designed for all-day use, compatible with TK-3400 and 3230, 1-year warranty. (Not Pictured)

KHS-27 \$25⁰⁰

KENWOOD D-RING HEADSET

Soft rubber D-ring ear loop hanger with speaker, ear loop can be worn on either ear, lightweight and balanced to provide all day comfort, in-line PTT with clothing clip, compatible with TK-3400 and 3230, 1-year warranty. (Not Pictured)

KMC-21

\$50⁰⁰

KENWOOD COMPACT SPEAKER MIC

Lapel speaker microphone with plug to insert into a Protalk or FreeTalk radio, incorporates volume control and a channel-scan button on the housing, while remaining splash-proof; compact design, swivel belt clip, compatible with TK-3400 and 3230, 1-year warranty.



908471 \$29⁹⁹

T-REIGN PROHOLSTER POUCH

Open-top protective case with a retractable tether, designed for two-way radios or any other small device, rugged 36" Kevlar tether is strong and durable, prevents drops and loss of gear; patent-pending hook and latch closure system, one-handed access to gear; constructed with rugged 600 denier nylon, tether cord can stretch to accommodate up to a 6" tall device, 2" wide x 1.1" deep.





ProTalk[®]

THE RIGHT TOOL THE RIGHT CHOICE

Compact, durable business two-way radios from Kenwood



KENWOOD
BEST IN CLASS TWO-WAY RADIOS



ONE WEEK
NO RISK
FREE
TRIAL



RMU2040 \$245⁰⁰

MOTOROLA ON-SITE TWO-WAY BUSINESS RADIO

2 Watt, up to 15 hours battery life, Lithium Ion, up to 20 floors or 250,000 sq ft. coverage area, 450-470 MHz frequency range, (99) UHF frequencies make signals extra-secure and exceptionally clear, (219) codes; powerful speaker delivers premium-quality audio for clear communications in noisy conditions; comfortable to wear all day, with easy-to-use interface that requires little or no training; takes on tough conditions with a durable metal diecast chassis that meets Military Standards and IP54/55 specs; antimicrobial protection helps prevent the growth of mold and germs on the surface of the radio; tri-color LED easily identifies different radio features and radio status; Advanced Voice Activation (VOX) adds convenience of hands-free operation with optional accessories; drop in charger keeps radios charged, ready and centrally located; LED lights on multi-unit charger provides a charge status to give you confidence that your radio is charged and ready; Easy to program with any computer web browser; seamless transition from previous RDX series of two-way business radios.

PMLN6384 6-unit charging rack - \$275.00



DLR1060 \$259⁰⁰

MOTOROLA DIGITAL ON-SITE TWO-WAY RADIO

1W Digital 900MHZ ISM band, 6 channel radio; with DLR digital technology, voice communications are louder and clearer across an extended range without static, ensuring that your voice is crisp and clear even at the outside edge of coverage; DLR series is license free, eliminating the need for regulatory paperwork and licensing applications and fees; Private Reply feature allows users to instantly communicate one to one privately after a group transmission is over; Call All Available or Page All Available features are flexible group communications that can reach all users available; Home Channel designates a specific channel as "home" so the radio automatically reverts back if the user was speaking on a different channel; Communicate across an extended range of 300,000 sq ft and up to 20 floors; Unique group privacy allows a radio fleet to be set up with a unique 4-digit radio profile ID so you're assured private communication without interference; Long battery life provides up to 14 hours of operation; DLR radios meet test methods for military standards 810 C, D, E, F, and G.

DLR1020 2 Channel Radio - \$239.00

CLS1410 \$209⁰⁰

MOTOROLA ON-SITE TWO-WAY BUSINESS RADIO

1 Watt, up to 12 hours battery life, Lithium Ion, up to 200,000 sq ft. (15 Floors) coverage area, 461-470 MHz frequency range, VibraCall alert lets users discreetly receive transmissions, flexible choice of frequency and channels, uses (4) channels and operates on (56) business-exclusive frequencies, private line codes (PLCs), (121) interference eliminator codes maximize choices through (83) digital and (38) analog private lines, voice-operated transmit enables hands-free operation, simplified cloning quickly copies settings from radio to radio, choice of rechargeable lithium ion or backup AAA, 1-year standard warranty.



MR8461-2AP

\$35⁰⁰

MOTOROLA TWO-WAY RADIO HOLSTER

Heavy-duty, two-way radio holster designed to protect all professional walkie-talkie Motorola XU/XV/RD series, black leather, swivel design makes kneeling/bending more comfortable, quick release quickly disconnects from the stainless steel belt clip.



HKLN4606

\$63⁰⁰

MOTOROLA DURABLE REMOTE SPEAKER MICROPHONE

Conveniently clips to your front lapel or pocket allowing you to talk and listen without removing your radio from the belt or case, built and rigorously tested to the same quality standards as Motorola radios, includes speaker, microphone, and push-to-talk button; compatible with CLS1410 and RDU2020.





KB-14/360RD

\$149⁹⁹

SUUNTO AZIMUTH COMPASS

Fast, accurate compass provides built-in precision and error-free operation; estimations can be made to 1/4°, housing is made of machined lightweight alloy; declination range is ±26° E/W (13° each way), accuracy ±0.5, optically magnified graduated scale, liquid-filled needle chamber, cotangent table, conversion table has cotangent 1°–45°, intervals of 1°; graduated 0°–360° in 1° increments, includes neck cord and case, measures 2"W x 3"L x 5/8"D.



KB-20 \$83⁹⁹

SUUNTO VISTA COMPASS

Features black azimuth scale division, reverse scale for taking cross bearings, optically magnified graduated scale and an index line, graduated 0–360° at 1° intervals, compass readings to 1/2° accuracy, housed in a lightweight, weatherproof ABS plastic that floats; includes lanyard, measures 2"W x 3"L x 5/8"D.



E7500i \$598⁹⁹

LEICA DISTO GEOSYSTEMS LASER DISTANCE METER

660' Range, easy and effortless outdoor distance measurement, unique combination of digital pointfinder and 360° tilt sensor allows measurements which are not possible with conventional distance meters. Bluetooth® Smart and attractive free app allow distances to instantly be transferred to iPhone or iPad for easy sketching, pointfinder with 4x zoom, IP65 water jet protection and dust tight, Smart Horizontal Mode™, height tracking, area/volume measurement, painter function, triangle/room angle, inclination tracking, Pythagoras functions, sloped object measurement, stake-out function, full functioning calculator, tripod thread for stable mounting, uses 2 AA 1.5 V batteries, 5.6" x 2.3" x 1.1".



ATC200-LITE-USB \$625⁰⁰

COMMSCOPE CONTROL UNIT INTERFACE ADAPTER KIT

Carried from site to site for RET antenna setup and optimization, supports up to 32 RET actuators operating in a mix of AISG modes, LED display indicates the presence of input power, output power, and data communication, equipped with USB and serial connectors, power supply efficiency is Energy Star Level IV rated.



FS2.0 \$599⁹⁹

FIELDSENSE 2.0 PERSONAL RF SAFETY MONITOR

With this device, you're covered. The FieldSENSE 2.0 is the next generation in Personal RF Monitors. Specifically designed to protect personnel working near broadcast and telecommunications transmitting antennas from EMF/RF overexposure. The FieldSENSE 2.0 measures both E & H fields spanning from 50 MHz to 6 GHz. It covers all typical television and FM broadcast services and all mobile telecom services; shaped response, to more accurately measure exposure; isotropic design ensures the combination of all sources of radiation from all angles are correctly measured and assessed; data logging records all your measurements, and can be accessed via USB for evaluation after work is completed; fall-detect function will sound an alarm if a fall is detected to attract attention of other climbers; unique harness fastening system keeps device secure on the climber; IP64 enclosure uses the same polycarbonate used in riot shields, and rugged elastomer outer is made for tough environments; voice notes can be taken and listened to after work is completed; uses standard AAA batteries; water resistant; bright LEDs, visible in sunlight; single button operation; includes zipper case with molded foam insert.

fieldSENSE



Introducing the new fieldSENSE 2.0
We've got you covered.

field **SENSE**
measure. monitor.



ASK ABOUT FINANCING OPTIONS



SMARTALIGN \$7,495⁰⁰

MULTIWAVE SMARTALIGN SMART ALIGNER SYSTEM

The Multiwave Smart Aligner System is a GPS-based compass designed to effectively and efficiently align your antennas in real time. The Smart Aligner solution is designed for ease of use and unparalleled accuracy that provides a True North or Grid North azimuth measurement, Tilt, Roll and Position. Once the system is mounted to the antenna, it is simply turned on. From there the user interface is the full feature app on any iOS and Android smart device. Reporting is as simple as a few clicks with the report being able to be emailed directly from the app. The system has been tested in the harshest RF live antenna environment while still maintaining it's accuracy. The Smart Aligner solution is accurate, fast and scalable creating an effective solution for all your alignment needs. First foldable GPS antenna alignment tool; universal mounting bracket; multiple antenna mounting configurations for the most demanding spatial and RF conditions; tool and bracket fit into ruggedized case; carry on baggage acceptable size; includes backpack to carry the tool and bracket; weighs only 10 lbs; free smartphone app.




AIR21 BRACKET \$375⁰⁰
MULTIWAVE AIR21 BRACKET

Used in place of the Universal Bracket to ensure the greatest accuracy when dealing with the curved surface of the AIR21 antenna, bracket attaches to top of the AIR21 antenna and fastens around the lifting ring on the Smart Aligner, includes tether line and clip, fits inside storage bay of carrying case.




GOGO BRACKET \$280⁰⁰
MULTIWAVE GOGO BRACKET

The Multiwave GOGO Bracket is used in place of Universal Bracket for GOGO antennas, comes complete with tether line and clip, fits inside storage bay of carrying case.



DISH ADAPTER \$50⁰⁰
MULTIWAVE DISH ADAPTER

Microwave dishes come in a variety of shapes and sizes. The Multiwave Dish Adapter enables the user to attach the Smart Aligner to their own custom bracket they have fabricated.



UNIVERSAL BRACKET \$600⁰⁰
MULTIWAVE UNIVERSAL BRACKET

Replacement bracket, mounts to nearly all standard antennas, tether line to prevent drops, durable ratchet to ensure secure connection



BACKPACK \$75⁰⁰
MULTIWAVE REPLACEMENT BACKPACK

The Multiwave Backpack makes transporting the Smart Aligner up the tower easy, protects device while climber ascends to platform to work, extra pockets allow separate storage of logs, extra tools, laser range-finder, or smartphone.



LASER AGL CABLE \$100⁰⁰
MULTIWAVE LASER AGL CABLE

The Multiwave Laser AGL Cable connects the Smart Aligner to TruPulse laser rangefinders, allows vertical range distance to be imported to Smart Aligner, sends information to smart phone app.



TRUPULSE 200L \$499⁰⁰
TRUPULSE 200L LASER RANGEFINDER

The TruPulse 200 Laser Rangefinder measures slope distance, inclination, and calculates horizontal and vertical distance with the push of a button; use in place of a tape drop to perform an AGL measurement; in-scope data display with 7x power optics and a serial port; attaches to Multiwave Smart Aligner via Laser AGL Cable.


COMPACT. POWERFUL. SMART.

The Smart Aligner is the smallest and most powerful Antenna Alignment Tool on the market. Compact design, exceptional performance, multiple configurations and smart phone enabled makes it the smartest choice for aligning your antennas. The incorporated GPS technology and sophisticated sensors calculate Azimuth, Tilt, Roll, Location and AGL of an antenna under the most demanding conditions.




INCLUDES FREE
SMARTPHONE
APP

Smart  Aligner
LIKE NO OTHER ANTENNA ALIGNMENT TOOL




SMART CONFIGURATION

- Universal Mounting Bracket
- 18 antenna mounting positions for the most demanding spatial and RF conditions
- Automatically calculates Azimuth, Tilt and Roll offsets for any configuration
- Most antennas can be aligned without additional brackets
- Additional brackets fit in carrying case



CALL GME SUPPLY
FOR MORE INFORMATION
(800) 940-6762





3ZRFA-1000 \$6,995⁰⁰

3Z RF ALIGNER - GPS ANTENNA ALIGNMENT TOOL

The 3Z RF Aligner is an antenna alignment tool for microwave systems and panel antennas. 3Z RF Aligners were designed by RF engineers in order to eliminate the need to carry a compass, GPS, and range finder to site inspections. Optimize network performance and reduce site revisits by using the 3Z Aligner. Each 3Z RF Aligner comes complete with an Aligner Charger, Antenna Clamp, (2) Mounting Knobs, Hex Key, Aligner Monopod, Padded Carry Bag, Hard Carry Case, and a USB cable. Tool is the smallest and has the lightest weight of its kind; only tool with built-in touch screen/color LCD display; measures azimuth, tilt, roll and AGL in one step; comes with a universal antenna clamp; records field measurements instantly, built-in report and file explorer; consistent and accurate reading. "Doing it right the first time" with no "go-backs"; no external software is required. User simply extracts pre-formatted reports via USB in seconds; universal antenna clamp fits 99% of panel antennas; 4.3" TFT Touch screen; carrying handle.

AAT-30 \$6,999⁰⁰

SUNSIGHT ANTENNALIGN ALIGNMENT TOOL

The AntennAlign Alignment Tool is used during equipment installation or antenna position audits. It measures antenna alignment in azimuth, tilt, and roll while also indicating its height above ground level. The AAT features a quick capture feature for on site captures if antenna position data not available prior to climb. Get antenna installs right the first time, eliminate costly site re-visits or re-climbs. The AAT has the best cost of ownership saving you time and money over the long life of product. It is the most durable AAT on the market, with its powder-coated aluminum housing, it is weatherproof and rugged for tough conditions. The antenna alignment tool is simple to operate and can mount to any antenna locations. In seconds, a person can take a reading from any WIFI enabled device, instantly creating a permanent record of an antenna alignment for accountability and traceability. Desired equipment position can be input prior to climb or entered into the tool on-site. The report records the final alignment specification, including latitude/longitude, azimuth, tilt, height, and current date and time.

3 STEP EQUIPMENT FINANCING

1

Pay Advance Finance Payment

Pay 20% of the equipment cost as a down-payment. This is the first month's finance payment.
Example: \$5000 equipment cost = \$1000 (down-payment)

2

Calculate the Monthly Payment

Subtract the down-payment from the equipment cost. Then divide this by the 11 remaining months.
Example: \$5000 equipment cost = \$1000 (down-payment) = \$4000/11 = \$363.64/month for 11 months.

3

Buy out for \$1.00

You will own the equipment at the end of the finance term for \$1.

Call or visit gmesupply.com for more info. \$75 application processing fee may apply. Financing only available for antenna aligners.



S FETY LMS

THE TOWER INDUSTRY'S #1 SOURCE FOR TRAINING

**TRADE IN YOUR OLD NON-COMPLIANT
CARD FOR A DISCOUNT**

safetylms.com | (512) 710-5000



10001 \$1,495⁰⁰

COMPETENT CLIMBER AND COMPETENT RESCUER

Regulations and Standards; Primary and Secondary Connections; Equipment; Climbing Techniques; Descent Control; Fall Protection Hierarchy; Anchorages and Anchorage Connectors; Synthetic Ropes; Pre-Planning; and Inspection, Care and Maintenance. **Duration:** This is a three-day course which includes one, full day of Classroom instruction, a Final Exam and two, full days of on-site instruction teaching basic and advanced tower rescue and climbing procedures. In the field, students will practice various rescue scenarios.



10002 \$795⁰⁰

COMPETENT RIGGER

OSHA Legislation; Various Synthetic Ropes; Rope Inspection; Wire Rope Properties; Synthetic Sling Characteristics; Synthetic Sling Inspection; Rigging Equipment Inspection and Loading; Block Inspection and Loading; Rigging Safety Factors; Tying Knots in Ropes; Wire Rope Load Chart; Wire Rope Inspection; Reading Synthetic Sling Labels; Sling Angle Load Calculations; End Connections on Wire Rope; Block Loading Calculations; Gin Pole Operations; Rigging Plans; and Rigging Plan Development. **Duration:** Full-day classroom course.



10003 \$595⁰⁰

CAPSTAN HOIST OPERATIONS

Types of hoists; Features, Ratings and Inspection; Rope Type, Braid and Inspection; Block Size, Ratio and Capacity; Rope Overlap Condition; Anchorages; Electrical Requirements; Rigging; and Operating and Station Set-up. **Duration:** This is a half-day classroom course covering the use Capstan units on Communication sites. There are many different types and designs of Capstan Hoists that will be covered in this presentation along with their use, and the hazards associated with operating the various units.



10004 \$1,095⁰⁰

AUTHORIZED CLIMBER AND AUTHORIZED RESCUER

Regulations and Standards; Anchorages and Anchorage Connectors; Snap Hooks and Carabineers; Full Body Harness; Energy Absorbing Lanyards; Work Positioning Lanyards; Vertical Lifelines and Rope Grabs; Self Retracting Devices; Ladder Climbing Devices; Inspection, Care and Maintenance; and Horizontal Lifelines. **Duration:** This is a two-day course which includes one, full day of Classroom instruction, a Final Exam and one, full day of on-site instruction teaching basic climbing, rescue procedures and equipment use.



10005 \$3,495⁰⁰

FALL PROTECTION TRAIN THE TRAINER

Safety LMS' Fall Protection Train the Trainer program will allow qualified individuals to become certified to teach both Authorized Climber/Rescuer and Competent Climber/Rescuer in-house. A qualified individual has 5+ years of practical climbing experience and holds a current Competent Climber/Rescuer card. The company must also meet basic requirements. The Train the Trainer program is fully supported online. Once the trainer delivers the course material, the student will take the exam and upload the practical evaluation form online.



10006 \$795⁰⁰

GIN POLE THEORY AND APPLICATION

Reference Standards; Definitions; Unique Loading Conditions; Factors that Effect Loading; Gin Pole Parts and Definitions; Types of Tagging and their Loads; Classes of Poles; Load Chart Description; Gross Load Description; Special Engineered Pick; Manufacturing Specifications and Tolerances; Repairs and Modifications; and Gin Pole Operation and Use. **Duration:** This is a full-day course which includes one, full day of Classroom instruction and a Final Exam.

For a complete offering of all courses available please visit our website at www.gmesupply.com. Pricing shown is open enrollment course pricing - please contact us for group pricing at your location.

Make ordering easy with these convenient checklists. Use them as a guide to make sure you have everything you need or give them to each person on your crew. This page can be downloaded on our website and filled out electronically or printed. To make things even easier, we can turn your list into a custom kit with a part number unique to your company. Call us at (800) 940-6762 for more info.

Equipment for: _____

Need by date _____

TOWER CLIMBING

QTY	ITEM	PAGE(S)	PART NUMBER
	Climbing Helmet	99-102	
	Harness	6-13	
	Twin Leg Lanyard	27-31	
	Cable Grab	64	
	Rope Grab with 3' Lanyard	54	
	Spreader Bar	47	
	Positioning Device	34-36	
	Anchor Slings	43	
	Bolt Bags	93-95	
	Carabiners	46-47	
	Tool Lanyards	171-173	
	Gear Bag	96-98	

LIFTING AND RIGGING

QTY	ITEM	PAGE(S)	PART NUMBER
	Capstan Hoist	72-73	
	Mount	72-73	
	Generator	149	
	Handline Block / Snatch Block	75	
	Slings	81	
	Shackles	79	
	Load Rated Carabiners	80	
	Canvas Buckets	90-92	

ROPE

QTY	ITEM	PAGE(S)	PART NUMBER
	Safety Line	49-51	
	Load Line	74	
	Tag Line	49-51	
	Pulleys	58-60	
	Rope Bag	52	

GENERAL PPE AND SAFETY

QTY	ITEM	PAGE(S)	PART NUMBER
	Hard Hat	99-102	
	Safety Glasses	110-113	
	Gloves	105-109	
	Hearing Protection	103-104	
	Work Boots	130-131	
	First Aid Kit	117-119	
	Hi-Viz Apparel	132-133	
	Job Site Banner	140	

RESCUE

QTY	ITEM	PAGE(S)	PART NUMBER
	Rope	49-51	
	Descent Device	57	
	Pick-Off System	68-70	
	Small Carabiners	46-47	
	Anchor Strap	43, 63	
	Gear Bag	96-98	

TOWER TOOLS

QTY	ITEM	PAGE(S)	PART NUMBER
	RF Monitor	178	
	Two Way Radios & Accessories	174-177	
	Power Tools	154-160	
	Grounding Molds	141-144	
	Antenna Alignment Tool	180-182	



FREE PDF DOWNLOAD

Log on to www.gmesupply.com/checklist to download this page as a PDF. The file can be filled out electronically and emailed or printed.

SIZING CHARTS



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
XS	4'10" - 5'8"	90 lbs - 130 lbs
S	4'10" - 6'	110 lbs - 170 lbs
M	5' - 6'2"	140 lbs - 240 lbs
L	5'2" - 6'4"	170 lbs - 300 lbs
XL	5'4" - 6'6"	200 lbs - 340 lbs
2XL	5'6" - 6'8"	230 lbs - 390 lbs
3XL	5'8" - 6'8"	230 lbs - 420 lbs

NOTE: Delta II harnesses are also available in Universal Size (one size fits most - approximately medium size). ExoFit harnesses are available in sizes XS-XXL.



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
S/M	4'9" - 5'9"	90 lbs - 190 lbs
Universal (L/XL)	4'9" - 6'6"	90 lbs - 340 lbs
2XL-3XL	4'9" - 6'6"	260 lbs - 400 lbs



SIZE	HEIGHT (FT/IN)	WAIST (INCHES)
S	5' - 5'9"	28" - 33"
M	5'5" - 6'4"	32" - 36"
L	5'5" - 6'4"	35" - 39"
XL	5'5" - 7'	39" - 50"

NOTE: These sizes only apply to the Yates Voyager and RTR Tower Access.



SIZE	WAIST (IN)	LEG LOOP (IN)	HEIGHT (FT/IN)
SZ 0	23.5" - 35.5"	17.5" - 25.5"	5'2" - 5'8"
SZ 1	27.5" - 47"	19.5" - 25.5"	5'2" - 5'8"
SZ 2	31.5" - 55"	23.5" - 29.5"	5'8" - 6'6"



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
S	4'10" - 6'	110 lbs - 170 lbs
M	5' - 6'2"	140 lbs - 240 lbs
L	5'2" - 6'4"	170 lbs - 300 lbs
XL	5'4" - 6'6"	200 lbs - 340 lbs



SIZE	WAIST (INCHES/CENTIMETERS)
3XS	20" - 28" / 50 cm - 70 cm
2XS	24" - 32" / 60 cm - 80 cm
XS	28" - 36" / 70 cm - 90 cm
S	32" - 40" / 80 cm - 100 cm
M	36" - 44" / 90 cm - 110 cm
L	40" - 48" / 100 cm - 120 cm
XL	44" - 52" / 110 cm - 130 cm
2XL	48" - 56" / 120 cm - 140 cm
3XL	52" - 60" / 130 cm - 150 cm

NOTE: Measurements are over clothing and waist sizes are at the navel.



SIZE	WAIST (INCHES)	HEIGHT (FT/IN)	WEIGHT (LBS)
S	29" - 33"	4'8" - 5'8"	100 lbs - 135 lbs
M	36" - 45"	5'5" - 6'0"	110 lbs - 145 lbs
L	40" - 49"	5'10" - 6'5"	150 lbs - 225 lbs
XL	44" - 53"	6'0" - 6'8"	200 lbs - 310 lbs



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
S	4'10" - 6'	100 lbs - 170 lbs
M / L	5' - 6'3"	140 lbs - 250 lbs
XL	5'2" - 6'6"	180 lbs - 310 lbs
2XL	5'4" - 6'8"	180 lbs - 400 lbs



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
S	5' - 5'11"	110 lbs - 150 lbs
Standard	5' - 6'6"	110 lbs - 240 lbs
XL	5' - 6'6"	220 lbs - 320 lbs
2XL	5' - 6'6"	280 lbs - 360 lbs

*Sizing charts are per manufacturer recommendation. All weights and measurements are approximate. For additional sizing information, please contact one of our friendly customer service representatives at (800) 940-6762. Additional sizing charts are available online at www.gmesupply.com.

SIZING CHARTS



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
S	4'10" - 6'	100 lbs - 170 lbs
M-L	5' - 6'3"	140 lbs - 250 lbs
XL	5'2" - 6'6"	180 lbs - 310 lbs
2XL	5'4" - 6'8"	220 lbs - 360 lbs
3XL	5'6" - 6'8"	220 lbs - 420 lbs



SIZE	HEIGHT (FT/IN)	CHEST SIZE (IN)
S	5'4" - 5'11"	34" - 40"
M	5'4" - 6'3"	34" - 44"
L	5'4" - 6'3"+	34" - 48"
XL	5'4" - 6'3"+	42" - 54"
2XL	5'4" - 6'3"+	50" - 60"
3XL	5'4" - 6'3"+	56" - 60"



SIZE	CHEST (IN)	TORSO (IN)	BELT (IN)
S-M	40" - 46"	30" - 40"	Up to 38"
L-XL	48" - 56"	40" - 48"	38" - 45"



SIZE	WAIST (IN)	LEG LOOP (IN)
Standard	30" - 55"	19" - 34"
LG-XL	35" - 61"	24" - 40"

NOTE: These sizes only apply to the PMI Avatar.



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
XS	4'10" - 5'8"	90 lbs - 130 lbs
S-M	4'10" - 6'3"	120 lbs - 240 lbs
L-XL	5'2" - 6'6"	190 lbs - 320 lbs
2XL	5'4" - 6'8"	240 lbs - 360 lbs
3XL	5'8" - 6'8"	320 lbs - 400 lbs



SIZE	HEIGHT (FT/IN)	WEIGHT (LBS)
S	4'10" - 5'6"	80 lbs - 140 lbs
M	4'10" - 5'11"	80 lbs - 160 lbs
L	5'5" - 6'8"	80 lbs - 320 lbs
XL	5'5" - 6'8"	170 lbs - 320 lbs
2XL	6'5" - 6'8"	280 lbs - 320 lbs



SIZE	CHEST (IN)	WAIST (IN)
S	34" - 36"	28" - 30"
M	38" - 40"	32" - 34"
L	42" - 44"	36" - 38"
XL	46" - 48"	40.5" - 43"
2XL	50" - 52"	45.5" - 48"
3XL	54" - 56"	51" - 54"
4XL	58" - 60"	58" - 62"



SIZE	BACK LENGTH (IN)	CHEST (IN)	BOTTOM WAIST (IN)
S	26.5"	42"	40"
M	27"	46"	44"
L	28"	50"	48"
XL	29"	54"	52"
2XL	30"	58"	56"
3XL	31"	62"	60"

NOTE: If your chest and/or waist measurement falls between sizes, buy the larger size. Tall sizes are 2" longer than Regular sizes. Tall sleeve lengths are 2" longer than Regular sleeve lengths.

*Sizing charts are per manufacturer recommendation. All weights and measurements are approximate. For additional sizing information, please contact one of our friendly customer service representatives at (800) 940-6762. Additional sizing charts are available online at www.gmesupply.com.

PELICAN ROPE

The Most Trusted Name in Rope®



STATIC MASTER™

- Ideal for tower and rescue
- Leading industrial safety rope
- UL certified life line
- NFPA 1983-2012
- See page 49 for more information



STRINGING LINE

- Pulling and lifting lines
- 12 strand construction
- Dyneema (D-12™), Technora (T-12™) or Polyester (P-12™)
- Call for more information



LOAD PRO™

- High strength Polyester
- Factory spliced eyes
- Abrasion resistant
- UV stabilized
- See page 74 for more information



For more information or to purchase, call GME Supply at (800) 940-6762

THIS PAGE

FallTech ComforTech Tower Climbing Harness *pg 7*, Elk River Twin Leg Shock Absorbing Lanyard *pg 27*, MSA V-Gard Helmet *pg 99*, WestFall Pro Separator Snaphook *pg 47*, Petzl Grillon Adjustable Rope Positioning Lanyard *pg 35*, GME Supply Top-Closing Bolt Bag *pg 94*, Elk River Canvas Bolt Bag *pg 94*, GME Supply WestFall Pro Steel Carabiners *pg 46-47*.



SCAN TO VIEW THE
GEAR PICTURED

www.gmesupply.com/catalog-gear



GME Supply Co
 1801 Westfall Dr
 Columbia, MO 65202



76 Likes 3w
 gmesupply Sick #ClimbHigher-gram from @_josh_woodward.



107 Likes 2w
 gmesupply #ClimbHigher-gram from up in the clouds via @kwoolamj



96 Likes 1w
 gmesupply A cold #ClimbHigher-gram from @norwegiantowerclimber

Tag your photos with **#ClimbHigher** on **Instagram** and **twitter** to be featured here and in our weekly mailer!



www.gmesupply.com

Phone: (800) 940-6762 | **Fax:** (888) 511-0457

Distribution Warehouses:
 Alabama, California, Georgia, Illinois, Iowa, Kentucky, Minnesota,
 Missouri, Nebraska, Nevada, New York, Utah

Corporate Office: 1801 Westfall Drive
 Columbia, MO 65202

Atlanta Branch: 4720 Robinson Drive SW
 Atlanta, GA 30336

