

L-Keys for Hexagon Socket Screws



EAN:	4013288111982	Size:	222x86x25 mm
Part number:	05021728001	Weight:	463 g
Article number:	950/13 Hex-Plus Imperial 1	Country of origin:	CZ
		Customs tariff number:	82054000

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- BlackLaser for high corrosion protection and long service life
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant clip material for enhanced durability

High quality L-key set for imperial hexagonal socket screws in a practical clip fastener out of wear-resistant material, enabling secure storage of the L-keys as well as simple removal. Hex-Plus profile: offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

Web link

http://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_13_hex-plus_imperial_1.html

Wera - 950/13 Hex-Plus Imperial 1
05021728001 - 4013288111982

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Set contents:



950 PKL inch

05022068001	1 x 5/64" x 100 mm
05022070001	1 x 3/32" x 112 mm
05022071001	1 x 7/64" x 119 mm
05022072001	1 x 1/8" x 126 mm
05022073001	1 x 9/64" x 132 mm
05022074001	1 x 5/32" x 140 mm
05022076001	1 x 3/16" x 160 mm
05022078001	1 x 7/32" x 180 mm
05022079001 ¹⁾	1 x 0,05" x 83 mm
05022080001	1 x 1/4" x 190 mm
05022081001 ¹⁾	1 x 1/16" x 91 mm
05022082001	1 x 5/16" x 200 mm
05022095001	1 x 3/8" x 212 mm

1) Regular hexagon

L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened – and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes – for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link

http://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_13_hex-plus_imperial_1.html

Wera - 950/13 Hex-Plus Imperial 1
05021728001 - 4013288111982

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Surface protection



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Web link

http://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_13_hex-plus_imperial_1.html

Wera - 950/13 Hex-Plus Imperial 1
05021728001 - 4013288111982

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de