


FR Contractor Rainwear Jacket - Type R Class 3



1

Compliance

Arc Rating	10 cal/cm ²
CAT Level	CAT 2
Standards	 Compliant to NFPA 70E for Arc Flash Meets ANSI/ISEA 107 Type R Class 3 Compliant to ASTM F1891 for Arc Flash Compliant to ASTM F2733 for Flash Fire Compliant to CSA Z96 Class 3 Compliant to OSHA 1910.269
Features	

Features	 Back ventilation system with FR mesh for increased airflow Covered D-ring opening access Hook and loop straps at cuffs Double front storm flap keeps weather out Two front pockets with closure for convenient and secure storage Waterproof welded seams with reinforced stress points to provide durability 3M Scotchlite™ silver reflective trim in an X back pattern Made in the USA
----------	---

Product Care

use of garment.	 hydrogen peroxide. DO NOT use fabric softeners. DO NOT line dry in sunlight. Wash/Laundering Instructions: Wash separately from other fabrics. Machine Wash warm (Max. 120°F / 49°C). Detergent only. Tumble dry, permanent press Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt greases, oils, etc. If contaminants cannot be removed after laundering, it is best to discontinue
-----------------	---

Sizing Chart

& FR Contractor Jacket (J30)						
Size	Chest	Sleeve Length*	Center Back Length			
SM	34" - 37"	33.5"	R30 / J30 30.5" all sizes			
MD	38" - 41"	34"				
LG	42" - 45"	34.5"				
XL	46" - 49"	35"	R31			
2X	50" - 53"	35.5"	48.5" all sizes			
3X	54" - 57"	36"				

*Tall: +3" to center back length & + 1.5" to sleeve

3