

Data sheet

IGNITE PROTON TOWER



GENERAL

Art. no.: G-1132-T-O-XS/M

E-class number: 40-02-01-02

EAN: 4030281266242

Customs no.: 63079098

Data sheet

IGNITE PROTON TOWER

The NEW IGNITE PROTON TOWER harness is an innovative design featuring superior comfort, versatility and durability. Considered the lightest harness of its kind in the industry, the IGNITE PROTON TOWER offers:

SKYLOTEC AIRPAD: a breathable design thermoformed waist pad with sophisticated gel construction provides the highest comfort and functionality.

Easy to use webbing adjusters: securing the harness without slippage. Excess webbing is no longer an issue with the new keeper system.

Color coding system: versatile aluminum orange sternal and dorsal D-rings, charcoal for other waist and side D-rings allow for easy adjustment and visibility for proper connection.

Aluminum & Stainless Steel Hardware: lightweight and durable hardware reduces worker fatigue and increases product life.

Safety and Comfort at the Highest Level.

GENERAL

Internat. standard:

ANSI Z359.11:2014, MEETS CSA Z259.10:2012

FEATURES

Fall indicator

Shoulder or leg padding: yes

Belt strap coiler: yes

Hand-washing: 40 °C

Click buckles: yes

Lanyard Parking-Rings: yes

Gear loop: yes

Max. service life: 10 Years

Max. number of persons: 1

Rated load: 140 KG

Attachment Points:

dorsal attachment point, sternal attachment point, pole strap attachment point

Patent

Back support: yes

Temperature: from 45 °C to -35 °C

Tool loop: yes

DIMENSIONS

Size:	XS/M
Waist size:	650-1150
Weight:	3,44 kg

MATERIAL

Material:	Polyester, Aluminium, Steel
Webbing material:	Polyester
Sternal attachment point material:	Aluminium
Pole strap attachment point material:	Aluminium
Dorsal attachment point material:	Aluminium
Material Click buckle:	Stainless Steel