


AMERICA'S PREMIER OUTFITTER WWW.GMESUPPLY.COM (800) 940-6762

FALL PROTECTION // LIFTING & RIGGING // ROPE & RESCUE // PPE & WORK WEAR // TOOLS



CATALOG BADGES

Look for these badges throughout the catalog, which signify the following:





WELCOME:

GME Supply Company is North America's premier outfitter of fall protection, safety equipment, and gear for at-height workers, industry, and construction. We tirelessly focus on unmatched customer service, prompt delivery, and continued innovation.

We are Gear Experts[®]. Combining industry knowledge with professional experience, we understand the specialized needs of your company. Climb Higher[®] with GME Supply Company, your trusted resource for expert advice and superior service.



See if it's in stock! Our world class website has real time inventory, letting you see instantly what is on our shelves, ready to ship. Look for the above graphic for items which typically ship out same day if ordered before 7:00 pm EST.

INFORMATION:

Phone: (718) 210-3913 // (800) 940-6762 **Fax:** (888) 511-0457

Corporate Office: 1391 E Boone Industrial Blvd Columbia, MO 65202 Atlanta Branch: 4720 Robinson Dr SW Atlanta, GA 30336



Dallas Branch: 1075 S Beltline Rd, Ste 200 Coppell, TX 75019



NOTICE: GME Supply, GME Supply Co. logo, Columbia Safety and Supply logo, Climb Higher, and Gear Experts are registered trademarks of GMES LLC, and are protected by law in the United States and abroad. All other trademarks contained within are the property of their respective owners. We are not responsible for typographical or photographic errors. Always refer to manufacturers recommendations. Prices are subject to change without notice. © 2018 GME Supply Co. All rights reserved.

(800) 940-6762



All kits can be further customized, just give one of our Gear Experts® a call at (800) 940-6762.



GME SUPPLY FALL PROTECTION SAFETY WIND ENERGY KIT

This kit is designed for those working on wind energy turbines. Kit includes Petzl Volt Wind LT Harness, FallTech ViewPack Lanyard, Petzl Vertex Best Helmet (choose color), (2) 4-7/8" x 3" Steel Carabiners, GME Supply Large Black Deluxe Gear Equipment Bag. *Upgrades available:* DBI Sala ExoFit NEX Global Wind Energy Harness (+\$35.00), DBI Sala Force2 Elastic Lanyard (+\$150.00), GME Supply Wire Rope Grab with Carabiner (+\$39.00), DBI Sala 3/8" Wire Rope Grab with Carabiner (+\$39.00), Petzl Grillon Adjustable Positioning Lanyard (+\$180.00), Petzl Vizir Shadow (+\$60.00), JSP MK8 Evolution Hard Hat (+\$45.00), JSP MK8 Evolution Hard Hat with chin strap (+\$55.00).

90020 - \$649.99



GME SUPPLY SKYLOTEC FALL PROTECTION SAFETY WIND ENERGY KIT

This kit is designed for those working on wind energy turbines. Kit includes Skylotec Ignite Proton Tower Harness, Skylotec SkySafe ProFlex Y Lanyard, Skylotec Lory Pro Positioning Lanyard, Kask Zenith Safety Helmet, (2) WestFall Pro 4-7/8" x 3" Steel Carabiners, GME Supply Large Black Deluxe Gear Equipment Bag. Add options for cable grab, helmets.

Upgrades available: Petzl Volt Wind LT Full Body Harness (No charge), DBI Sala ExoFit NEX Global Wind Energy Harness (+\$35.00), DBI Sala Force2 Elastic Lanyard (+\$150.00), GME Supply Wire Rope Grab with Carabiner (+\$149.00), DBI Sala 3/8" Wire Rope Grab with Carabiner (+\$395.00), Petzl Grillon Adjustable Positioning Lanyard (+\$180.00), JSP MK8 Evolution Hard Hat (+\$45.00), JSP MK8 Evolution Hard Hat with chin strap (+\$55.00).

90021 - \$1,249.99



POWERED CLIMB ASSIST TOWER KIT

User installed climb assist system for interior fixed ladders. Use in conjunction with a ladder safety system. Powered climb assist tower kit system, includes top and bottom bracket pulleys, tensioning system, wear pad kit, 656' (200 m) of 3/16" (5 mm) stainless steel wire rope and swage connection. Adaptive motor adjusts to conditions and climbing speed of user. Personalized system adjustment of 55 - 120 lbs (25-55 kg). Allows for multiple mounting configurations. Top and bottom bracket pulley assemblies route lifeline. Lifeline tensioning system with visual indicator.

6160039 - \$1,293.99

SKYLOTEC IGNITE PROTON WIND HARNESS

WEIGHT	6.2 lbs	s ••	•00
LEG STRAPS	QC	TB	MT
CHEST STRAPS	QC	TB	MT
PADDING			+
FFATURES			

The Ignite Proton is the evolution of the popular ARG 51 wind energy harness. It features a sophisticated design that focuses on comfort and usability. The central chest eyelet is flexible to perfectly fit the user.

G-1132-WS - \$419.99



PETZL VOLT WIND LT HARNESS

QC

OC TB МТ

TB МТ

WEIGHT | 7.0 lbs LEG STRAPS CHEST STRAPS PADDING FEATURES

EasyFit design to keep shape. Ladder climb attachment point for ventral attachment. Wear protectors on waist belt and below dorsal point to limit wear. Podium seat.

C72WFA - \$359.99

DBI SALA EXOFIT NEX POWERED CLIMB ASSIST CONSTRUCTION HARNESS

WEIGHT | 8.1 lbs LEG STRAPS CHEST STRAPS PADDING

FEATURES Ideal for technicians working in turbines with powered climb assist systems, optional hip climb assist straps for use with cable grip for powered climb assist system.

0C TB мт

> ΤВ MT

1113455 Harness - \$559.99 6160026 Tower powered climb assist lanvard -\$31.99







DBI SALA EXOFIT WIND ENERGY HARNESS

LEG STR CHEST STR

FEATU

WEIGHT	7.1 lb	s •	
G STRAPS	QC	TB	MT
T STRAPS	QC	TB	MT
PADDING	-		
FEATURES			

The standard ExoFit offers the comfort and reliability technicians expect from DBI Sala. This model includes quick connect leg straps and a belt for tool pouch storage.

1102386 - \$424.99


(800) 940 - 6762



FALLTECH VIEWPACK TIE-BACK SHOCK ABSORBING LANYARD

6.0 lbs. 6' length. Rugged 1" polyester webbing provides extreme UV resistance. Tear-away absorber design limits fall forces to 900 lbs or less. ANSI compliant.

8260732D Steel snaphook center, steel rebar hook ends - \$103.99



TRACTEL F2 STRETCH RESCUE LANYARD

6' length. Outer protective cover provides greater wear resistance. In-line rescue ring provides quick link for emergency rescue. 310 lbs one person, 12' free fall; 375 lbs one person, 6' free fall. ANSI compliant. C5Y26H/R - \$261.99



SKYLOTEC SKYSAFE PRO FLEX SHOCK ABSORBING LANYARD

6' length. This energy absorbing lanyard will always withstand a maximum impact of less than 6 kN at a maximum length of 5.74'. Will have a final impact resistance of 22 kN. Designed for foot level tie-off. ANSI compliant.

L-0558-1,8 Aluminum snaphook center, aluminum rebar hook ends (5.2 lbs) - \$297.99 L-0562-1,8 Steel snaphook center, steel rebar hook ends (6.4 lbs) - \$219.99



DBI SALA FORCE2 ELASTIC Lanyard

6.4 lbs. 6' length. 12' free fall and dual capacity rated. Stretches in reaction to your movements. Ideal when there is no overhead anchorage and only option is to tie-off at your feet. Abrasion resistant polyester webbing. ANSI compliant.

1246032 Steel snaphook center, aluminum rebar hook ends - \$309.99









MSA V-TC MINI PFL

Compact & lightweight using multiple spring radial energy-absorbing technology. This new design eliminates the need for an external energy-absorber outside of the housing. ANSI compliant.

63011-00F 6' Steel rebar hook end - \$243.99 63011-00A 6' Aluminum rebar hook end - \$248.99

63011-00E 6' Steel snaphook end - \$174.99

PROTECTA REBEL WEB SRL

Housing with carabiner, rugged nylon thermoplastic housing, and unique super-strength thin webbing. ANSI compliant.

3100425 11' Steel snaphook - \$149.99 3100431 20' Steel snaphook

- \$274.99

3100427 11' Steel rebar hook - \$164.99

3100433 20' Steel rebar hook - \$284.99

PROTECTA REBEL CABLE SRL

3/16" steel cable, shock-resistant thermoplastic housing, and self-locking swivel snaphook with impact indicator. ANSI compliant.

3590517	20' Galvanized - \$334.99
3590500	33' Galvanized - \$381.99
3590501	33' Stainless - \$499.99
3590550	50' Galvanized - \$619.99
3590630	85' Galvanized - \$1,024.99
3590670	100' Galvanized - \$1,234.99

PETZL GRILLON ADJUSTABLE POSITIONING LANYARD

Lanyard with fine adjustment system for precise work positioning. Can be used in double mode to distribute weight on the belt or single mode to distribute weight between the waist belt and leg loops. Removable protective sheath protects the rope from abrasive surfaces and enhances rope glide. Certification(s): ANSI Z359.3, CSA Z259.11, CE EN 358, CE EN 12841 type C, EAC.

WITHOUT HO	OK CONNECTOR
L052AA00 2	m (6.56', 1.1 lbs) - \$189.95
L052AA01 3	m (9.84', 1.2 lbs) - \$193.95
L052AA02 4	m (13.12', 1.4 lbs) - \$196.95
L052AA03 5	m (16.40', 1.6 lbs) - \$199.95
L052AA04 10	0 m (32.81', 2.4 lbs) - \$217.95
L052AA05 1	5 m (49.21', 3.3 lbs) - \$234.95
L052AA06 20	0 m (65.62', 4.1 lbs) - \$252.95
WITH HOOK C	ONNECTOR
L052CA00 2	m (6.56', 1.7 lbs) - \$214.95
L052CA01 3	m (9.84', 1.9 lbs) - \$219.95
L052CA02 4	m (13.12', 2.1 lbs) - \$224.95
L052CA03 5	m (16.40', 2.2 lbs) - \$229.95







7440



TTXLQCL-1500





2000112



M34A RL

PART	CARABINER DESCRIPTION	LENGTH	WIDTH	WEIGHT	GATE	MBS	PRICE
7440	WestFall Pro Steel	8.6"	5.1"	1.75 lbs	2"	35 kN	\$39.99
7435	WestFall Pro Aluminum	4.8"	3.0"	0.22 lbs	0.90"	25 kN	\$27.97
TTXLQCL-1500	Tuf-Tug	7.8"	5.5"	1.7 lbs	2.75"		\$69.99
M34A RL	Petzl Am'D Twist Lock Aluminum	4.3"	2.5"	0.20 lbs	0.98"	27 kN	\$20.95
2000112	DBI Sala Saflok Steel	4.3"	2.7"	0.60 lbs	0.69"	22 kN	\$49.99
2000300	DBI Sala Saflok Steel	7.0"	4.7"	1.40 lbs	2"	22 kN	\$99.99
2000113	DBI Sala Saflok Steel	7.0"	4.7"	1.40 lbs	1.19"	22 kN	\$94.99
2000114	DBI Sala Saflok Steel	9.2"	5.2"	1.90 lbs	2.19"	22 kN	\$89.99

GMESUPPLY.COM







GO TO WWW.GMESUPPLY.COM/ROPE TO VIEW ALL ROPE & RESCUE GEAR

WESTFALL PRO PSK

Westfall Pro PSK and 100% polyester rope, and is the ideal rope for use in rescue kits, vertical lifelines, and ascent/descent rope access work. Developed alongside the people that use static rope everyday to be the ultimate kernmantle rope. PSK is durable, extremely strong, and has very low stretch. The rope has extremely high resistance to abrasion thanks to the firm, smooth sheath. This also reduces the risk of debris working its way into the core, which could impact the strength and handling properties.

This rope also performs consistently regardless of condition. Wet or dry, hot or cold, the polyester construction allows PSK to operate as expected every time. It's available in 7/16" or ½" in 5 different colors to allow easy identification of rescue, lifelines, or work positioning lines. Alternatively users can color code their rope by length.

PSK is available with or without sew eyes, however most stock ropes will have eyes included.

Key Features:
• Maximum strength • Extremely low stretch • Firm, smooth sheath mitigates debris penetration, and increases durability • Multiuse - Perfect for rescue, vertical lifelines, and ascent/descent • Operates consistently in wet and dry conditions






LENGTH	DIAMETER	STRENGTH	PART*	WHITE	COLOR [†]
300'	7/16" (12 mm)	6,750 lbs	PSK110092EYE	\$319.99	\$347.99
300'	1/2" (13.5 mm)	9,000 lbs	PSK125092EYE	\$358.99	\$398.99
600'	7/16" (12 mm)	6,750 lbs	PSK110183EYE	\$599.99	\$653.99
600'	1/2" (13.5 mm)	9,000 lbs	PSK125183EYE	\$674.99	\$754.99
1,200'	7/16" (12 mm)	6,750 lbs	PSK110366	\$1,182.99	\$1,281.99
1,200'	1/2" (13.5 mm)	9,000 lbs	PSK125366	\$1,273.99	\$1,433.99

SMC PROTECH EDGE PROTECTION

23.4" length. Handles up to three moving or fixed ropes with captive pins that keep the ropes from "jumping the tracks." The engineering-grade plastic was rigorously tested for durability and a low coefficient of friction to ensure that your ropes will be protected from damage while still sliding cleanly over obstacles.

SM148304	Yellow - \$115.00
SM148302	Blue - \$115.00



erate as itioning e durability

*To complete the part number, replace the (_) with the corresponding color code. Not all rope diameters are available in all colors. †Color patterns and tracer colors may vary slightly. For custom lengths, please call us at (800) 940-6762 or e-mail info@gmesupply.com.





SKYLOTEC CLAW CABLE SAFETY SLEEVE

2.2 lbs. For use with 3/8" and 5/16" diameter cable system. High quality lightweight stainless-steel construction. Replaceable shock absorbing pack. Anti-gravity locking system. Two-hand operation for increased safety that prevents an unintentional opening of the sleeve. Swivel carabiner for a maximum ease of use. Meets ANSI/ASSE A14.3-08, CSA Z259.22.5-17, OSHA.

CL-001 - \$399.99

DBI SALA LAD-SAF X3 DETACHABLE CABLE SAFETY SLEEVE

2.75 lbs. Sleeve for Lad-Saf fixed ladder safety system. For use on 3/8" (9.5 mm), 1 x 7 or 7 x 19 solid core cable. Easy installation and detach anywhere along lifeline. Mechanical and inertial locking system stops falls within inches. Built-in energy absorber and fall indicator with swivel. Anti-inversion feature prevents incorrect installation. Extremely rugged, compact, lightweight, and corrosion resistant construction. Integrated RFID tag.

6160054 - \$434.99

DBI SALA LAD-SAF X2 DETACHABLE CABLE SAFETY SLEEVE

2.6 lbs. Sleeve for Lad-Saf fixed ladder safety system. For use on 3/8" and 5/16", 1 x 7 or 7 x 19 solid core cable. Mobile design follows user for convenient climbing protection. Easy installation and detach anywhere along lifeline. Mechanical and inertial locking system stops falls within inches. Built-in energy absorber and fall indicator. Anti-inversion feature prevents incorrect installation. Rugged and corrosion resistant construction.

6160030 - \$439.99

MILLER VI-GO AUTOMATIC PASS-THROUGH CABLE SAFETY SLEEVE

For use with 5/16" or 3/8" diameter cable. Automatically bypasses intermediate cable guides keeping both hands free for climbing.


VGCS-SC With swivel carabiner (2.9 lbs) -\$401.49

VGCS-C With carabiner (2.0 lbs) - \$452.99



IN-STOCK, READY TO SHIP SAME DAY, CABLE SAFE CLIMB SYSTEMS

We inventory a large selection of Tuf-Tug stainless steel cable safe climb systems that are approved for installation by major tower site owners. These kits include all components required for common for fixed ladders configurations. For further information, give one of our Gear Experts[®] a call.



TUF-TUG FIXED LADDER CABLE SAFE CLIMB SYSTEM

Includes: Stainless steel cable, factory swaged, and cut to length. Heavy duty upright mount bracket for solid rung ladders. Head assembly with impact attenuator. Ladder mount cable guides. Base anchor bracket assembly with tension adjustment eye bolt and cable clips. Quantity of components shown varies by system length.

TTCSCS-100'L-SSC	
TTCSCS-200'L-SSC	200' - \$825.00
TTCSCS-250'L-SSC	250' - \$1,019.00
TTCSCS-300'L-SSC	300' - \$1,150.00
TTCSCS-400'L-SSC	400' - \$1,450.00



DBI SALA LAD-SAF CABLE VERTICAL SAFETY SYSTEM

Designed to meet the requirements of the new ANSI Z359.16 standard, along with OSHA 1910.140 and 1926.502, when used with detachable cable sleeve. Reengineered to simplify and speed up the installation process. Most configurations have fewer than 13 separate components and weighs less. Integrated fall arrest-rated anchor point on top bracket rated to 3,600 lbs. Mounting brackets can be used on a variety of fixed ladder styles that may consist of different rung spacings and shapes. Ideal for fixed ladders. Available in stainless steel and galvanized steel options in 20'-100' lengths.

6119020	20' stainless steel - \$663.00
6119040	40' stainless steel - \$780.00
6119060	60' stainless steel - \$896.00
6119080	80' stainless steel - \$962.00
6119100	100' stainless steel - \$1,079.00





WESTFALL PRO WORK RESCUE DESCENDER

Unique innovative cam action for precise control. 500 lbs working load limit suitable for a two-man rescue. Panic brake. 22 kN MBS. ANSI Z359.4 compliant.

60504 D4, 7/16" (11 mm) rope diameter - \$249.99 60505 D5, 1/2" (13 mm) rope diameter - \$249.99



PETZL ASAP'SORBER LANYARD WITH ENERGY ABSORBER

Connects the ASAP or ASAP Lock mobile fall arrester to the harness. Allows the user to distance themself from the rope in order to declutter the work area and protect the rope. Absorbs the energy of a fall by the tearing of specific stitching. Available in (2) lengths for a choice of the best balance between distance from the rope and reducing the fall length. 310 lbs weight capacity. Lacks sufficient energy absorption to safely arrest the potential energy during a two-person rescue. ANSI Z359.13 compliant 6' when used with Oxan Triact-Lock Carabiners and Captiv positioning bars.

L071BA00 20 cm - \$42.95 L071BA01 40 cm - \$50.95

PETZL ASAP LOCK MOBILE FALL Arrester

3/8" - 1/2" (10 - 13 mm) rope diameter. Integrated locking function allows the user to immobilize the device to reduce the length of a fall. Arrests falls, slides, and uncontrolled descents. Works on vertical or angled rope. Moves up or down the rope without any manual manipulation. Easy to install and remove at any point on the rope. Connection arm makes the system loss-resistant when passing intermediate anchors. Weight capacities: 308 lbs with ASAP'Sorber, 551 lbs with Absorbica. ANSI 2359.15 compliant when used with an ASAP'Sorber or ASAP'Sorber Axess, an Oxan Triact-Lock Carabiner, Captiv positioning bars, and a Ray 12 mm rope with a sewn termination.

B071BA00 - \$279.95



DBI SALA NOWORRIES DESCENDER

Incorporates the functionality of a stop descender, chest ascender, and belay device in one compact unit, allows user to hard lock, ANSI Z359.4 compliant.

8700387 7/6" (10.5 - 12 mm) rope diameter -\$254.99

8700388 1/2" (12.5 - 13 mm) rope diameter -\$254.99



KONG DUCK ROPE CLAMP

5/16" - 1/2" (8 - 13 mm) rope diameter. First and only belay device that works also on plain and tubular slings from 10 mm - 15 mm. Due to the small dimensions, it can be easily inserted even with one hand. The big hole allows the rotation of sleeve connectors. Use as an emergency rope clamp during self belay, retrievals, progression maneuvers and regulating daisy chains. 220 lbs weight capacity.

888 - \$84.99

VIDEO



DBI SALA RESCUE KIT

Includes R550 Device with Rescue Wheel, (2) carabiners, 4' anchor sling, and carrying rope bag. Available in the following lengths:

3327150	150' - \$1,094.99	
3327200	200' - \$1,194.99	
3327275	275' - \$1,349.99	
3327300	300' - \$1,399.99	
3327350	350' - \$1,504.99	



ANSI compliant, heat resistant (to over 900°F), and user rated up to 310 lbs. Slim profile and weighs less than 10 lbs. Kit includes PDQ device with anti-panic feature, 2 ANSI certified carabiners, waterproof storage bag with shoulder strap, and 6 mm XTEC Technora rope with sewn eve termination.

KTPDQ100 328' Rope - \$699.99 KTPDQ 394' Rope - \$864.55 KTRNR Raise & Rescue Kit - \$169.45

KTRNR



SKYLOTEC SET TRUCK KIT

Kit includes Seal Pac Light To Go, Milan 2.0 Hub, 100 meters Milan rope, (3) Steel D Tri Carabiners, Ergogrip SK16, 1.5 meters Loop 35 kN, Perisrop 3 Ovalsteel.

SET-250-100 - \$2,699.99
SET-250-130 - \$2,749.99
SET-250-140 - \$2,799.99



GME SUPPLY WIND RESCUE KIT

Designed for emergency pick-offs and rescue. Kit includes Sterling Rope Pick-Off Strap, PMI Advance Tech Haul System, Petzl Small I'D Descender, Petzl Croll Chest Ascender, GME Supply Orange Waterproof Rope Bag, 7/16" WestFall Pro PSK Rope, (7) WestFall Pro 07436 4-7/8" x 3-1/8" aluminum carabiners, Guardian Premium Cross Arm Strap, Rock Exotica P22 Machined Rescue Pulley, Rock Exotica P21 Machined Mini Pulley.

9060 300' - \$1,250.00





PETZL VERTEX VENT HELMET

Ventilation holes with adjustable sliding shutters allow air to circulate in the helmet when needed. 6-point webbing suspension system conforms to the shape of the head for improved comfort. Shock absorption is achieved through deformation of the outer shell. CenterFit adjustment system ensures centering and optimal stability. ANSI compliant.

A10VWA White - \$119.95



PETZL ALVEO BEST NON-VENTED HELMET

Unventilated shell ensures protection against electrical risks and molten metal splash. Lightweight helmet with comfort foam that is barely felt on the head. Shock is absorbed by deformation of the expanded polystyrene liner. CenterFit adjustment system ensures centering and optimal stability. ANSI compliant. Available in white, red, and yellow.

A20BWA White - \$114.95



KASK SUPERPLASMA HD VENTED HELMET

High density ABS Plastic outer shell. Polystyrene inner shell. High-tech fabric 2DRY for quick absorption of moisture. Removable and washable padding. Fully adjustable width and height. ANSI compliant.

WHE00036.201 White - \$129.99



JSP DELUXE WHEEL RATCHET VENTED HARD HAT

High-density polyethylene shell. 6-point textile cradle suspension. 3D precision fitting. Revolution wheel ratchet adjustment. Chamlon sweatband with Egyptian cotton core and porous PU coating for maximum sweat absorption. Universal accessory slots. Chin strap. ANSI compliant. Available in white, red, yellow, orange, and blue; vented or non-vented. Non-vented Type I Class E.

TW6151SV Vented - \$49.99 TW6151S Non-vented - \$49.99





PETZL PIXA 3 HEADLAMP

100 Ims. Can be worn on the head with the headband, attached to the helmet with a mounting plate, or placed on the ground.
(3) lighting modes adapt to each situation: close-range work, movement, and long-range vision. Excellent resistance to falls (2 m), impacts, and crushing (80 kg). Comfortable and washable elastic headband. Resistant to chemicals and can be used in explosive environments. Flood, mixed and focused beam patterns. Uses (2) AA batteries. IP67 waterproof to -1 meter for 30 minutes.
E78CHB2UL - \$79.95



PETZL PIXA 2 HEADLAMP

80 Ims. Can be worn on the head with the headband, attached to the helmet with a mounting plate, or placed on the ground. (2) lighting modes adapt to each situation: close-range work and movement. Excellent resistance to falls (2 m), impacts, and crushing (80 kg). Comfortable and washabel elastic headband. Resistant to chemicals and can be used in explosive environments. Mixed beam pattern. Uses (2) 2 AA batteries. IP67 waterproof to -1 meter for 30 minutes.

E78BHB2UL - \$59.95



PETZL VERTEX REFLECTIVE STICKERS

(4) pre-cut reflective stickers for increased visibility.

A10110 - \$11.95



KASK SUPERPLASMA REFLECTIVE STICKERS

Pre-cut reflective stickers for better visibility.

WAC00001 - \$19.99



JSP REFLECTIVE STICKERS

This sticker kit gives hard hats 360° reflective coverage. (7) pre-cut stickers.

281-CR2-10 - \$45.99



PETZL VIZEN FACE Shield

Easy to mount on Vertex and Alveo helmets, ultra-wrap shield completely protects face against dangers of an electric arc, (2) positions: raised on top of helmet, lowered in working position, scratch / fog resistant, ANSI compliant.

```
A14 - $69.95
```



PETZL VIZIR Face shield

Easy to mount on Vertex and Alveo helmets, (2) positions: raised on top of helmet, lowered in working position, scratch / fog resistant, ANSI compliant.

A15A Clear - \$59.95 A15AS Shadow tinted - \$64.95



KASK SUPERPLASMA V2 VISOR

Made from polycarbonate material, scratch / fog resistant panoramic lens, cut proof edge, rubber drip proof upper contour, ANSI rated.

WVI00002.015 Clear - \$38.99 WVI00002.009 Smoke - \$42.99 WVI00002.055 Silver mirror -\$49.99



CHILL-ITS EVAPORATIVE COOLING TOWEL

Dampen this synthetic space age towel to create a cooling aid significantly colder than ambient air, advanced PVA material holds water without feeling heavy, super-evaporative, wear for hours or wipe off for quick relief, simply re-wet the towel to reactivate, machine washable, comes with reusable container for storage. Available in hi-vis lime, orange, gray, blue, and pink.

6602 - \$7.99			
6602MF Microfiber - \$8.99			
12410 50 pack - \$249.99			



CHILL-ITS EVAPORATIVE COOLING BANDANA WITH ACTIVATED POLYMERS

Activated polymers bring cooling power where you need it most; activate by soaking in water for 2-5 minutes, re-usable: just soak in water to re-activate, tie closure. Available in lime and solid blue.

6700FR - \$5.99 6700MF Microfiber - \$4.99



CHILL-ITS HARD HAT BRIM WITH SHADE

Fits around the outside of the hard hat, provides sun/UV protection, universal design fits most hard hats. Available in lime or orange.

6660 - \$9.99



ERGODYNE CHILL-ITS TERRY SWEATBAND

Absorbent terry headband. Fits most hard hat suspension systems. Machine washable, 100% cotton. Economical way for hard hat wearers to manage moisture.

6609 - \$5.49

CHILL-ITS EVAPORATIVE COOLING BAND

Dampen this synthetic space age towel to create a cooling aid significantly colder than ambient air, advanced PVA cooling technology, super-evaporative, activates fast and easy - run under cold water for one minute, 1/3 the size of the Chill-Its 6602 with the same cooling power, use as a neck wrap by pulling end of wrap through slit, wear for hours or for quick relief, simply re-wet to reactivate, machine washable. **6603** - **\$3.29**



PERSONAL SAFETY // PPE

MAXIFLEX Ultimate Ad-Apt Cooling Gloves

Microfoam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance. AD-APT technology releases microencapsulated, natural cooling agents to keep hands drier, fresh and clean. 360° breathability, and ultra thin. Available in sizes S-2XL.

42-874 - \$3.99

MAXIFLEX ACTIVE NYLON GLOVES WITH NITRILE GRIP

Microfoam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance. 100% silicone-free. 360° breathability, and ultra thin. Available in sizes XS-2X1.

34-8264 - \$3.99

MAXIMUM SAFETY TUFFMAX 3 GLOVES

High performance polyethylene fiber shell is light-weight and provides excellent dexterity, tactile sensitivity and cut resistance. MicroSurface nitrile-coated padded palm for enhanced wet and dry grip. Thermo plastic rubber (TPR) molded finger, thumb and back-of-the-hand guards for maximum protection. Available in sizes M-2XL.

120-5130 - \$16.99

PETZL CORDEX PLUS RIGGING & RAPPELLING GLOVES

Ergonomic cut for high dexterity without being too tight; made of high quality goat skin for perfect balance between durability and dexterity; goat skin leather; carabiner hole to attach gloves to harness. Available in tan and black in sizes S-XL.

K53 - \$49.95



4131





NORTH MAJOR TRAUMA KIT 10" x 10" x 20", 285 pieces. Rugged nylon bag with carrying straps for easy transport. 148820 - \$220.99

VIDEO

O

CLASS

t Aid Ki

FIRST AID ONLY CLASS A+ BULK FIRST AID KIT

Class A+, Type 3. 9.5" x 10" x 3" case dimensions. (183) pieces. Weather resistant plastic case includes carrying handle and slots for wall mounting. Lightweight kit is ideal for use in the office or vehicle. Meets ANSI/ISEA Z308.1-2015 requirements.

90565 (50) Person kit - \$49.99 90617 (50) Person refill - \$39.95

HONEYWELL FENDALL EYE WASH STATION

Delivers 100% sterile saline from a 100% sterile delivery system. Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush. Sleek assembly that fits nearly anywhere. Highly portable. Meets ANSI Z358.1-2004.

32-ST2050-0000 - \$649.95





TRUEWERK T.5 WERKTEE

Blocks more than 95% of UV rays. Absorbs moisture and promotes evaporative heat loss enhances the body's natural cooling. Tough enough to survive repeated encounters with tree bark, wire rope, and rough-sawn timber. Available in sizes S-2XL in black, wolf grey, and green.

S17-0002 Short sleeve - \$34.00 S17-0001 Long sleeve - \$36.00



TRUEWERK T3 WERKJACKET

4-way stretch fabric with Profit moves with you without added bulk. Waterproofbreathable membrane and durable water repellent coating. Features cuff gaskets, (8) pockets, doublestitch seams to increase durability, and brushed bonded lining. Available in sizes S-2XL in black and crete.

F15-0004 - \$118.00

TRUEWERK Welterweight T2 Windshirt

Stretch Rip-stop technical shell fabric is windproof. Highly breathable, lightweight and tough. Designed to slide easily against outer layers. Durable water repellent coating repels stains, rain and snow. Features softtouch lining, inside chest pocket, and 4-way stretch underarms. Available in sizes S-L.

F15-0002 - \$67.00



TRUEWERK G2 WERKPANT

Features Cordura nylon blended with cotton for werk-level abrasion resistance. Stretch mobility and burn/not-melt performance. (10+) pockets. Available in most common sizes, ranging from 30 W x 32 L to 36 W x 34 L.

GV-0001 - \$105.00



TRUEWERK DOUBLE-STITCH T1 WERKSHORT

4-way stretch with stain resistant durable water repellent coating. (7) pockets. Available in sizes S-XL.

S16-0004 - \$59.00





CAROLINA ELM LOGGER 8" WATERPROOF BOOTS Comfortable, waterproof, and durable safety

Comtortable, waterproof, and durable safety footwear for construction and industrial applications. Electrical hazard rated, oil and slip resisting rubber outsole. Available in sizes 7-15.

CA9821-200 - \$139.99



CAROLINA BRUNO Logger 8" Waterproof Boots

Comfortable, waterproof, and durable safety footwear for construction and industrial applications. Electrical hazard rated, oil and slip resisting rubber outsole. Available in sizes 8-14.

CA8528-210 - \$159.99



CAROLINA 28 SERIES 6" WATERPROOF BOOTS

Comfortable, waterproof, and durable safety footwear for construction and industrial applications. Electrical hazard rated, rubber outsole. Available in sizes 7-15.

CA7528-210 - \$149.99



FR

NATIONAL SAFETY APPAREL FR CLASSIC COTTON HENLEY SHIRT

Soft, breathable fabric; convenient left chest pocket; 3-button front placket; rib knit cuff and collar; generous sizing for optimal movement. NFPA and OSHA compliant. Available in sizes S-4XL in khaki, gray, navy, and orange.

C54PABSLS Khaki - \$68.99 C54PGBSLS Gray - \$68.99 C54PIBSLS Navy - \$68.99 C54PQBSLS Orange - \$68.99



NATIONAL SAFETY APPAREL FR MODACRYLIC SWEATSHIRT

Inherently flame resistant; rib knit cuffs; reinforced front pockets; generous sizing for optimal movement; warmth without the weight; drawstring hood to fit over standard hard hat. NFPA and OSHA compliant. Available in sizes S-4XL.

C21IG03 - \$107.99



AB CHANCE 1,000 LB SWIVEL MOUNT CAPSTAN TRUCK KIT

Kit includes AB Chance 1,000 lb capstan with foot control, AB Chance hitch mount kit, (2) Rock Exotica material handling 2.6" block, (2) LiftAll 4' green round slings, and WestFall Pro 1/2" Double Braid Rope. Rope MBS: 11,000.

CAPKIT6S 600' Rope, Rock Exotica blocks - \$3,549.99 CAPKIT12S 1,200' Rope, Rock Exotica blocks - \$3,849.99 CAPKIT6S-CY 600' Rope, Crosby McKissick blocks -\$3,599.99

CAPKIT12S-CY 1,200' Rope, Crosby McKissick blocks - \$3,899.99

12

Inc



ROCK EXOTICA MATERIAL HANDLING BLOCK

Red side plate to easily differentiate material handling block from P55 omni-block pulley. Install and remove rope while still connected to the anchor. Side plate locks with two-stage, double-catch safety mechanism.

MHP55 2.6" Block, 4,500 lbf WLL -\$205.00

MHP58 4.5" Block, 6,000 lbf WLL -\$350.00

VIDEO	POLYES EYE WE				Ö	U			
	PART	PLY	WIDTH	VERTICAL	CHOKER	BASKET	MIN. LENGTH	PRICE	+/FT
	EE1-91P	1	1"	1,600 lbs	1,280 lbs	3,200 lbs	3'	\$4.50	\$0.35
	EE1-92P	1	2"	3,200 lbs	2,500 lbs	6,400 lbs	4'	\$8.33	\$0.60
	EE1-93P	1	3"	4,800 lbs	3,800 lbs	9,600 lbs	4'	\$13.35	\$1.00
	EE1-94P	1	4"	6,400 lbs	5,000 lbs	12,800 lbs	4'	\$17.75	\$1.20
	EE2-91P	2	1"	3,200 lbs	2,500 lbs	6,400 lbs	3'	\$6.25	\$0.75
	EE2-92P	2	2"	6,400 lbs	5,000 lbs	12,800 lbs	3'	\$9.99	\$1.25
	EE2-93P	2	3"	8,800 lbs	7,040 lbs	18,600 lbs	4'	\$18.05	\$2.00
	EE2-94P	2	4"	11,500 lbs	9,200 lbs	23,000 lbs	3'	\$24.65	\$3.75

 \square

@ @

GME SUPPLY PURPLE SLING PACK

Includes (2) 3' LiftAll ENR1 Purple Round slings, (2) 6' LiftAll ENR1 Purple Round slings, (2) 8' LiftAll ENR1 Purple Round slings, and (2) 12' LiftAll ENR1 Purple Round slings.

GM-PURPLESLINGPACK - \$129.99

GME SUPPLY GREEN SLING PACK

Includes (2) 3' LiftAll ENR2 Green Round slings, (2) 6' LiftAll ENR2 Green Round slings, (2) 8' LiftAll ENR2 Green Round slings, and (2) 12' LiftAll ENR2 Green Round slings.

GM-GREENSLINGPACK - \$159.99

GME SUPPLY YELLOW SLING PACK

12

Includes (2) 3' LiftAll ENR3 Yellow Round slings, (2) 6' LiftAll ENR3 Yellow Round slings, (2) 8' LiftAll ENR3 Yellow Round slings, and (2) 12' LiftAll ENR3 Yellow Round slings.

GM-YELLOWSLINGPACK - \$209.99

GMESUPPLY.COM



5416TCP



5416TC & 5416TCP



5426TCP



GME SUPPLY HEAVY DUTY TOP-CLOSING BOLT BAG 9" L, 5" W, 12" H. Bull-pin loop on each side, durable Cordura 3" drawstring closing top prevents items from falling out, inside pocket, tunnel loop belt connection, up to 3" wide belt capacity, exclusive GME Supply logo. GM-5416TCP With inside pocket - \$28.99 GM-5416TC Without inside pocket - \$24.99

GM-5426TCP With snap belt connection - \$32.99



P42



S47YS



PETZL TOOLBAG TOOL POUCH

Constructed of durable material with a drawstring top closure for safety and security. Water resistant. Attaches to any type of harness. Don't forget to include a Caritool clip that is compatible with the size of your tool pouch to clip onto your harness.

S47YS 6.75" H (2.5 liters) - \$29.95 S47YL 11" H (5 liters) - \$39.95 P42 Caritool standard clip - \$8.95 P42L Caritool large clip - \$18.95



SAVE CASH

VIDEO

QUICK SHIF

GME SUPPLY LEATHER BOTTOM CANVAS BUCKET

17" H, 12" DIA, 1,923 V, load rated 100 lbs. Made of heavy-duty canvas. High-density polyethylene top ring for strength and chemical resistance. Reinforced highstrength webbing strap. Black leather cuff at bottom extends 3" up the side. Inside pocket measures 8" x 8".

 $H\overline{2}0$

GM-5105 - \$61.99 GM-5104S With swivel snaphook - \$64.99

GME SUPPLY PLASTIC BOTTOM CANVAS BUCKET

15" H, 12" DIA, 1,696 V, load rated 100 lbs. Made of heavy-duty canvas. High-density polyethylene top ring for strength and chemical resistance. Reinforced high-strength webbing strap. Black molded polypropylene bottom.

GM-5110 - \$36.99 GM-5109S With swivel snaphook - \$39.99

GME SUPPLY PREMIUM ROPE BAG

32.5" H, 9" W. Easy fold lid to cover zipper from exposure to the elements. Comfortable backpack straps. Easy access side carry handle. Straps that overlap at the top to allow easy hardware connection for hoisting. Large transparent front pocket for instructions and contents. Offers not only space, but a gusseted bottom to maintain shape. Grommet at base of bag to drain moisture. Sewn-in web reinforcement from back to front. Exclusive GME Supply "Climb Higher" logo.

••••••	Orange - \$87.99
5605RB	Black - \$87.99
5610RB	Yellow - \$87.99
ROPEBA	GKIT All 3 bags - \$253.97



FRIGHER



BAGS & BUCKETS // TOOL BAGS

TOOL KIT PICTURED IS MOST POPULAR FOR TECHNICIANS. TOOLS & INSERT CAN BE FULLY CUSTOMIZED TO FIT YOUR NEEDS.



GME SUPPLY WIND-TECH TOOL PACK

20" Height, 16" Width, 6" Depth. Bag made of 1,000 D Cordura Nylon with rugged #10 YKK zipper. 50 lbs load rated. Complete with two tool trays with tethers. Kit includes: Last US Bag Black Flag Backpack, Williams Diagonal Cutting Pliers Regular 6, Williams Metric Ratcheting Combination Wrench 12-Point 8 mm - 19 mm, Williams 1/2" Drive Extension 2, Williams 10 Adjustable Chrome Wrench, 1/2" Drive Enclosed Head Ratcheting 10-3/8", Williams 1/2" Drive Deep Socket 12-Point 9 mm - 18 mm, Williams HD Stripper Cutter 10-20, Hex-Plus Multicolor HF 1 L-Key Metric Set, 1 Zyklop Metal Ratchet Set With Switch Lever 3/8" Drive, Kraftform Kompakt VDE 7 Universal 1, Klein Tools Multimeter TRMS/Low Impedance.

GM-TECHTOOLPACK Backpack, foam cut out, & tools- \$1,495.50 LUSB131 Backpack only - \$249.00



MASTER LOCK ZENEX 10 LOCK PADLOCK STATION

Covered padlock station with (10) of the 410RED Zenex padlocks, keyed differently; (2) 420 hasps and (2) bags (12/ pack) of 497A Danger Do Not Operate lockout tags, lockable translucent cover, 15-1/2" high, 22" wide, 1-3/4" deep.

1483BP410 - \$269.99



MASTER LOCK ELECTRICAL LOCKOUT TAGOUT KIT

(3) padlocks, keyed alike, (1) circuit breaker padlock, (1) lockout hasp, (1) labeled snap-on red lockout hasp, (2) circuit breaker lockout devices, (3) circuit breaker lockout devices, (1) universal wall switch lockout device, and 12-pack of lockout tags.

1457E410KA - \$151.99



MASTER RED ZENEX Thermoplastic safety padlock

1-1/2" wide, 1-3/4" tall Thermoplastic black body, shackle with 1-1/2" clearance, key retaining - ensures that padlock is not left unlocked.



24



MSA ALTAIR 4XR MULTIGAS DETECTOR

Detects LEL, 02, H2S & CO. Charcoal case, North American charger. Outfitted with rapid-response MSA XCell sensors. Provides realtime incident awareness to team members, supervisors, safety managers and others when paired with the MSA Altair Connect app via a Bluetooth wireless connection. 4-year warranty.

10178557 - \$1,100.00

MSA Calibration Testing Gas Bottle

6.25" H, 15.25" L, 34 liters. MSA offers a complete line of calibration gas cylinders to calibrate all instruments. The gas mixture in calibration gas cylinders is certified to be prepared gravimetrically, using NIST traceable weights. The lot number and nominal value of the gas constituents in volume, percent by mass, PPM, or volume is specified on the cylinder.

10048280 - \$299.99



MSA GALAXY GX2 AUTOMATED TEST SYSTEM

12" H, 6.5" W. Comes standard with pre-configured plugs, barbs, fresh air filters, spare parts kit, power supply and plug, Ethernet cable, and screen protector. Operates on 100-200 VAC (47-63 Hz). Provides a simple and efficient approach to testing, calibration, and charging. With numerous user features, advanced software, optional accessories, and automatic cost reduction, the automated test system is an automatic choice for workplace safety managers.

10128630 - \$2,349.99

GMESUPPLY.COM



SNAP-ON INDUSTRIAL BRANDS 72-PIECE BASIC MAINTENANCE SERVICE SET

This set provides a good start to an at-height tool program. All tools are designed to be used with our tethering and retention systems which maintain or enhance the tools' functionality when used at height or near critical assemblies. Kit contains: (1) adjustable and miscellaneous wrenches; (13) combination, box and open end wrenches; (2) hammers; (18) hand sockets, ratchets, and accessories; (1) hex keys and sockets; (5) miscellaneous tools; (5) pliers; (3) prybars, punches, and chisels; (3) screwdrivers and nut drivers; (21) tethers, lanyards, and specialties.

WSC-72-TH - \$3,249.00

CRESCENT 148 PIECE PROFESSIONAL TOOL SET

This set contains all the tools needed for most industrial applications including a wide selection of standard and deep sockets in the most common SAE and metric sizes. All tools meet ANSI and ASME specifications. Industrial build quality.

CTK148MP - \$94.99

WERA TOOLS 3950/9 HEX-PLUS MULTICOLOR STAINLESS 1 L-KEY SET

9-piece set in a two-component clip. Stainless steel, durable plastic sleeve. Contrasting inscriptions on the color-coded sleeves. Hexplus, ball-end hexagon on long arm. 1 x 1, 5 x 90; 1 x 2, 0 x 101; 1 x 2, 5 x 112; 1 x 3,0 x 123; 1 x 4, 0 x 137; 1 x 5, 0 x 154; 1 x 6, 0 x 172; 1 x 8, 0 x 195; 1 x 10, 0 x 224

05022669001 - \$49.99







TY-FLOT QUICK-SWITCH Starter kit 2

Kit includes (2) docks, (2) wrist straps, (2) switches. Allows the use of multiple tools at one time without entanglement. Interchangeable from hand to hand in seconds while maintaining control.

QS2 - \$84.99



TY-FLOT QUICK-SWITCH BOLT BAG & TOOL HOLDER

Contain bolts with two closing actions. Drawstring, d-ring, and snap hook. Made from ballistic nylon. 100% tool retention during tool transfer from docks. Side d-rings for tool tether attachment. 6 lbs maximum tool weight per dock. **OSBOLT - \$94.99**



TY-FLOT 100 LB RATED TOOL BUCKET WITH TRIPLE LOCK CARABINER

15" DIA, 19" depth , with an extra 8" for longer tools. Made from ballistic nylon with leather crack prevention bottom and leather handle wear points. Reflective striping. Aluminum gate carabiner with triple locking with capture pin.

TB1219100BZ - \$119.99

26



TY-FLOT PPE CADDY HOLDER WITH POUCH

Keeps gloves, earplugs, and safety glasses at arm's reach. Reduces cost of lost PPE. Attaches to any convenient location.

PPECPOR - \$3.49



TY-FLOT TOOL COLLAR & LOOP

Mounts on the shaft allowing full use of the butt end. 360° mobility preventing tether entanglement. Fits a wide range of screw drivers and other tools. Diameters ranging from .035" to 1.84" with weight ratings up to 6 lbs available at www.gmesupply.com.

 TKIT1316
 0.13" - 0.16", 0.75 lbs max tool weight - \$3.75

 TKIT2026
 0.20" - 0.26", 1.25 lbs max tool weight - \$4.75

 TKIT5560
 0.55" - 0.60", 1.5 lbs max tool weight - \$6.75

 TKIT284
 0.72" - 0.84", 3 lbs max tool weight - \$9.75

 TKIT96109
 0.96" - 1.09", 5 lbs max tool weight - \$11.50

 TKIT161184
 1.61" - 1.84", 6 lbs max tool weight - \$14.50



SQUIDS TOOL TETHERING KIT 5 LBS

Kit includes (3) detachable loops, 12' roll of self-adhering tape requires no heat, detachable single carabiner. Tether up to (4) 5 lb tools.

3181 - \$44.99



GME SUPPLY ACCESSORY PACKAGE

Add-on this package to easily get all the tethering and anchorage accessories you need to go along with your climbing gear. Radio Holster connects to your belt and holds radios or large phones. Tool tethers offer a 10 lb capacity. Anchor straps are rated for users 130-420 lbs.

```
90120 - $74.99
```

G M E S U P P L Y. C O M



KENWOOD PROTALK 2 WATT 16 CHANNEL RADIO

Ergonomically contoured and engineered for superb ease of use and audio clarity, even in noisy environments, ProTalk boasts rugged reliability for dependable communications in all weather conditions. Specially designed "Stubby" antenna reduces overall radio size without loss of signal or reception.

TK-3400U16PS - \$219.00



KENWOOD 1.5 WATT PROTALK UHF RADIO

Two-way radio specially designed for demanding use with clear communications in a small compact size (5.5 oz with battery). You can't beat this combination of power, size, and battery life!

TK-3230DX - \$164.00



MOTOROLA ON-SITE TWO-WAY BUSINESS RADIO

2-Watt, up to 15 hours battery life, Lithium Ion. Up to 20 floors or 250,000 sq ft coverage area. 450-470 MHz frequency range. (99) UHF frequencies make signals extra-secure and exceptionally clear. Takes on tough conditions with a durable metal diecast chassis that meets Military Standards and IP54/55 specs.

RMU2040 - \$245.00

KENWOOD 1.5 WATT PROTALK LT POCKET-SIZED RADIO

Weighs 3.9 oz. 1.5 watts transmit power. (4) channels. 3.5 mm audio jack for hands free operation. Battery saver and time out function. Meets 8 Mil-Spec standards. Includes 1,430 mAh Li-lon battery, 3-hour fast charger, and belt clip.

PKT-23 - \$144.00



T-REIGN PROHOLSTER POUCH

Designed for two-way radios or any other small device. Constructed with rugged 600 D nylon. Rugged 36" retractable Kevlar tether is strong and durable and can stretch to accommodate up to a 6" H, 2" W, 1.1" L device. 908471 - \$29.99





GME Supply Co 1391 E. Boone Industrial Blvd.

► TAG YOUR PHOTOS WITH **#CLIMBHIGHER** ON **Instagram** AND **Lwitter** TO BE FEATURED IN OUR WEEKLY MAILER!

INTERACT WITH US ON





www.gmesupply.com (800) 940-6762



Corporate Office: 1391 E. Boone Industrial Blvd., Columbia, MO 65202

Branch Locations: Atlanta, Columbia, Dallas